

Properties of a Hexagon Circumscribed to a Circle

Prof. Ion Pătrașcu
Frații Buzești College, Craiova, Romania

Dr. Florentin Smarandache
University of New Mexico, Gallup, NM 87301, USA

In this paper we analyze and prove two properties of a hexagon circumscribed to a circle:

Property 1.

If $ABCDEF$ is a hexagon circumscribed to a circle with the center in O , tangent to the sides AB, BC, CD, DE, EF, FA respectively in A', B', C', D', E', F' , and if the lines of the triplet formed from two lines that belong to the set $\{AD, BE, CF\}$ and a line that belongs to the set $\{A'D', B'E', C'F'\}$ are concurrent, then the lines $AD, BE, CF, A'D', B'E', C'F'$ are concurrent.

Property 2.

If $ABCDEF$ is a hexagon circumscribed to a circle with the center in O , tangent to the sides AB, BC, CD, DE, EF, FA respectively in A', B', C', D', E', F' , such that the hexagon $A'B'C'D'E'F'$ is circumscribable, then the lines $AD, BE, CF, A'D', B'E', C'F'$ are concurrent.


To prove these propositions we'll use:

Lemma 1 (Brianchon's Theorem)

If $ABCDEF$ is a hexagon circumscribable then the lines AD, BE, CF are concurrent.

Lemma 2

If $ABCDEF$ is a hexagon circumscribed to a circle tangent to the sides AB, BC, CD, DE, EF, FA respectively in A', B', C', D', E', F' , such that $A'D' \cap C'F' = \{A_o\}$, $B'E' \cap A'D' = \{B_o\}$, $C'F' \cap B'E' = \{C_o\}$, then $A_o \in AD, B_o \in BE, C_o \in CF$.



Proof of Lemma 2

We note $\{X\} = AF \cap DE$ and $\{Y\} = AB \cap DC$ (see figure 1).


In the quadrilateral $XAYD$ circumscribed, the Newton's theorem gives that the lines $AD, A'D', C'F'$ and XY are concurrent, therefore $A_0 \in AD$.

Similarly, is proven that $B_0 \in BE$ and that $C_0 \in CF$

Proof of Property 1

We suppose that AD, BE and $A'D'$ are concurrent in the point I (see fig. 2).

We denote $\{X\} = AF \cap DE$ and $\{Y\} = AB \cap DC$, we apply Newton's theorem in the quadrilateral $XAYD$, it results that the line $C'F'$ also passes through I .



On the other side from Lemma 1 it results that CF passes through I .

We note $\{Z\} = EF \cap AB$ and $\{U\} = BC \cap ED$ in the circumscribed quadrilateral $EZBU$. Newton's theorem shows that the lines BE , ZU , $B'E'$ and $A'D'$ are concurrent. Because BE and $A'D'$ pass through I , it results that also $B'E'$ passes through I , and the proof is complete.

Observation

There exist circumscribable hexagons $ABCDEF$ in which the six lines from above are concurrent (a banal example is the regular hexagon).

Proof of Property 2

From Lemma 1 we obtain that $AD \cap BE \cap CF = \{I\}$ and $A'D' \cap B'E' \cap C'F' = \{I'\}$. From Lemma 2 it results that $I' \in AD$ and $I' \in BE$, because $AD \cap BE = \{I\}$, we obtain that $I = I'$ and consequently all six lines are concurrent.

Reference:

Florentin Smarandache, "Problems with and without...problems!", Somipress, Fés, Morocco, 1983.