

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/321109324>

(TFM – IOJD – version 1.1 – 27.08.2018 – 8 pages) A tag-based file manager (TFM) called “LeadTags” and a set of interconnected online JavaScript (tag-based) databases (IOJDs) – a p...

Working Paper · November 2017

DOI: 10.13140/RG.2.2.15749.65766

CITATIONS

0

READS

141

1 author:



Andrei-Lucian Dragoi

Spitalul Judetean de Urgenta Targoviste (SJUT), Dâmbovița, Romania

94 PUBLICATIONS 53 CITATIONS

SEE PROFILE

Some of the authors of this publication are also working on these related projects:



Early detection of the children with Autism Spectrum Disorders (ASD) (Detectarea precoce a copiilor cu tulburari de spectru autist [TSA]) [View project](#)



A Bio-Info-Digital Universe (toy-)Model (BIDUM) – towards a transdisciplinary TOE centered on life phenomenon [View project](#)

**A tag-based file manager (TFM) called “LeadTags” and
a set of interconnected online JavaScript (tag-based) databases (IOJDs) –
a practical generation and implementation using Visual Basic 6 (VB6),
with applications including medical databases and website cloning**

*

Wiki-like transdisciplinary article (Open development interval: 2017 - ?)

- working paper preprint^[1] -

Version 1.1 (27.08.2018)

*

Andrei-Lucian Drăgoi^[2] (version 1.0 published on: 16.11.2017; last update on: 27.09.2018)

MD Pediatric specialist with both *interdisciplinary* and *transdisciplinary independent research* in:
theoretical physics (mainly *digital physics*), *parapsychology*, *mathematics* (mainly *logic*,
programming and *prime numbers*), fundamental *biology* (mainly *human biology*, including human
medicine), *music* (mainly *musical composition*) and *religions*
(mainly *Christianity* and *Oriental Orthodoxy*)

(Bucharest, Romania), E-mail: dr.dragoi@yahoo.com

*

Important note: The latest (free) version of this article can be downloaded from this [URL](#)

*

1st Motto: „Information is a source of learning. But unless it is organized, processed, and available to the right people in a format for decision making, it is a burden, not a benefit.” ([William Pollard](#), English clergyman) ([URL](#))

2nd Motto: „Perspective gives us the ability to accurately contrast the large with the small, and the important with the less important. Without it we are lost in a world where all ideas, news, and information look the same. We cannot[/struggle to] differentiate, we cannot [/struggle to] prioritize, and we cannot [/struggle to] make good choices.” ([John E. Sununu](#), American politician; with text modifications proposed by the author between right parantheses) ([URL](#))

3rd Motto: „The problems are solved, not by [necessarily] giving new information, but by [re]arranging what we have known since long.” ([Ludwig Wittgenstein](#), Austrian-British philosopher in his book „[Philosophical Investigations](#)”); with text modifications proposed by the author between right parantheses) ([URL](#))

[1] Online preprints DOI: [10.13140/RG.2.2.15749.65766](https://doi.org/10.13140/RG.2.2.15749.65766)

[2] Andrei-Lucian Dragoi research pages on: [ResearchGate](#), [Academia.edu](#), [Vixra](#), [GSJournal](#);

Abstract

This paper presents a practical method of generation and implementation of a large number of interconnected online/offline [JavaScript \(JS\)](#) 2D databases ([IOJDs](#)), using [file manager](#)-like software called "**LeadTags**" built with [Microsoft Visual Basic 6 \(VB6\)](#) for their creation and maintenance (including periodic updates). Both this simple tag(-based) [file manager \(TFM\)](#) ("**LeadTags**") and [IOJDs](#) have many possible applications including [medical databases](#) and [website cloning \(WSC\)](#).

Keywords: JavaScript ([JS](#)), Visual Basic 6 ([VB6](#)), tag(-based) file manager ([TFM](#)), databases, interconnected online/offline JavaScript 2D databases ([IOJDs](#)), website cloning ([WSC](#));

Important note (1). This atypical [URL](#)-rich paper (which maximally exploits the layer of hyperlinks in this document), chooses to use Wikipedia links for all the important terms used. The main motivation for this approach was that each Wikipedia web-article contains all the main reference (included as endnotes) on the most important terms used in this paper: it simply the most practical way to cite entire collections of important articles/books without using an overwhelming list of footnote/endnote references. The secondary motivation (for using Wikipedia hyperlinks directly included in keywords) was to assure a "click-away" distance to short encyclopedic monographs on all the (important) terms used in this paper, so that the flow of reading to be minimally interrupted.

Important note (2). This paper also exploits the advantages of the hierarchic tree-like model of presenting informational content which is very easy to be kept updated and well organized.

I. A practical tag-based file manager using multiple folder-like (top-down) (knowledge) tags built with Microsoft Visual Basic 6

- 1) The author of this paper has built a very practical 2D (top-down) ([knowledge](#)) [tag](#)(-based) [file manager](#) (TFM) called “**LeadTags**” using multiple folder-like tags. This TFM was developed with a portable version of [Microsoft Visual Basic 6 \(VB6\)](#).
 - a. Although now considered obsolete, VB6 is very practical and very easy to learn (and teach!), still offering the possibility to rapidly create a very large palette of portable small/medium-sized software applications (which may prove both stable and feasible, even when runned directly on USB sticks/cards), mainly for personal use (as the author also uses VB6).
 - b. VB6 portable applications have the advantage of being compatible with all [Microsoft Windows](#) variants (from [Windows XP](#) to [Windows 10](#)).
 - c. VB6 is also advantageous for programming beginners because it has [many existing derivatives](#), like [Visual Basic for Applications \(VBA\)](#) which can be learned quickly and can be used to create complex macros in Microsoft Office applications like Word or Excel.
 - d. VB6 has also two special visual ([WYSIWYG](#)-type) derivatives for creating Android applications: [DroidBasic](#) (created by [KBasic Software company](#)) and [B4A](#) (abbreviation from “Basic for Android”; created by [Anywhere Software company](#)).
- 2) **This TFM uses 3 major hierarchized concepts:**
 - a. **Tags**, which may be regarded as chapters (as created in this TFM);
 - b. **Entries**, which may be regarded as subchapters: each entry/subchapter may be contained in one or more tag/chapters at the same time;
 - c. **Links**, which may be represented by titles/comments/(web/file)links and may be regarded as paragraphs of each subchapter;
- 3) **This TFM uses a simple main VB6-form with 5 major VB6-lists** (with titles highcolored in black) named such as (see the next figures):
 - a. “**ALL TAGS**” list (**AT-list**) (displaying all tags created in TFM)
 - i. Each tag has an associated text-file (.txt) (stored on local hard drive) with a filename identical to the tag name: this associated text-file contains a list of all entries contained in that tag.
 - ii. All these tag text-files are stored in a subfolder called “**TAGS**”, a subfolder which is placed in the main TFM folder.
 - iii. The main TFM folder also contain a separate text-file (.txt) called “TAGS LIST.txt” containing a list with all the tags created in TFM.
 - b. “**ALL ENTRIES**” list (**AE-list**) (displaying all entries created in TFM)
 - i. Each entry has an associated text-file (.txt) (stored on local hard drive) with a filename identical to the entry name: this associated text-file contains a list with all texts (titles/comments etc) and website/local file links contained in that entry.
 - ii. All these entry text files are stored in the main TFM folder, in a subfolder called “**ENTRIES**”
 - iii. Each entry has also an associated subfolder (with the same as the entry) which is stored in the TFM folder, in a subfolder called “**LOCAL**”
 - iv. The main TFM folder also contains a separate text-file (.txt) called “ENTRIES LIST.txt” containing a list with all the entries created in TFM.




Figure I-1. The internal structure and content of the TFM folder (including the VB6 executable of that TFM)

- c. **“ENTRIES FOR CURRENT TAG” list (ECT-list)** (displaying all entries contained in a specific tag selected from the AT-list)
 - i. When selecting a tag (with mouse left-click) from the AT-list, TFM loads in the ECT-list all the entries contained in that tag (by “extracting” them from the associated tag text-file, stored on the local hard drive)
- d. **“LINKS FOR CURRENT ENTRY” list (LCE-list)** (displaying all links contained in each selected entry from the AE-list)
 - i. When selecting an entry (with mouse left-click) from the AE-list, TFM loads in the LCE-list all the links contained in that entry (by “extracting” them from the associated entry text-file, stored on the local hard drive)
- e. **“TAGS FOR CURRENT ENTRY” list (TCE-list)** (displaying all tags that contain a specific entry selected from the AE-list)
 - i. When selecting an entry (with mouse left-click) from the AE-list, TFM searches automatically (in all the associated tag text-files stored on the local hard drive, in the subfolder TAGS) and loads in the TCE-list all the tags that contain that specific selected entry.




Figure I-2a. The main VB6-form of TFM with its 5 major lists, with one tag and one entry selected and displaying all links contained in the selected entry in LCE-list (as explained in the previous paragraphs)

- 4) **This TFM has a lot of implemented list functions** (which can be activated from the TFM menus) that can manipulate each tag/entry/link from each list as if they were simple text in a single text-file (see the next figure)
 - a. **Common/standard functions** (implemented in all file managers):
 - i. create new list element (tag/entry/link/file/entry-associated folder);
 - ii. arrange list elements (alphabetically, chronologically or any other including fixed positions of any element);
 - iii. rename any list element (tag/entry/link/file/entry-associated folder);
 - iv. delete any element from any list;
 - v. copy to clipboard one or more elements from any list;

- vi. find list element by any criterion (any name substring or other criterions);
- vii. search links from all entries by any name substring or other criterions;

b. Special functions that aren't found in most file managers (if any):

- i. (automatically) rename a list element in low case;
- ii. (automatically) rename a list element in upper case (capitals);
- iii. (automatically) rename a group of list elements by replacing a text-substring of their names with any other given text string;
- iv. (automatically) copy a list element under a different name;
- v. (automatically) paste from clipboard to any list and vice versa;
- vi. (automatically) change all tag associated text files containing a specific entry, when that specific entry is renamed;
- vii. (automatically) search on any site (like Google, YouTube etc) any string/substring of any list element name;
- viii. (automatically) generate dictionary-like book (in .txt or .rtf format) containing all the tags, entries (each with their contained links) listed in any order and formatted in any mode;
- ix. (automatically) generate arrays of tags, entries (each with their contained links) that can be used in scripts (in VBScript and JavaScript (JS) formats for any [web browser](#)), including in the IOJDs (as explained in the next section);
- x. Many other experimental functions like generating images, sounds etc.




Figure I-2b. The main VB6-form of TFM with its 5 major lists, with one tag and one entry selected and displaying all links contained in the selected entry in LCE-list (as explained in the previous paragraphs)

- 5) This TFM is functional but still under periodic refinement for future online selling, as multi-purpose software (as also argued in the next section).
- 6) This TFM can be used (as single unit or as interconnected multi-units) to simulate any type of database (as also argued in the next section).

II. A practical type of interconnected online JavaScript (JS) databases (IOJDs) using JS lists and arrays

- 1) As anticipated in the previous section, this tag-based file manager (TFM) can also automatically generate arrays of tags, entries and links that can be used with JavaScript (JS) in any [web browser](#).
 - a) Based on this TFM function, the author of this paper has created a set of interconnected online JavaScript (JS) databases (IOJDs) with a common simple design.
- 2) IOJDs use JS arrays of tags, entries and links but also other HTML facilities, including a modified variant of an open source [ListBox control \(version 1.0\)](#) (created in HTML-JS and published by [Mr. Samir Nigam](#) on CodeProject.com; see other similar ListBox controls at [URL1](#) and [URL2](#)) which can search and display any information in IOJDs (see the next image, which is a print-screen from the site dedicated to [autism spectrum disorders in children](#)[[URL2](#)])
 - a) IOJDs have the advantage to first load all the database context (JS tags/entries/links arrays) in the [random-access memory \(RAM\)](#) of the [client/user computer](#), so that IOJDs can be then browsed [offline](#). Any item from any list can be clicked to load more information in the same/next list.
 - b) IOJDs are compatible to any [web browser](#) of any [operating system](#) and they are also optimized for [mobile operating systems](#) on smartphones and tablets (with like [Android](#) or [iOS](#))


<p>Dr. Andrei Lucian Drăgoi</p>  <p><i>pagină personală hibrid*</i></p>	<p>HOME (TOATE TAGS) CAUTĂ TAG GOOGLE</p> <p>H+ H- L+ L- RM RP</p> <p><i>Click pe orice element din listă!</i></p>	<p>Screening autism - cateva semne precoce - poster</p> <p>HOME (TOATE ENTRIES) CAUTĂ ENTRY GOOGLE</p> <p>CAUTĂ ENTRY ACTIV ÎN TAGS</p> <p><i>Click pe orice element din listă!</i></p>	<p>CAUTĂ LINK GOOGLE</p> <p>CAUTĂ LINK ACTIV ÎN ENTRIES</p> <p><i>Click pe orice link(URL) din listă!</i></p>
<p><i>Adrese web alternative:</i> 1) Dragoi.com 2) Andrei.Dragoi.com * 1) My Facebook 2) My Wordpress blog 3) Login to server (for administrators only) * MENU 3D PRINCIPAL (* variantă PC și mobile) * GHID DE FOLOSIRE A SITE-ULUI: 0 1 2 3 * Dată și oră: Marti / 14 Noiembrie 2017 / 10:43:57 * Bine ați venit! Sunteți vizitatorul nou cu numărul 291 dintr-un total de 229 de accesări (IP-ul dvs: 5.2.128.219)</p>	<p><input type="checkbox"/> Baza de date in lucru (varianta 1.0)</p> <p><input type="checkbox"/> Pentru orice propunere, sugestie sau intrebare folositi orice email de mai jos</p> <p><input type="checkbox"/> ANDRUSHKKUTZA@GMAIL.COM</p> <p><input type="checkbox"/> DR.DRAGOI@GMAIL.COM</p> <p><input type="checkbox"/> DR.DRAGOI@YAHOO.COM</p> <p><input type="checkbox"/> =</p> <p><input type="checkbox"/> TP - Centre care ofera terapie gratuit</p> <p><input type="checkbox"/> =</p> <p><input type="checkbox"/> CAUZE POSIBILE ALE AUTISMULUI</p> <p><input type="checkbox"/> =</p> <p><input type="checkbox"/> Numarul excesiv de neuroni ineficienti la anumiti copii cu autism</p> <p><input type="checkbox"/> DIAGNOSTIC - PROGRESE (DP)</p> <p><input type="checkbox"/> DP - statistici recente privitoare la autism (recent statistics on autism)</p>	<p><input checked="" type="checkbox"/> Screening autism - cateva semne precoce - poster</p> <p><input type="checkbox"/> CAUZE</p> <p><input type="checkbox"/> Underlying pathology of neuronal overgrowth in autism</p> <p><input type="checkbox"/> =</p> <p><input type="checkbox"/> DIAGNOSTIC</p> <p><input type="checkbox"/> Brain Imaging Alone Cannot Diagnose Autism</p> <p><input type="checkbox"/> =</p> <p><input type="checkbox"/> TRATAMENT</p> <p><input type="checkbox"/> ASEA - BAZA DE DATE ONLINE</p> <p><input type="checkbox"/> CENTRUL IOMC LSM DE PE CALEA GRIVITEI - TERAPIE GRATUITA</p> <p><input type="checkbox"/> Centru Sfantul Vasile - sector 4</p> <p><input type="checkbox"/> Centrul Harap Alb - sector 4</p> <p><input type="checkbox"/> Medicamentele care afecteaza dezvoltarea copilului</p>	<p><input type="checkbox"/> semnele_autismului_poster.jpg</p> <p><input type="checkbox"/> http://autism.dragoi.com/anexe/semnele_autism...</p> <p><input type="checkbox"/> =</p>

Figure II-1. A print-screen of the OJD dedicated to [autism spectrum disorders in children](#) [URL2]: this page can be accessed on URL [autism.dragoii.com](#) (as explained in the previous paragraphs)

3) All IOJDs created by the author of this paper cover a large palette of knowledge/information and were uploaded on subdomains of the same central website: [dragoii.com](#) (see the next table)

Website links of IOJDs	Description of OJD
adhd.dragoii.com	OJD dedicated to attention deficit hyperactivity disorder (ADHD)
andrei.dragoii.com (Shortcuts: a.dragoii.com ; dragoii.com)	OJD containing information about the author of this paper (Andrei Lucian Dragoi) and his projects
android.dragoii.com	OJD containing a list of recommended applications for Android phones and tablets
asea.dragoii.com (Shortcut: msr.dragoii.com)	OJD dedicated to ASEA , a ionized saline solution with NRF2 activation proprieties
autism.dragoii.com	OJD dedicated to autism spectrum disorders in children [URL2]
bidum.dragoii.com	OJD dedicated to theoretical physics and also containing a Bio-Info-Digital Universe (toy-)Model (BIDUM) created by the author of this paper
biocel.dragoii.com	OJD dedicated to significant news in cell biology
biomuz.dragoii.com	OJD dedicated to the music neurobiology and psychology
bruno.dragoii.com	OJD dedicated to the life, teachings and healing of the German mystic Bruno Groening
cancer.dragoii.com	OJD dedicated to cancer
down.dragoii.com	OJD dedicated to Down syndrome
dz.dragoii.com	OJD dedicated to diabetes mellitus
hiv.dragoii.com	OJD dedicated to HIV virus and HIV infection (AIDS)
invent.dragoii.com	OJD dedicated to inventions , especially to Romanian inventors
kangen.dragoii.com	OJD dedicated to kangen water, which is an alkaline ionized water with medical uses
muz.dragoii.com	OJD dedicated to musical compositions from all music history (including present)
muzm.dragoii.com	OJD dedicated to some musical compositions created and published by the author of this paper
neuro.dragoii.com	OJD dedicated to neurology and neurosciences (neurobiology) in general
nrf2.dragoii.com	OJD dedicated to all known NRF2 activators
obez.dragoii.com	OJD dedicated to overweight and obesity

psi.dragoii.com	OJD dedicated to PSI phenomena

III. Applications of both tag-based file manager (TFM) and interconnected online JS databases (IOJDs)

- 1) TFM can be used to organize any class/type of specific files and folders on any hard disk: music files/folders, image/graphics file/folder etc.**
- 2) The author of this paper currently uses TFM to organize medical files (of his patients from the last ~4 years) using a very large number of criteria (each criteria is defined with specific tag)**
- 3) As it has a special tool for this purpose, TFM can be also used to create dictionary-like books containing a list with all tags, entries (and their content) in alphabetical order.**
- 4) OJD can be used to clone information from any website and create small copies of that specific site for practical use (rapid access to any information with minimal traffic and RAM resources)**

IV. Endnote reference (listed in the order of apparition in the text)

Blank section