

An Alternative Explanation for the Success of Western Civilization.
Histamine vs Serotonin Biochemistry as a Creativity Pump.

Tariq Khan
Omaha, Nebraska, USA

The location of Western Civilization defined nations in Europe and the United States within the largest global pollen environments on the planet is proposed as a key factor leading to their success. Environments with changes in pollen cause large up and down changes in serum histamine directly causing reductions and increases in brain serotonin i.e., a larger "serotonin slope," linked to higher levels of creativity. The pollen ecosystem in northern latitude nations is thus considered the hidden driver of the success of these populations as the biochemical interaction between histamine and serotonin leads to a "creativity pump" that is the fundamental driver of intelligence in micro and macro human populations.

"Other, less abstract approaches to improving creativity center around the importance of serotonin. According to research... serotonin levels are tied to creativity... a gene pertaining to serotonin, known as TPH1, is associated with "figural" creativity — or creativity regarding shapes, diagrams, and drawings."

-- Jandy Le and Michael Xiong – The Scientific Origin of Creativity (2019)

Historians have attempted to identify the causes for the success of "Western" nations over other regions of the world especially as it relates to the accumulation of technology and knowledge and their eventual power in the modern world. False factors like race or religion and physical factors like geography, weather, and even luck (which do have their place) have all been part of the analysis. But, perhaps, there is another factor that observational data appears to support. Taken as a given that increased changes in brain serotonin correlate with increased creativity, then regions of the globe with increased pollen density will lead to increased up and down changes in serum histamine that will thus also lead to increased changes in brain serotonin (a larger "serotonin slope") and thus, possibly, create an unseen, if not unrealized, benefit of an environment situated for improved creativity. We thus have perhaps an additional driver behind the success of specific nations of the world and even aggregate modern human history.

One could even speculate that the very act of domestication into living areas e.g., caves, dwellings, etc. began the initial "serotonin slope" leading to the origination of human intelligence. The increased evidence for intelligence in domesticated dogs would further reinforce this proposal.

An argument can be made that any correlation between pollen level and societies is a result of coincidence as societies could, over time, tend to settle in areas where agriculture would flourish e.g., warm temperate forests or temperate forests (**Fig. 1**), however human beings did not originate from these areas, and we evolved and migrated from the Africa tropics.

Recent research including maps of present day and historical pollen density match the proposed theory. Manuel Chevalier et al. in their 2020 paper *Pollen-based climate reconstruction techniques for late Quaternary studies from Earth-Science Reviews* includes a map of different pollen samples (**Fig. 2**) that shows a frequency distribution whose density is nearly identical to that of the map of powerful modern nations including the United States, Canada, Europe, China, and Japan. Their work also includes a map of and historic pollen records again with densities or locations correlating to the proposed model (**Fig. 3**). Note the mapped correlation to modern nation-states with the greatest technology, industry, and success.

Kuan-Wei Chen et al in the 2018 edition of the International Archives of Allergy and Immunology included a global map of ragweed in their paper *Ragweed Pollen Allergy: Burden, Characteristics, and Management of an Imported Allergen Source in Europe*. Again, we see the location and density of an example pollen, in this case fall ragweed, correlating to nations that are major modern and technological world powers (**Fig. 4**).

Jonathan Storkey et al in the 2014 edition of PLoS ONE paper called *A Process-Based Approach to Predicting the Effect of Climate Change on the Distribution of an Invasive Allergenic Plant in Europe*, show a map of even greater detail in central Europe noting density of ragweed (**Fig. 5**). This same map overlaid on a


modern political map of Europe (**Fig. 6**) shows a significant association with pollen density and the major cities known as the “intellectual capitals” of Europe including Paris (Picasso and many others **Fig. 7**), Vienna (Kurt Gödel and many others **Fig. 8**), Budapest (John Von Neumann), Munich (Albert Einstein), Salzburg (Mozart), Milan, (Da Vinci and many others **Fig. 9**) Geneva, etc. Cities, especially on the border of the dense ragweed pollen regions, would have the largest “serotonin slopes” and thus produce individual and aggregate populations, as noted, with higher levels of creativity and intellectual performance (**Fig. 10**).

One may argue that other ancient river-based civilizations like ancient Egypt, Inca, Mexico, Babylon, Angkor Wat, etc. also had complex societies with intellectual achievements, however those civilizations took hundreds and thousands of years to mature and develop while the increase in intellectual creativity and innovative and thus technology and power of modern “Western Civilization” nations and China and Japan (**Fig. 11**) moved and an exponentially higher rate of growth by comparison. This paper attempts to explain the cause of that rate of intellectual and technological advancement via the environmental and human biochemical mechanism and thus unbeknownst location driven accident. In summary, the biochemical interaction between histamine and serotonin leads to a “creativity pump” that is the fundamental driver of intelligence in micro and macro human populations.

From the perspective of an applied approach to this theory, a mild antihistamine taken any time of the year like chlorphenamine (a mild SSRI with an over-the-counter cost of about a tenth of a penny) if taken every other day, or perhaps for a few days on and then a few days off, to induce or stimulate the up-and-down “serotonin slope” (compare as an analogy versus Tesla’s back and forth alternating current (AC) used for electric power generation), may be just enough varying change in brain serum serotonin to simulate a similar histamine/serotonin “creativity pump” in any person’s brain similar to that observed in nature and described in this paper.

Figures


Fig. 1.



Map with location of the 93 marine and terrestrial pollen sites covering part of or all the last glacial period (MIS 4, 3 and 2). Sites have better resolution than 1 sample per 1000 years. Present-day potential natural vegetation after Levassieur et al. (2012).

Source: https://www.researchgate.net/figure/Map-with-location-of-the-93-marine-and-terrestrial-pollen-sites-covering-part-of-or-all-fig2_319631062 retrieved October 24, 2021.


Fig. 2.



Map of modern pollen samples available from numerous public databases and studies (Cao et al., 2014; Davis et al., 2020; Flantua et al., 2015; Fletcher and Thomas, 2007; Gajewski et al., 2002; Herbert and Harrison, 2016; Montade et al., 2019b; Montade et al., 2019b; Whitmore et al., 2005; Williams et al., 2018a). The map is based on the 'Equal Earth' map projection to better represent the relative sizes of the different continents (Šavrič et al., 2019).


Source: <https://www.sciencedirect.com/science/article/pii/S001282522030430X> retrieved October 24, 2021.

Fig. 3.



Source: <https://www.sciencedirect.com/science/article/pii/S001282522030430X> retrieved October 24, 2021.


Fig. 4.



Worldwide distribution of ragweed. Ragweed occurrence has been reported in different countries (red) in North America (Canada, the USA, Mexico), South America (Brazil, Uruguay, Paraguay, Argentina, Chile), Europe (Hungary and neighboring countries, Italy, France, Finland), Africa (South Africa), Asia (Japan, South Korea, China), Australia and New Zealand.

Source: <https://www.karger.com/Article/Pdf/487997> retrieved October 24, 2021.

Fig. 5.



Distribution of *Ambrosia artemisiifolia*
(common ragweed) in Europe


Source: https://www.researchgate.net/figure/Distribution-of-Ambrosia-artemisiifolia-common-ragweed-in-Europe-under-climate-change_fig3_260214135 retrieved October 24, 2021.

Fig. 6.




Source: https://www.researchgate.net/figure/Distribution-of-Ambrosia-artemisiifolia-common-ragweed-in-Europe-under-climate-change_fig3_260214135 retrieved October 30, 2021.

Fig. 7.




Source: <https://www.sciencedirect.com/science/article/abs/pii/S1352231013008108?via%3Dihub>

Fig. 8.




Source: <https://www.sciencedirect.com/science/article/abs/pii/S0048969715003927?via%3Dihub>

Fig. 9.



Source: <https://www.semanticscholar.org/paper/Ambrosia-pollen-source-inventory-for-Italy%3A-a-tool-Bonini-%C5%A0ikoparija/fcb12bb98b4d0f43edb7afe4158af83157944481>


Fig. 10.



Source:

https://www.researchgate.net/publication/329669438_choo_Tracking_Pollen_and_Hayfever_in_the_UK_Using_Social_Media/figures?lo=1 retrieved October 30, 2021.

Fig. 11.



Figure

Caption

Fig. 2. Habitat-suitability maps for ragweed in both native and invaded ranges. Darker shading indicates greater confidence in the prediction of presence. The map shows logit thresholds derived from the native herbarium specimen records (a and b) and invasive herbarium specimen records (c).

Source: https://www.researchgate.net/publication/227133725_Developing_Habitat-Suitability_Maps_of_Invasive_Ragweed_Ambrosia_artemisiifolia_in_China_Using_GIS_and_Statistical_Methods/figures?lo=1

References

- Bonini, M. et al. 2017. *Ambrosia pollen source inventory for Italy: a multi-purpose tool to assess the impact of the ragweed leaf beetle (*Ophraella communa* LeSage) on populations of its host plant*. International Journal of Biometeorology, 62, 597-608.
- Chen, Hao, Chen, Lijun and Albright, Thomas. 2007. *Developing Habitat-suitability Maps of Invasive Ragweed (*Ambrosia artemisiifolia*.L) in China Using GIS and Statistical Methods*. 10.1007/978-3-540-71318-0_8.
- Chen, Kuan-Wei et al. 2018. *Ragweed Pollen Allergy: Burden, Characteristics, and Management of an Imported Allergen Source in Europe*. International Archives of Allergy and Immunology, Retrieved from: <https://www.karger.com/Article/Pdf/487997> October 24, 2021.
- Chevalier, Manuel et al. 2020. *Pollen-based climate reconstruction techniques for late Quaternary studies*. Earth-Science Reviews, Volume 210, 103384, ISSN 0012-8252, Retrieved from: <https://www.sciencedirect.com/science/article/pii/S001282522030430X> October 24, 2021.
- Cowie, Sophie, Arthur, Rudy & Williams, Hywel. 2018. *Tracking Pollen and Hayfever in the UK Using Social Media*. Sensors. 18. 4434. 10.3390/s18124434. Retrieved from: https://www.researchgate.net/publication/329669438_tracking_Pollen_and_Hayfever_in_the_UK_Using_Social_Media/figures?lo=1 October 30, 2021.
- Goni, Sanchez et al. 2017. *The ACER pollen and charcoal database: A global resource to document vegetation and fire response to abrupt climate changes during the last glacial period*. Earth System Science Data. 9. 679-695. 10.5194/essd-9-679-2017, Retrieved from: <https://www.researchgate.net/figure/Map-with-location-of-the-93-marine-and-terrestrial-pollen-sites-covering-part-of-or-all-fig2-319631062> October 24, 2021.
- Karrer, G. et al. 2015. *Ragweed (*Ambrosia*) pollen source inventory for Austria*, Science of The Total Environment, Volume 523, Pages 120-128, ISSN 0048-9697, <https://doi.org/10.1016/j.scitotenv.2015.03.108>.
- Le, Jandy, Xiong, Michael, and Joshi Jwalin. 2019. *The Scientific Origin of Creativity*. Neurotech@Berkeley. Retrieved from: <https://medium.com/neurotech-berkeley/the-scientific-origin-of-creativity-587799f0f8e2> October 31, 2021.
- Storkey Jonathan, et al. 2014. *A Process-Based Approach to Predicting the Effect of Climate Change on the Distribution of an Invasive Allergenic Plant in Europe*. PLOS ONE 9(2): e88156. Retrieved from: <https://doi.org/10.1371/journal.pone.0088156> October 24, 2021.
- Thibaudon, Michel et al. 2014. *Ragweed pollen source inventory for France – The second largest centre of *Ambrosia* in Europe*, Atmospheric Environment, Volume 83, Pages 62-71, ISSN 1352-2310, <https://doi.org/10.1016/j.atmosenv.2013.10.057>.