

Essay

# Gravity's Emergence from Electrodynamics

Stephen H. Jarvis.

GRAVIELECTRIC, [Stephen.jarvis@gravielectric.com](mailto:Stephen.jarvis@gravielectric.com), [www.gravielectric.com](http://www.gravielectric.com)

Tel: 61-2-99221289

**Abstract:** A new approach to understanding the fundamental particles and associated forces via a new a-priori definition for space and time is forwarded, and is then linked to contemporary equations for Gravity and Electromagnetism; space as an infinitesimal universal "0"-scalar manifold, and "time" as the "feature" that divides and "qualifies" each 0-scalar spatial reference is discussed. Further, the idea of gravity as an emergent quality of electromagnetism (which here is given the spectra of "time" itself) is examined by assuming 3-dimensional space as the "fine-structure 0-scalar manifold" while considering "time" as the "symmetry-breaking" principle of entropy "effecting" space. Consequently, the fundamental idea of an "equation" from one event in time to the next is rendered unreliable owing to the nature of the movement of time and its effect on space (as a process of "symmetry-breaking"), which then opens to a new mathematical method of applying the concept of time as the "Golden Ratio" equation to spatial transformations. By this process a link between gravity and electromagnetism is established, together with an explanation for the genesis of the four field forces via explaining atomic particle congress.

**Keywords:** gravity; electromagnetism; fine structure constant; golden ratio; electrodynamics; fractal; symmetry-breaking; entropy; imaginary-particles; imaginary-time; black holes; Higgs particle; CERN; dark energy; dark matter

## 1. First Principles: Space, Time, and the Golden Ratio $\phi$

Here we shall rewind the ideas of Einstein[1], while being more fundamental with time and space as a-priori definitions. Einstein's focus was primarily on "space" in employing Gaussian grids (method of "least squares")[2] while considering a universal reference for time[3]. Our approach to the definition primarily of "time" shall differ; this is not a process of discounting the work we have done with spatial scalar/vector physics, not at all; we are taking those results to a new level, looking at those results through a new lens, as what could appear to be a more "fundamental" lens of "time" itself, a more "first-principle" basis.

First, we will consider "empty three-dimensional space", "0" space, stated here as 0-scalar. Consider the following for a 3-d spatial vector "0"-scalar reference extending outwards to infinity (Figure 1). Now consider multiple 0-scalar references from Figure 1. extending out to infinity (Figure 2):




Figure 1.




Figure 2.

A "location" in space is defined as a "zero" reference in an overall universal 0-scalar space 3-d manifold. What we're proposing here is that which gives space it's feature, of "cradling" everything, is "time"; as one space cannot be elsewhere, the effect of time "changes" a reference of space, gives each 0-scalar point of space it's "uniqueness".

With such licence of development open to us, let us consider the following for the flow of time per classical and contemporary physics (Figure 3). Now consider space  $S_1$  at time  $t_B$  (time-before), a 3-d space 1-d time (4-d) construct, as  $S_1 t_B \uparrow$  (arrow to represent a type of state) (Figure 4):




Figure 3.




Figure 4.

Now consider space  $S_2$  at time  $t_A$  (time-after), a 3-d space 1-d time (4-d) construct, as  $S_2 t_A \downarrow$  (arrow to represent a different state to  $S_1$ ) (Figure 5). Now consider this reference of space  $S_1 S_2$  for time-now  $t_N$  as  $S_1 t_B S_2 t_A (t_N)$  (Figure 6):




Figure 5.




Figure 6.

Thus, we have a 9-d platform; two spatial references ( $S_1, S_2$ ) connected by two time lines ( $t_B, t_A$ ) merging to time line  $t_N$ . From  $t_B$  to  $t_A$  we have the effect of that spatial reference  $S_1$  being “altered” in reference to  $t_B$  “everywhere” as a process of “symmetry-breaking”[4], an overall 9-d “quasicrystal”[5] template for space, with time imparting on each 0-scalar spatial reference” a “unique” temporal reference.

One of the features of time which we can intuitively state is that the state of  $S_{1t_B}$  to  $S_{2t_A}$  could represent a change in position of  $S_1$  and not just a change in orientation/state. So, let’s suggest  $S_1$  has moved a distance “ $d$ ” from  $t_B$  to  $t_A$ :




Figure 7.

Thus, we have a basic package of time that effects space from  $S_1$  to  $S_2$ . As space is being defined as 0-scalar uniform, then it must have a uniform flow of time as this package of time, velocity being:

$$\begin{aligned}
 v &= d / (t_A - t_B) & (1) \\
 &= \text{“c” (as we shall highlight)}
 \end{aligned}$$

This value would be a “constant” for a set value of “ $d$ ” through a set time of  $t_B$  to  $t_A$  given the universal nature of the space it effects itself upon. This streaming package of time would “vibrate” from one state  $S_1$  to the next  $S_2$ , and back again (a most basic consideration), as per an “up” position to a “down” position and back again, etc., as a feature of its presence “in” space. Furthermore, if space is as 0-scalar, then time is not; time would be “eternal” in comparison to space. Time would also be “different” to space’s emptiness, as let’s say a thing called energy, that which gives space it’s “power”, its “flux”. Let’s also say that time is a feature not just of energy, but “light”, as space is not. By contemporary accounts a package of time could well be a “quanta” of light. Yet if light is “energy” and reality as we know it operates according to a process of entropy[6], increasing randomness, then “time” has an interesting feature that requires more investigating as it flows from  $t_B$  to  $t_A$ .

If indeed the future is unknown, then we can suggest the following:

$$t_A = ? \tag{2}$$

Let's propose that the idea of increasing entropy obeys the following process of time: time divides from a singularity in the "past"  $t_B$  to a duality in the "future"  $t_A$  (where  $t_A$  is two possibilities of  $t_B$ ):




Figure 8.

Here  $t_N$  represents that process of time-dividing, becoming dual time as  $t_A$ , as two possible outcomes for  $t_B$ , a process of symmetry-breaking for a vector of 0-scalar space (as it involves a process of an uncertain outcome), yet here we are assigning this feature of symmetry-breaking to time. Let us suggest the following:

$$t_A = t_B^2 \tag{3}$$

Now consider the following as a standard for time's flow:

$$t_N = 1 \tag{4}$$

Here time "now" has a constancy (in its application to space), a uniformity (equation 1.) that has the potential for entropy, of division, of diversity, of symmetry-breaking for  $S_2$  (compared to  $S_1$ ). Let us also consider a standard:

$$t_N = t_A - t_B \tag{5}$$

Simply,  $t_B$  when applied to space (as 1,  $t_N$ ) leads to  $t_A$ , as a proposed equation for "time". Thus:

$$\begin{aligned} t_B + 1 &= t_B^2 \\ (t_B + 1) / t_B &= t_B \\ (t_B^2 + t_B) / t_B^2 &= t_B^2 / t_B \\ (t_A + t_B) / t_A &= t_A / t_B \end{aligned} \tag{6}$$

This equation is significant, for it represents the "Golden Ratio"[7],  $\phi$ , which is solved as a quadratic equation for  $t_B$  as -0.61803... or 1.61803...; for each scalar/vector event in space, each past event is divided as a "now" event into the future as a change in state/reference in time, hence "randomness", "entropy", etc. Note each result for  $t_B$  can be 1.61803... or its negative inverse (-1/1.61803) as -0.61803... (the quadratic solutions for  $t_B$ ). In using both quadratic results together for  $t_A$  (which technically breaks equation 6., yet is nonetheless how time is proposed to operate as symmetry-breaking):

$$\begin{aligned} t_B^2 &= \phi \cdot (-1 / \phi) \\ &= -1 \end{aligned} \tag{7}$$

Thus,  $t_N$  as "1" is the opposite of a future event "-1", hence  $t_N$  sending itself to  $t_A$  as a negative inverse flip (in much the same way as  $t_B$  regarding  $t_A$ ), thus a type of continual process of this equation as a "now" event. Yet according to the result here, the following is effected:

$$t_B = i \tag{8}$$

This would be the limit of the progression at "imaginary time"[8] (as developing equation 6. is ineffective using "i" for  $t_B$ ), thus keeping time in its regular  $t_N$  beat:




Figure 9.

The proposal here is that the past  $t_B$  is "imaginary" ( $i$ ), as imaginary-particles/mass, the present  $t_N$  "real" ( $1$ ), as real mass/particle, and the future  $t_A$  "inverse-negative" ( $-1$ ) as anti-matter/particle.

Fundamentally, this value "i" would represent the idea of time as entropy remaining fixed on such a threshold of consideration. Note also the ratio of  $t_N/t_B$  respective to time, a value of  $1/\phi$ , is an idea related to energy manifold reversal of black-holes[9], which also provides an indication confirming "c" being a universal constant.

From another standpoint, this value of "i" as imaginary time represents the ability of an imaginary point source of light to extend out linearly in all directions along a spatial 3-d vector 0-scalar matrix. So, the question of, "how does time embed itself in space?", is easy to answer; it can only do so as "imaginary time", more precisely as a "past" event. This would be the essence of "space-time", space and time each expressing themselves as a 3-d manifold.

Let's now imagine a point of time extending outwards linearly in all directions from a single point, noting this flow would be at right angles to  $t_N$ :




Figure 9.1

Note that as  $t_N$  is at right angles to  $t_B$  we would have another spherical front from  $t_N$  (given a sphere at right angles to another sphere is still a sphere):




Figure 9.2

This is the idea of time as a curvature of space as the surface area of that extending spherical front of time; thus, the effect of light on space ultimately is a curvature.

Ahead of the  $t_N$  front is  $t_A$ , before is  $t_B$ , and in between this front as  $t_N$  would be a type of reflection of time as  $t_B$  (equated as  $t_A$  through that spherical wave front, and as we shall demonstrate a type of gravitational effect in being consistent Einstein's calculations).

Let's continue to suggest this process of time is the quality/phenomena itself of electromagnetism. Consider the flow of time mathematically in table 1:

TABLE 1

STEP 1: $t_N(1)$	>	$t_A(-1/1)$	
STEP 2:		$t_B(i^2)$	> $t_N(1^2)$
STEP 3: (see step 1, "squared")			

< note here we are keeping  $t_B$  out of this equation owing to its imaginary status and limiting feature >

First, we have the proposed process of time in Figure 9, now let us propose annexing here the idea of magnetism (B) as representing  $t_A$ , with  $t_N$  representing electricity (E). The concept here of the flow of time is central to  $t_N$  then  $t_A$  (as  $t_B$ ) then  $t_N$  etc.... Thus, when  $t_A$  is "1", at that same step of time  $t_A$  is "0". When  $t_A$  is -1,  $t_N$  is "0", and so on and so forth. This would suggest that  $t_N$  could represent a sinusoidal wave (x axis) as follows (flow of time along z axis):




Figure 10.

Note there are two orientations for  $t_N$  as +1, up and down. We could also suggest therefore that  $t_A$  represents the following sinusoidal wave (y axis) as follows:




Figure 11.

Note there are two orientations for  $t_A$  as -1, left and right. Thus, combining the two we would have:



Figure 12.

Note the two orientations for each  $t_N$  and  $t_A$  are by  $t_A$  needing to represent a dual  $t_B$  (squared), which then gives rise to two possibilities for  $t_N$  (square relationship), and thus two possibilities for  $t_A$ , and so on and so forth, hence a type of “spreading out” (surface area) effect for this wavelength (not pictured).

What we would have here is the very process of electromagnetic induction itself, as a continual process of  $t_N > t_A \sim t_N > t_A$ , etc..., as a process of negative inversion, the flow kept in the  $t_N$  zone, as a process of constant flux as it moves into the  $t_A$  zone effecting a negative inversion in the  $t_N$  zone. Furthermore, magnetism would appear to be the process of the “anti-particle/mass”, but here as energy a process of negative-inversion of electrical field strength as a process of constant forward negative inverse feedback looping of time, without end it seems. Consider the following as Maxwell’s equation[10][11]:

$$\nabla \times E = - \delta B / \delta t$$

This equation simply states that a change in electrical flow ( $\nabla \times E$ ) in a solenoid induces a magnetic field that acts to oppose that change in electrical field ( $- \delta B$ ) per change in time ( $\delta t$ ). Another way of saying it is that the electrical energy ( $\nabla \times E$ ) accumulated in a closed circuit is equivalent to the time rate of change ( $\delta t$ ) of the magnetic flux it encloses ( $- \delta B$ ). Note also the lower value of time ( $\delta t$ ), the greater the electrical “induction” value, in that a shorter/more-rapid time results in greater electrical charge values ( $\nabla \times E$ ).

As a new understanding of this equation, the relationship between electricity and magnetism (as this phenomena of induction) can be considered as an imbalance itself between E and B, according to our equation for time:

$$t = - B / E \tag{9}$$

In this equation “t” is represented again as time, B represented as the magnetic field, and E represented as the electrical flow. The new thinking is that if time t is equivalent to E and B spatially inverted to one another in a negative fashion, as though trying to right itself towards a diversity without end, counteracting itself (-), as a state

of constant asymmetry, then “inversion” as a concept between B and E seems likely to be “time”, as we have demonstrated it to mathematically be.

## 2. Gravitational modelling

Now let us add a few features of time to space; gravity[12] as the feature of 0-scalar space given mass by time (our proposal), would be proportional to the following:

- the mass of one event  $M_A$ ,
- the mass of another event  $M_B$ ,
- a “*fine-structure*” mass context relevant to an overall space-time feature of the event  $M_C$ ,

Gravity would also be indirectly proportional to the following:

- the time difference from  $M_A$  to  $M_B$ , say  $t_{AB}$ , a process of “symmetry-breaking” with  $t_{BA}$ ,
- the time difference from  $M_B$  to  $M_A$ , say  $t_{BA}$ , a process of “symmetry-breaking” with  $t_{AB}$ ,

Note that  $t_{BA}$  and  $t_{AB}$  would be features of  $t_N$ . Thus, the following equation would apply as the gravity between the two events of  $M_A$  and  $M_B$  as  $G_{AB}$ :

$$G_{AB \text{ <NEWTONS>}} = M_C \cdot M_A \cdot M_B / t_{AB} \cdot t_{BA} \quad (\text{kg}^3 \text{ t}^{-2}) \quad (10)$$

Note that  $t_{AB}$  and  $t_{BA}$  are synonymous (same value) yet represent two different time references for  $M_A$  and  $M_B$ . Thus, the following equation would apply if we were to eliminate “time” from the equation by using ( $d/t = c$ ,  $t = d/c$ ):

$$G_{AB \text{ <NEWTONS>}} = M_C \cdot c^2 \cdot M_A \cdot M_B / d^2 \quad (\text{kg}^3 \text{ t}^{-2}) \quad (11)$$

Here “ $M_C \cdot c^2$ ” would represent the value of “ $G$ ”, the gravitational constant.  $M_C$  would represent a *fine-structure* mass-context relevant to two spatial references, yet as though the one reference in there being a “vector-tensor”[13] effect in play on the *fine-structure* level. Note equation 11. is relevant to a dual context of “time”, so we need to consider applying a 3-dimensional 0-scalar context of space in view of this dual feature reference for time.

Thus, let’s consider two *fine-structure* mass contexts; *fine-structure* mass context 1  $M_{C1}$  and *fine-structure* mass context 2  $M_{C2}$ . Together, they represent the collective mass of  $M_{C1}$  and  $M_{C2}$  as  $M_{C1+C2}$ . Yet this *fine-structure* mass  $M_{C1+C2}$  is a spatial dimensional entity. Simply, we have two mass entities that represent the one mass as a *fine-structure* context with a vector-tensor manifold in effect (3 vectors for each); in this universal context there would exist two 3-dimensional spatial scalar/vector paradigms for the dual time-reference, “as one” though; thus we are transforming their reference to each other given their separate references for time, much like in the inertial Lorentz transformation model[14], yet here executed more simply while considering two references of time,  $t_{AB}$  and  $t_{BA}$ , as a process of defining gravity (a spatial tensor for each vector).

Considering that the *fine-structure* mass  $M_{C1+C2}$  in a spatial context relevant to the dual time dimensional equation (equation 10.) requires to be “per” not just one 3-dimensional 0-scalar context but another, one “3” for each *fine-structure* mass context, thus a value of  $3^2$ , together with needing to represent a double temporal  $t_N$  context, thus times “2”, then the following can be considered for  $M_C$ :

$$M_C = M_{C1+C2} \times 2 / 3^2 \quad (12)$$

Adding known values; the most basic *fine-structure* mass context  $M_C$  is the mass of a proton ( $1.67 \dots \times 10^{-27}$  kg) and a neutron ( $1.67 \dots \times 10^{-27}$  kg) representing generally the mass of a basic atom as the value of  $3.33 \times 10^{-27}$ . Thus:

$$\begin{aligned} M_C &= 3.33 \dots \times 10^{-27} \times 2 / 3^2 \\ &\sim 7.4 \dots \times 10^{-28} \text{ (kg)} \end{aligned}$$

Now, if we apply this to  $M_C \cdot c^2$ :



$$\begin{aligned}
 M_C \cdot c^2 &= 7.4 \times 10^{-28} \times (2.99 \times 10^8)^2 \\
 &\sim 6.67 \times 10^{-11} \\
 &= G \text{ (gravitational constant, kg.d}^2\text{t}^{-2}) < \text{the equivalent of equation 10. as Nm}^2\text{kg}^{-2} >
 \end{aligned}$$

### 3. Electrodynamic modelling

So, let's now look at the basics of electrostatic charges and the respective force in between. Electrostatic force, the feature of space given "charge" by time (our proposal), would be proportional to the following:

- the charge of one event, say charge (A)  $Q_A$ ,
- the charge of another event, say charge (B)  $Q_B$ ,
- a charge-event constant relevant to an overall space-time feature of the event, a context say  $Q_C$ ,

Electrostatic force would also be indirectly proportional to the following:

- the time difference from charge (A)  $Q_A$  to charge (B)  $Q_B$ , say  $t_{AB}$ , a process of "symmetry-breaking" with  $t_{BA}$ ,
- the time difference from charge (B)  $Q_B$  to charge (A)  $Q_A$ , say  $t_{BA}$ . a process of "symmetry-breaking" with  $t_{AB}$ ,

Once again, note that  $t_{AB}$  and  $t_{BA}$  would be features of  $t_N$ . Thus, the following equation would apply as the electrostatic force between the two events of  $Q_A$  and  $Q_B$  as  $Q_{AB}$ :

$$Q_{AB \text{ <NEWTONS>}} = Q_C \cdot Q_A \cdot Q_B / t_{AB} \cdot t_{BA} \quad (C^3 \text{ t}^{-2}) \quad (13)$$

We can't though use "time" in this equation, because technically we are proposing time "is" the feature of electromagnetism. Thus, we must replace the variable of "time" with "distance", as follows (using "c"):

$$Q_{AB \text{ <NEWTONS>}} = Q_C \cdot c^2 \cdot Q_A \cdot Q_B / d_{AB} \cdot d_{BA} \quad (C^3 \text{ t}^{-2}) \quad (14)$$

Here "d" is the distance between the two charges. We know via experiment that  $Q_C \cdot c^2 = k_e$ , where  $k_e$  is Coulomb's constant. Yet what is  $Q_C$ ? What is the fundamental "charge" context of electrostatic interactions? Research and experiment confirms the following:

$$\begin{aligned}
 Q_C \text{ is in proportion with: } & \alpha \text{ (Fine Structure Constant)} \\
 & \hbar \text{ (Planck's reduced constant)} \\
 & 1/e^2 \text{ (is "per" a unit of charge for the two bodies)} \\
 & 1/c \text{ (is "per" the speed of light)}
 \end{aligned}$$

These are all the qualities available to the electromagnetic phenomena. Thus, we can suggest the following:

$$\begin{aligned}
 Q_C &= \alpha \cdot \hbar / c \cdot e^2 \\
 k_e &= \alpha \cdot \hbar \cdot c / e^2
 \end{aligned} \quad (15)$$

This is a confirmed fact. The important feature here is to consider the use of time, and how we are developing our equations; "dual-time" fits this equation. Let's though develop further upon this. We are suggesting gravity emerges from electromagnetism on the atomic level, so let's develop some equations that relate the force of gravity with the force of "electrostatic charges" separated by the same distance, as what would happen on the atomic level (according to contemporary scientific values). Therefore, let us suggest that the ratio of equation 11. and equation 14. is as the following:

$$G_{AB} / Q_{AB} = G \cdot M_A \cdot M_B / k_e \cdot Q_A \cdot Q_B$$

If now we considered unit electrical charges for  $Q_B$  and  $Q_A$ , and equating through with the known values for the above constants, while also using the value of the Planck mass[15] for  $M_A$  and  $M_B$  we find that:

$$\begin{aligned}
 G_{AB} / Q_{AB} &= 1 / \alpha \\
 Q_{AB} / G_{AB} &= \alpha
 \end{aligned} \quad (16)$$

On this atomic level of value assembly it can be considered that mass and charge are directly related to the Fine Structure constant[16]. Thus, on a fundamental fine structure level we would have one pure mass, the pure mass for gravity, and one pure charge, the pure charge for electromagnetism. However, through our theory here, the pure mass would be related to charge and the pure charge would be related to mass. Let's suggest that the pure mass related to charge is the proton ( $p$ ), and the pure charge related to mass is the electron ( $e$ ). Each of these two fundamental particles would have the two fundamental forces associated to them; gravity and electromagnetism. Thus, the following would be in order as the electrostatic force between a proton  $p$  and an electron  $e$  on this 0-scalar atomic level:





Figure 13.

#### 4. Atomic modelling

The next new step of logic is considering that there would thus need to exist a directly proportional relationship between the wavelength of the electromagnetic field of the atom and the distance between  $p$  and  $e$ , and the only dimensionless constant available for the atom regarding the strength of electromagnetic interaction with the electrical field of atomic points, namely the  $p$  and  $e$ , is the Fine Structure Constant ( $\alpha$ ), a variable which would be integral to the relationship between such. Thus, we employ the following equation:

$$\lambda_e = \alpha a^0 \tag{17}$$

Here we employ the Bohr radius ( $a^0$ )[17],  $\lambda_e$  representing the “reduced Compton wavelength” as the natural representation for mass on the quantum scale, and  $\alpha$  as the fine structure constant  $1/137$ :



(not drawn to scale)

Figure 14.

To prove this “mass” feature of the Fine Structure constant of the atom and its generation through electromagnetic means, we need to account for the energy associated to it, to the mechanism of this feature of the

atom. It would simply be represented as a mass, the mass of for instance the most basic mass of an atom, a proton and an electron, divided by the fine structure constant, as per current known values:

$$\begin{aligned} M_{(p+e)} / \alpha &= \sim 938 \text{ MeVc}^{-2} \times 137. \\ &= \sim 128 \text{ GeVc}^{-2} \end{aligned} \quad (18)$$

In other words:

$$\begin{aligned} \text{mass (atomic)} &\sim \alpha \cdot H^0 \text{ (Higgs particle mass)} \\ \text{mass (atomic)} / H^0 \text{ (Higgs particle mass)} &\sim \alpha \end{aligned} \quad (19)$$

In considering equation 15., ( $Q_{AB}/G_{AB} = \alpha$ ),  $H^0$  would represent a gravitational feature, while the mass of the proton (and, as we shall highlight, neutron, which would have a Q feature intrinsic to it) and the electron would represent the Q feature of the atom. Essentially, it is the Higgs[18] particle that “provides” the atom with Gravitational features, and this happens “through” Q for the actual mass of the particles, and thus through electrodynamic means.

Our theoretical calculation falls well within the experimental calculated range of between 114 - 140 GeV/c<sup>2</sup> of the Higgs Boson, noting that the experimental research would, owing to inherent energy losses in measuring the value from an observer reference, be slightly above the discovered 125GeV/c<sup>2</sup> value. This result therefore suggests that there exists a process of mass, as exemplified in pre-CERN[19] theory regarding the Higgs particle, that can be relayed via the Fine Structure Constant scale to warrant the idea of mass/gravity of the atom, hence the idea of an emergence of gravity from a scale that accords the electromagnetic strength of the atom. It is like suggesting there exists the idea of a particle that essentially has no mass, yet behaves “as” a particle as though it should have mass, yet is entirely electromagnetic in means.

Consider the following; the energy of a Higgs particle when applied to  $e = M \cdot c^2$  ( $E_H$  as the energy of the Higgs particle,  $M_H$  as its mass):

$$\begin{aligned} E_H &= M_H \cdot c^2 \\ &= 128 \text{ GeVc}^{-2} \times (2.99 \times 10^8)^2 \\ &= \sim 1.16 \times 10^{19} \text{ GeV} \end{aligned} \quad (20)$$

This value is close to the standard theorised value of Planck Energy  $E_P$ ,  $\sim 1.22 \times 10^{19}$  GeV. The implication being that the Higgs particle could well be related to a fundamental unit of quantised energy, which is what we’re proposing. If indeed the calculation is the correct one, let us suggest the following: we know:

$$E_P = h\nu$$

( $h$  as Planck’s constant and  $\nu$  as the Planck frequency).

In using equation G while incorporating  $e = M \cdot c^2$ , we could suggest the following if indeed  $E_P = E_H$ :

$$\begin{aligned} E_P &= M_H \cdot c^2 \\ &= M_P \cdot c^2 \cdot \alpha^{-1} \end{aligned}$$

Thus now, the energy of a proton  $M_P$ , as  $e_P = M_P \cdot c^2$ , we can derive the following:

$$\begin{aligned} E_P &= e_P \cdot \alpha^{-1} \\ h\nu &= e_P \cdot \alpha^{-1} \\ e_P &= h\nu\alpha \end{aligned} \quad (21)$$

This basically states that the energy of a proton is equivocally related to three fundamental constants. More to this, the energy of a photon  $E_P$  is equivalent to the energy of a proton (mass of basic atom) per the Fine Structure Constant; in other words, a fundamental connection using a fundamental constant. In considering equation 15 ( $Q_{AB} / G_{AB} = \alpha$ ) then the energy of a proton is related to charge, and the energy of a photon is related to gravity-mass.

We can perhaps still do more to this equation though, for if  $G = M_C \cdot c^2$ , we find that essentially as  $M_C = M_{C1+C2} \cdot 2 / 3^2$  and in considering  $M_{C1+C2} = 2 \cdot M_P$ , then:

$$\begin{aligned}
 G &= 2 \times 2 M_P \cdot c^2 / 9 & (22) \\
 M_P \cdot c^2 / 9 &= G / 2 \times 2 \\
 e_P &= 9 G / 2 \times 2 \\
 G &= 2 \times 2 e_P / 9 \\
 &= 2 \times 2 h\nu\alpha/9 & (23)
 \end{aligned}$$

Thus,  $G$  represents a dual feature of  $2h\nu\alpha/9$ , of the atom, and thus as can only be a type of "folded" (added-over) electromagnetic feature  $\langle Q_{AB}(e_P) \rangle$  using the scale of the Fine Structure constant. It would be like an  $e/m$  field out of phase with itself, folded over onto itself. The thinking here is that if the "e" wave folds back onto itself as the "m" wave, an antiparticle is generated (as defined in Figure 9.), and what is proposed here is that this particle would represent the "neutron" (figure 15.). Although the neutron is not considered contemporarily as an anti-particle, the definitions we have used in this argument make it so.




Figure 15.

The strength between  $n$  and  $p$  is essentially a mass/anti-mass association concept, one of attraction (like with electrostatic charges) and thus a  $G$  factor, which according to our equations on the atomic scale is 137 times that of the  $E$  value, which is correct. Furthermore, the strong nuclear force is linked by this associate to the weak nuclear force. By this process, we have the  $e/m$  force, the  $G$  force, a *strong nuclear* force[20] between a particle ( $p$ ) and antiparticle ( $n$ ), and a *weak nuclear* force[21] as the decay of a standard  $e/m$  phase force, and 3 key particles, an electron ( $e$ ), a proton ( $p$ ), and a neutron ( $n$ ). The proton and neutron particles would pulse in and out of reality as governed by the passage of time here, yet represent the same atomic "space" precinct, out of phase though on their  $e/m$  alignment, as upon of course the effect of the  $e/m$  field that represents their apparent strength of association. This type of folded over energy of light therefore represents gravitational features, thus a type of "dark/invisible matter field" effect, an effect that clearly has mass and energy properties given our definitions here.

We must bear in mind though that the historical ( $t_B$ ) value of time (as imaginary time, see First Principles (2)) extends outwards along a spatial 3-d 0-scalar spatial matrix as a spherical front; then owing to the time looping between  $t_B$  and  $t_A$  there is a gravitational coupling potential by this dynamic of time upon space, as gravitational potential energy (diagram 9.1, 9.2). Therefore, on the atomic level, beyond the 0-scalar spatial reference away from which the time front moves as imaginary time, there would exist spherical fronts of this electromagnetic (as we know as "electron shells") coupling from a light/atomic source that aligns with the golden-ratio equation for time. And this would extend outwards effecting charge and matter according to the equations we have generated (Figure 16.). Thus, as a basic model of the atom we would have such (Figure 17.) if  $t_N$  as the proton could be considered as time ground-zero (0-scalar spatial reference effected by time).




Figure 16.




Figure 17.

The idea here is that as the number of protons and electrons increase, the number of electrons would fit into the dynamic of the Fine Structure of the atom in a spherical array of Golden ratio time-dependent energy zones that accords to the process of all the forces at play in the atom given the number of protons and the energy state of the atom; the further out the energy shell, the greater the level of energy as per the process of time/entropy when used as the Golden ratio. These energy shells thus would represent a process of how an atom could change its energy level status care of rearranging the status of its electrons in the energy shells. Thus if an atom were to release energy, electromagnetic energy in the form of an electron going down an energy shell level would be effected; this energy would be in the form of electromagnetic radiation with a wavelength that would depend upon a number of key conditions primarily including the Golden ratio for time and the Fine Structure constant of the atom (in a subsequent paper the dynamic of energy shells, including an explanation for the precise numbers of electrons in energy shells, and wavelengths of electromagnetic quanta emitted between energy shells, will be explained, including proof for the Rydberg constant[22] and Aufbau principle[23] using the Golden ratio for time).

### 5. Universal modelling

Before we discuss the nature of this dark matter and energy manifold, how far could this effect of the folded “dark field” of electromagnetic/expansive and gravitational/attractive 0-scalar space reach? In the theory here, as according to a Fine Structure Constant scale of 0-scalar space and bi-temporal ( $t_{B>A}$ ) time, to the ends of space, to an infinitely large “fractal”[24][25][26] level (figure 18.).




Figure 18.

On a gross universal scale the existence of mass responsible for the gravitational features of empty space as the idea of “dark matter” and “dark energy”[27][28] makes more sense according to the theory here; “dark energy” as time would give the effect of a forever expanding space, and “dark matter” would give the effect of gravity where no mass appears to be present. Moreover, given the nature of the neutron here, it would be logical to suggest that the neutron would be associated to a very “strong nuclear” force effect, and thus neutron stars[29] take on the appearance of a massive amount of gravity, together with being associated to a “magnetic” effect, as they represent that feature of the e/m manifestation/effect on space itself (Figure 9.), something modern science hasn’t properly explained.

Nonetheless, “this” would be the “fractal topology” of space-time, namely the idea of the small scale diverging to the large scale according to the Golden ratio of time propagation layering down these effects on space as a type of fractal topology; the fractal topology of space-time would merely be the result of the two proposed principles of 0-scalar spatial universality and the Golden ratio flow of time.

Current research[30] aims to demonstrate that it is possible to produce a gravity field effect from electromagnetism using a dual coil structure (out of phase) wound according to a wavelength that is 1/137 that of the length of the coils in between a positive and negative charge structure, a fractal stepped up version of the gravity/electrodynamics of the atom.

## 6. Overview

In summary, we have developed the following:

- A new theory of time:
  - Incorporating the golden ratio.
  - Defining the past into an imaginary realm.
  - Defining the future into an inverse negative anti-particle realm.
  - Defining entropy.
  - Defining the process of time as electromagnetism.
- A new theory of space:
  - Incorporating time as the golden ratio.
  - Defining the force between masses in space.
  - Defining gravity on the atomic level, as associated to electromagnetism.
- A new theory of the atom incorporating the theory of time and space:
  - Incorporating time & space to a fine-structure calibrated atomic template.
  - Explaining the relationship between G and E.
  - Explaining the relative equations of G and E.
  - Explaining how neutrons are formed.
  - Explaining the strong nuclear force through a folded e/m field.
  - Explaining the weak nuclear force through a folded e/m field.
- A new theory of the stars incorporating the theory of time and space and the atom:
  - Explaining dark matter and dark energy.
  - Explaining neutron stars.
  - Explaining the energy manifold flip level of  $1/\phi$  in observed black holes.

Not to be forgotten:

- We have accepted all current results of singular-dimension time-theory.

- We are not challenging therefore any contemporary mathematical scientific results, only adding more scope to the idea of “time” as a way of addressing “many” loose ends of physics theory.
- Thus, this new theory is non-disruptive, only a suggested solution to the need for an all-encompassing theory of space-time.
- An experiment is offered to prove this new paradigm for time.

## 7. Conclusion

Essentially, the theory presented here governs a new process for the arrow/flow/universality of time; “time” is given far more structure and meaning that has not been previously/currently conceived. Yet in this process, we are able to understand with simpler clarity the nature of atomic particles and associated field forces. It’s as though we are giving the idea of “time” far more pixilation, and we are using that pixilation of ideas to affect its relevance to the basic field forces and associated particles and phenomena thereof. We then find in this process that gravity/mass as an emergent feature of electromagnetism is set at the Fine Structure constant value of  $1/137$ . This value represents on the atomic level the balance between the universality of 0-scalar space ( $a_0$ ) and the associated non-synchronous divergence of time ( $\lambda e$ ). This is not a challenge against contemporary ideas in science, this theory presents the idea of giving “time” more meaning to make mathematical spatial transformations that undergo symmetry-breaking become more sensible. Doing this uncovers many field force etc. links in the way presented here.

Conversely, or rather what exists currently as a scientific community, is a mathematical process of considering space as 3-dimensional and time as one dimensional. Moreover, we as a science community have considered time to be a universal singularity. We have developed equations that suit both the atomic small scale to the universal large scale phenomena based on this feature of the mathematics we employ. In this process, we as contemporary scientists use 3-dimensional scalar/vector/inertial/torsional mathematical grid matrices to relate one region in space with another, as topographically accurate with what we observe of space-time as mathematics allows, all using the idea of 3-dimensional space and one-dimensional time. In fact, this whole process has allowed us to focus “on” all those spatial features of mass/inertia/torsion and so on, while using one dimensional time. The problem with the process of using “space” as the base for equations and not time is that it is “very” complicated, as it forces us to consider mathematical matrices that through the process of the equation “as time itself” relates one 3-dimensional matrix with another as a process of cause and effect “in time”, “in the passage of time”. This obviously has its difficulties if indeed “time” as a concept is responsible for “symmetry-breaking” in scalar/vector space/particles.

Another problem is the way we conduct our research; if the basic particles are split up for research purposes, the  $Q_{AB}(e_P)/G_{AB}(E_P) = \alpha$  features will be recognised in the split-up features of the particles by that process, and those split features would be considered as the make-up of the particles being split up to be examined, hence the idea of the subatomic world. Thus, depending on the type of splitting up process and the context of time being considered, 10’s of subatomic particles could exist (perhaps 50 or so in all basic probability scales when combining two times with 3 or so basic particles and a magnetic moment). Here with this theory we are explaining the basic logic of the fundamental particles from first principles using a new a-priori for “time”. Through this new process, using “time” requires “far less” dimensionality of mathematical scope as an equation base compared to space.

## Conflicts of Interest

The author declares no conflicts of interest; this has been an entirely self-funded independent project.

## References

1. Einstein A. (1916), Relativity: The Special and General Theory (Translation 1920), New York: H. Holt and Company.
2. Carl Friedrich Gauss §§365–366 in Disquisitiones Arithmeticae. Leipzig, Germany, 1801. New Haven, CT: Yale University Press, 1965.
3. "Oxford Dictionaries:Time". *Oxford University Press*. 2011. Retrieved 18 December 2011. *the indefinite continued progress of existence and events in the past, present, and future regarded as a whole*
4. Anderson, P.W. (1972). "More is Different" (PDF). *Science*. 177 (4047): 393–396. Bibcode:1972Sci...177..393A.
5. Bindi, L.; Steinhardt, P. J.; Yao, N.; Lu, P. J. (2009). "Natural Quasicrystals". *Science*. 324 (5932): 1306–9. Bibcode:2009Sci...324.1306B. doi:10.1126/science.1170827. PMID 19498165.
6. J. A. McGovern, "2.5 Entropy". Archived from the original on 2012-09-23. Retrieved 2013-02-05.
7. Livio, Mario (2002). The Golden Ratio: The Story of Phi, The World's Most Astonishing Number. New York: Broadway Books. ISBN 0-7679-0815-5.
8. Stephen W. Hawking (1998). A Brief History of Time (Tenth Anniversary Commemorative ed.). Bantam Books. p. 157. ISBN 978-0-553-10953-5.
9. <https://cosmosmagazine.com/mathematics/beautiful-number-golden-ratio> (webpage accessed 29/03/2017).
10. IEEEGHN: Maxwell's Equations". [ieeeghn.org](http://ieeeghn.org). Retrieved 2008-10-19.
11. Jackson, John. "Maxwell's equations". Science Video Glossary. Berkeley Lab.
12. "The Mathematical Principles of Natural Philosophy", *Encyclopædia Britannica*, London
13. Kline, Morris (1972). *Mathematical thought from ancient to modern times, Vol. 3*. Oxford University Press. pp. 1122–1127. ISBN 0195061373.
14. Lorentz, Hendrik Antoon (1904), "Electromagnetic phenomena in a system moving with any velocity smaller than that of light", *Proceedings of the Royal Netherlands Academy of Arts and Sciences*, 6: 809–831
15. <http://physics.nist.gov/cgi-bin/cuu/Value?plkmc2gev>
16. Mohr, P. J.; Taylor, B. N.; Newell, D. B. (2015). "Fine structure constant". CODATA Internationally recommended 2014 values of the fundamental physical constants. National Institute of Standards and Technology
17. CODATA Value: Bohr radius". Fundamental Physical Constants. NIST. Retrieved 13 February 2016
18. G. Bernardi, M. Carena, and T. Junk: "Higgs bosons: theory and searches", Reviews of Particle Data Group: Hypothetical particles and Concepts, 2007, [http://pdg.lbl.gov/2008/reviews/higgs\\_s055.pdf](http://pdg.lbl.gov/2008/reviews/higgs_s055.pdf)
19. <http://wlcg.web.cern.ch/> (webpage accessed 03/29/2017).
20. Griffiths, David (2009). Introduction to Elementary Particles. pp. 55–56. ISBN 978-3-527-40601-2.
21. Griffiths, David (2009). Introduction to Elementary Particles. pp. 59–60. ISBN 978-3-527-40601-2.
22. Bohr, N. (1985). "Rydberg's discovery of the spectral laws". In Kalckar, J. Collected works. 10. Amsterdam: North-Holland Publ. Cy. pp. 373–379.
23. Cottingham, W. N.; Greenwood, D. A. (1986). "Chapter 5: Ground state properties of nuclei: the shell model". An introduction to nuclear physics. Cambridge University Press. ISBN 0-521-31960-9.
24. Boeing, G. (2016). "Visual Analysis of Nonlinear Dynamical Systems: Chaos, Fractals, Self-Similarity and the Limits of Prediction". *Systems*. 4 (4): 37. doi:10.3390/systems4040037. Retrieved 2016-12-02.
25. Nottale, Laurent (29 May 2009). "Scale relativity and fractal space-time: theory and applications".
26. Nottale, Laurent (17 June 2011). Scale Relativity and Fractal Space-Time: A New Approach to Unifying Relativity and Quantum Mechanics. World Scientific. p. 516. ISB
27. "Dark Energy, Dark Matter". NASA Science: Astrophysics. 5 June 2015.
28. "Planck Mission Brings Universe Into Sharp Focus". NASA Mission Pages. 21 March 2013.
29. Glendenning, Norman K. (2012). Compact Stars: Nuclear Physics, Particle Physics and General Relativity (illustrated ed.). Springer Science & Business Media. p. 1. ISBN 978-1-4684-0491-3.
30. Gravietric. [Homepage on internet]. Sydney. Equus Aerospace Pty Ltd; 2015 [cited 2017 Mar 29] Available from: <http://www.gravietric.com/index.htm> (webpage accessed 03/29/2017).