

SIX CONJECTURES WHICH GENERALIZE OR ARE RELATED TO ANDRICA'S CONJECTURE

Florentin Smarandache, Ph D
Associate Professor
Chair of Department of Math & Sciences
University of New Mexico
200 College Road
Gallup, NM 87301, USA
E-mail: smarand@unm.edu

Six conjectures on pairs of consecutive primes are listed below together with examples in each case.

1) The equation $p_{n+1}^x - p_n^x = 1$, (1)

where p_n is the n^{th} prime, has a unique solution in between 0.5 and 1. Checking the first 168 prime numbers (less than 1000), one obtains that:

- The maximum occurs, of course, for $n = 1$, i.e.

$$3^x - 2^x = 1, \text{ when } x = 1.$$

- The minimum occurs for $n = 31$, i.e.

$$127^x - 113^x = 1, \text{ when } x = 0.567148\dots = a_0 \quad (2)$$

Thus, Andrica's Conjecture

$$A_n = \sqrt{p_{n+1}} - \sqrt{p_n} < 1$$

is generalized to:

2) $B_n = p_{n+1}^a - p_n^a < 1$, where $a < a_0$. (3)

It is remarkable that the minimum x doesn't occur for $11^x - 7^x = 1$ as in Andrica Conjecture's maximum value, but as in example (2) for $a_0 = 0.567148\dots$.

Also, the function B_n in (3) is falling asymptotically as A_n in (2) i.e. in Andrica's Conjecture.

Looking at the prime exponential equations solved with a TI-92 Graphing Calculator (approximately: the bigger the prime number gap is, the smaller solution x for the equation (1); for the same gap between two consecutive primes, the larger the primes, the bigger x):

- $3^x - 2^x = 1$, has the solution $x = 1.000000$.
- $5^x - 3^x = 1$, has the solution $x \approx 0.727160$.
- $7^x - 5^x = 1$, has the solution $x \approx 0.763203$.
- $11^x - 7^x = 1$, has the solution $x \approx 0.599669$.
- $13^x - 11^x = 1$, has the solution $x \approx 0.807162$.
- $17^x - 13^x = 1$, has the solution $x \approx 0.647855$.
- $19^x - 17^x = 1$, has the solution $x \approx 0.826203$.
- $29^x - 23^x = 1$, has the solution $x \approx 0.604284$.

$37^x - 31^x = 1$, has the solution $x \approx 0.624992$.
 $97^x - 89^x = 1$, has the solution $x \approx 0.638942$.
 $127^x - 113^x = 1$, has the solution $x \approx 0.567148$.
 $149^x - 139^x = 1$, has the solution $x \approx 0.629722$.
 $191^x - 181^x = 1$, has the solution $x \approx 0.643672$.
 $223^x - 211^x = 1$, has the solution $x \approx 0.625357$.
 $307^x - 293^x = 1$, has the solution $x \approx 0.620871$.
 $331^x - 317^x = 1$, has the solution $x \approx 0.624822$.
 $497^x - 467^x = 1$, has the solution $x \approx 0.663219$.
 $521^x - 509^x = 1$, has the solution $x \approx 0.666917$.
 $541^x - 523^x = 1$, has the solution $x \approx 0.616550$.
 $751^x - 743^x = 1$, has the solution $x \approx 0.732707$.
 $787^x - 773^x = 1$, has the solution $x \approx 0.664972$.
 $853^x - 839^x = 1$, has the solution $x \approx 0.668274$.
 $877^x - 863^x = 1$, has the solution $x \approx 0.669397$.
 $907^x - 887^x = 1$, has the solution $x \approx 0.627848$.
 $967^x - 953^x = 1$, has the solution $x \approx 0.673292$.
 $997^x - 991^x = 1$, has the solution $x \approx 0.776959$.

If $x > a_0$, the difference of x-powers of consecutive primes is normally greater than 1. Checking more versions:

$3^{0.99} - 2^{0.99} \approx 0.981037$.
 $11^{0.99} - 7^{0.99} \approx 3.874270$.
 $11^{0.60} - 7^{0.60} \approx 1.001270$.
 $11^{0.59} - 7^{0.59} \approx 0.963334$.
 $11^{0.55} - 7^{0.55} \approx 0.822980$.
 $11^{0.50} - 7^{0.50} \approx 0.670873$.

$389^{0.99} - 383^{0.99} \approx 5.596550$.

$11^{0.599} - 7^{0.599} \approx 0.997426$.
 $17^{0.599} - 13^{0.599} \approx 0.810218$.
 $37^{0.599} - 31^{0.599} \approx 0.874526$.
 $127^{0.599} - 113^{0.599} \approx 1.230100$.

$997^{0.599} - 991^{0.599} \approx 0.225749$

$127^{0.5} - 113^{0.5} \approx 0.639282$

3) $C_n = p_{n+1}^{1/k} - p_n^{1/k} < 2/k$, where p_n is the n-th prime, and $k \geq 2$ is an integer.

$11^{1/2} - 7^{1/2} \approx 0.670873$.
 $11^{1/4} - 7^{1/4} \approx 0.1945837251$.

$$\begin{aligned}
11^{1/5} - 7^{1/5} &\approx 0.1396211046 . \\
127^{1/5} - 113^{1/5} &\approx 0.060837 . \\
3^{1/2} - 2^{1/2} &\approx 0.317837 . \\
3^{1/3} - 2^{1/3} &\approx 0.1823285204 . \\
5^{1/3} - 3^{1/3} &\approx 0.2677263764 . \\
7^{1/3} - 5^{1/3} &\approx 0.2029552361 . \\
11^{1/3} - 7^{1/3} &\approx 0.3110489078 . \\
13^{1/3} - 11^{1/3} &\approx 0.1273545972 . \\
17^{1/3} - 13^{1/3} &\approx 0.2199469029 . \\
37^{1/3} - 31^{1/3} &\approx 0.1908411993 . \\
127^{1/3} - 113^{1/3} &\approx 0.191938 .
\end{aligned}$$

4) $D_n = p_{n+1}^a - p_n^a < 1/n$, (4)
where $a < a_0$ and n big enough, $n = n(a)$, holds for infinitely many consecutive primes.

- a) Is this still available for $a < 1$?
- b) Is there any rank n_0 depending on a and n such that (4) is verified for all $n \geq n_0$?

A few examples:

$$\begin{aligned}
5^{0.8} - 3^{0.8} &\approx 0.21567 . \\
7^{0.8} - 5^{0.8} &\approx 1.11938 . \\
11^{0.8} - 7^{0.8} &\approx 2.06621 . \\
127^{0.8} - 113^{0.8} &\approx 4.29973 . \\
307^{0.8} - 293^{0.8} &\approx 3.57934 . \\
997^{0.8} - 991^{0.8} &\approx 1.20716 .
\end{aligned}$$

5) $p_{n+1} / p_n \leq 5/3$, (5)
the maximum occurs at $n = 2$.

{The ratio of two consecutive primes is limited,
while the difference $p_{n+1} - p_n$ can be as big as we want!}

6) However, $1/p_n - 1/p_{n+1} \leq 1/6$, and the maximum occurs for $n = 1$.

REFERENCE

[1] Sloane, N.J.A. – Sequence A001223/M0296 in “An On-Line Version of the Encyclopedia of Integer Sequences”.