

# General Relativity as curvature of space

Peter H. Michalicka

February 1, 2014

## Abstract

With the Planck 'constants' length, time, mass and acceleration will be shown, that a Quantum Gravity of the cosmos exists. This paper shows how Einstein's Field Equations in Friedmann Robertson Walker Metric solves the Planck Era context.

## 1 The Planck 'constants'

Planck length  $\Delta x = \sqrt{\frac{Gh}{c^3}}$

Planck time  $\Delta t = \sqrt{\frac{Gh}{c^5}}$

Planck mass  $\Delta m = \sqrt{\frac{hc}{G}}$

Planck acceleration  $\Delta a = \frac{c}{\Delta t} = \sqrt{\frac{c^7}{hG}}$

## 2 Modern Cosmology

Within modern cosmology the Einstein's Field Equations would be written with cosmological term  $\Lambda$  as follows (see [2] and [3]):

$$R_{ik} - \frac{1}{2}g_{ik}R - \Lambda g_{ik} = \frac{8\pi G}{c^4}T_{ik} \quad (2.0)$$

The solutions of the Field Equations in Friedmann-Roberson-Walker-Metric are:

FRW Equation (I)

$$\frac{\dot{R}^2}{R^2} = \frac{8\pi G\rho}{3} + \frac{\Lambda c^2}{3} - \frac{kc^2}{R^2} \quad (2.1)$$

FRW Equation (II)

$$\frac{\ddot{R}}{R} = \frac{\Lambda c^2}{3} - \frac{4\pi G}{3} \left( \rho + \frac{3p}{c^2} \right) \quad (2.2)$$

Einstein abandoned the cosmological term  $\Lambda$  as his "greatest blunder" after Hubble's 1928 discovery that the distant galaxies are expanding away from each other. Within a Universe with ideal Quantum gas and without cosmological term  $\Lambda$  and geometry factor  $k = 0$  the equation (2.1) and (2.2) will become:

FRW Equation (I)

$$\frac{\dot{R}^2}{R^2} = \frac{8\pi G\rho}{3} \quad (2.3)$$

and FRW Equation (II)

$$\frac{\ddot{R}}{R} = -\frac{4\pi G}{3} \left( \rho + \frac{3p}{c^2} \right) \quad (2.4)$$

With the relation  $p = \frac{\rho c^2}{3}$  (Quantum gas) will change (2.4) as follows: FRW Equation (II)

$$\frac{\ddot{R}}{R} = -\frac{8\pi G\rho}{3} \quad (2.5)$$

Within Thermodynamics we assume  $dE = TdS - pdV$  and an adiabatic process it holds  $TdS = 0$ . We become  $d(\epsilon V) = d\epsilon V + \epsilon dV = -pdV$  and it follows:

With  $d\epsilon = -(\epsilon + p)\frac{dV}{V}$  and the relation  $p = \frac{\epsilon}{3}$  we assume:

$$\frac{d\epsilon}{\epsilon} = -\frac{4dV}{3V} \text{ or } \epsilon \sim V^{-4/3} \sim R^{-4} \quad (2.6)$$

### 3 The Cosmic Background Radiation

Now we know the energy-density in the Planck-Era  $\rho c^2 = \tilde{a}\Delta T^4 = \frac{3c^7}{8\pi hG}(\tilde{a} = \text{Radiationconstant} = 7.5657e^{-16})$ , If we assume  $c = h = G = k_B = 1$  we get:

$$\frac{3}{8\pi} = \tilde{a}\Delta T^4 = \frac{8\pi^5}{15}T^4 \text{ or } T^4 = \frac{45}{64\pi^6}$$

Now we get the Planck-Temperature  $\Delta T = (\frac{45}{64\pi^6})^{1/4} = \frac{1}{6.08088337383}$

In Planck-Era the following 6 relations are valid:

$$\Delta m \Delta x = \frac{h}{c} \quad (3.1)$$

$$\Delta m \Delta t = \frac{h}{c^2} \quad (3.2)$$

$$\frac{\Delta m}{\Delta a} = \frac{h}{c^3} \quad (3.3)$$

$$\frac{\Delta m}{\Delta x} = \frac{c^2}{G} \quad (3.4)$$

$$\frac{\Delta m}{\Delta t} = \frac{c^3}{G} \quad (3.5)$$

$$\Delta F = \Delta m \Delta a = \frac{c^4}{G} \quad (3.6)$$

Now we could calculate the CBR ( $T_\gamma$ ) as follows:

$$E_\gamma = \frac{hc}{x} = 6.08088337383kT_\gamma \text{ with } T_\gamma = 2.725K$$

We could calculate  $m_\gamma = 2.5444e^{-39}kg$  and  $x = \lambda_\gamma = 8.6828e^{-4}m$ , also a  $t_\gamma = \frac{\lambda_\gamma}{c} = 2.8963e^{-12}s$ .

For the CBR we receive:

$$E_\gamma = m_\gamma ax = \frac{h\nu}{c^2} \frac{mc^3}{h} \frac{c}{\nu} = m_\gamma c^2$$

## 4 Gravitation as curvature of space

In macroscopic Scale the equation (3.1) til (3.6) will be rewritten as: (Entropieconstant

$$\zeta = \frac{\Delta T}{T_\gamma} = 2.1432e^{31}$$

$$M R = \zeta^4 \frac{h}{c} \quad (4.1)$$

$$M t = \zeta^4 \frac{h}{c^2} \quad (4.2)$$

$$\frac{M}{a} = \zeta^4 \frac{h}{c^3} \quad (4.3)$$

$$\frac{M}{R} = \frac{c^2}{G} \quad (4.4)$$

$$\frac{M}{t} = \frac{c^3}{G} \quad (4.5)$$

$$\Delta F = M a = \frac{c^4}{G} \quad (4.6)$$

With  $a = \frac{G M}{R^2} = \frac{M c^3}{\zeta^4 h}$  follows:

$$\frac{G}{R^2} = \frac{c^3}{\zeta^4 h} \quad (4.7)$$

Furthermore we receive from GR:

$$\begin{aligned} R &= \zeta^2 \Delta x \Rightarrow \text{Radius of Universe } R = 1.861e^{28} m \\ \frac{M}{R} &= \frac{c^2}{G} = \frac{\Delta m}{\Delta x} \Rightarrow \text{Mass of Universe } M = 2.506e^{55} kg \\ \frac{M}{t} &= \frac{c^3}{G} = \frac{\Delta m}{\Delta t} \Rightarrow \text{Age of Universe } t = 6.207e^{19} s \end{aligned}$$

For  $\dot{R}^2 = \frac{G M}{R}$  is with (4.7):  $\dot{R}^2 = M R \frac{c^3}{\zeta^4 h} = c^2$

The FRW Gleichung (I) (2.3) is as follows:

$$\frac{c^2}{R^2} = \frac{8\pi G\rho}{3}$$

or

$$\frac{1}{R^4} = \frac{8\pi\rho c^2}{3\zeta^4 hc}$$

We become the  $R^4$  dependency of (2.6) as follows:

$$\frac{3\zeta^4 hc}{8\pi R^4} = \rho c^2 = \tilde{a}T_\gamma^4$$

## 5 References

1. A.Einstein, Sitz. Preuss. Akad. d. Wiss., Kosmologische Betrachtungen zur allgemeinen Relativitätstheorie (1917)
2. V.Sahni, The Case for a Positive Cosmological  $\Lambda$ -Term, astro-ph/9904398
3. S.M.Carroll, The Cosmological Constant, astro-ph/0004075