## An Elementary Proof of Gilbreath's Conjecture

### Hashem Sazegar Training department of National Iranian Gas company, Pipeline,Zone4

#### Abstract

Given the fact that the Gilbreath's Conjecture has been a major topic of research in Aritmatic progression for well over a Century, and as bellow:

```
2 3 5 7 11 13 17 19 23 29 31 37 41 43 47 53 59 61
1 2 2 4 2 4 2 4 6 2 6 4 2 4 6 6 2
102222244222204
12000020202024
12000022220022
12000200202020
120022002222
1\ 2\ 0\ 2\ 0\ 2\ 0\ 2\ 0\ 0
122222200
10000020
1000022
100020
100022
10020
1022
120
12
1
```

The Gilbreath'sconjecture in a way as easy and comprehensive as possible. He proposed that these differences, when calculated repetitively and left as boolute values, would always result in a row of numbers beginning with 1,In this paper we bring elementary proof for this conjecture.

## Introduction:

Given the fact that the Gilbreath's Conjecture has been a major topic of

research in aritmatic progression for well over a century, the Gilbreath

conjecture in a way as easy and comprehensive as possible.

Hopefully it will help the right person take this conjecture out of the unsolved

list and into the list of accomplishments of mathematics.

To begin the story, the anecdote goes that an undergraduate student named normanGilbreath was doodling on a napkin one day in a cafe and found a very interesting characteristic of the list of sequential prime numbers and the diferences between them. He proposed that these diferences, when calculated repetitively and left as absolute values, would always result in a row of numbers beginning with 1 (after the first row). No one has been able to prove it. In 1878, eighty years before Gilbreath's discovery, François Proth had, however, published the same observations along with an attempted proof, which was later shown to be false.

Andrew Odlyzkoverified that  $d_1^k$  is 1 for  $k \le n = 3.4 \times 10^{11}$  in 1993, but the conjecture remains an open problem. Instead of evaluating *n* rows, Odlyzko evaluated 635 rows and established that the 635th row started with a 1 and continued with only 0's and 2's for the next *n* numbers. This implies that the next *n* rows begin with a 1,see[15]

## Notation

We define  $d_n^k$  is Kth row, n th,Number, in  $d_n^k = |d_{n+1}^{k-1} - d_n^{k-1}|$ We should prove that  $d_1^k = 1$ , for any k

Theorem:  $d_1^k = 1$ , for any k

Proof: Assume that the Gilbreath'sConjecture is correct until  $p_m$ , that is m-th prime in first row by induction, we prove that this Conjecture is correct for  $p_{m+1}$ , hence below table is correct by induction

```
2 3 5 7 11 13 17 19 23 29 31 37 41 43 47 53 59 61.....p_{m-2}p_{m-1} p_m
1 2 2 4 2 4 2 4 6 2 6 4 2 4 6 6 2
1 0 2 2 2 2 2 2 4 4 2 2 2 2 0 4
1 2 0 0 0 0 0 2 0 2 0 0 0 2 4
```

$$^{\mathsf{age}}\mathsf{Z}$$

```
1 2 0 0 0 0 2 2 2 2 0 0 2 2
1 2 0 0 0 2 0 0 0 2 0 2 0 2 0
1 2 0 0 2 2 0 0 2 2 2 2 2
1 2 0 2 0 2 0 2 0 2 0 0 0
1 2 2 2 2 2 2 2 2 0 0
1 0 0 0 0 0 0 2 0
1 0 0 0 0 0 2 0
1 0 0 0 0 2 0
1 0 0 0 2 0
1 0 0 2 0
1 0 2 2
1 2 0
1 2
1
.
.
.
1
```

Notice that in above table for K- th row, n- th, number, we have  $d_n^k = |d_{n+1}^{k-1} - d_n^{k-1}| < 3^n \le 3^m$ , Now we prove that this table is correct for  $p_{m+1}$ ,

For simplicity this conjecture we state some Lemmas as below:

Lemma 1: if  $p_m$  to be m-th prime , so  $p_m < 3^m$  for  $m \ge 1$ 

Proof: According to [1], this is Correct obviously

Lemma 2: the Second row is correct ,i.e $d_m^2 = |p_{m+1} - p_m| < p_m < 3^m$ 

Proof, this is obviously correctby refer to [1]

Lemma 3: the third row is correct ,i.e $d_{m-1}^3 = ||p_{m+1} - p_m| - |p_m - p_{m-1}|| < p_{m-1} < 3^{m-1}$ ,

Proof : this is obviously correctby refer to [1]

Lemma 4: k-th row is correct,  $4 \le k \le m + 1$ , i.e $d_{m-(k-2)}^k = |d_{m-(k-3)}^{k-1} - d_{m-(k-2)}^{k-1}| < 3^{m-(k-2)}$ 

Proof: we assume that this is not hold for  $k \ge 4$ , notice that from k = 4 to k = m + 1, we have  $d_{m-(k-2)}^k = \left| d_{m-(k-3)}^{k-1} - d_{m-(k-2)}^{k-1} \right| \ge 3^{m-(k-2)}$ 

So for simplicity we write abbreviation as below:

$$a_1 = a - b \ge 3^{m-2}$$

 $a_2 = a_1 - b_1 \ge 3^{m-3}$ 

 $a_{m-2} = a_{m-3} - b_{m-3} \ge 3^{(m-1)-(m-2)}$ 

We add above formula ,hence:  $a_1 + a_2 + \dots + a_{m-2} \ge 3 + 3^2 + \dots + 3^{m-2}$ But each item is smaller than *a*, and *a* < *p*<sub>*m*-1</sub>

So 
$$(m-2)p_{m-1} > (3^{m-1}-3)/2$$

Or  $p_{m-1} > \frac{3^{m-1}-3}{2(m-2)}$ , according to [1], there are constants numbers  $c_1 \& c_2$  such that  $c_1(m-1)\log(m-1) < p_{m-1} < c_2(m-1)\log(m-1)$ 

So this is Contradiction for  $m \ge 3$ 

Lemma 5: suppose thes-th row is correct  $s \ge 4$ , sos  $+ 1 \le k \le m + 1$ , we prove that  $d_{m-(k-2)}^k = |d_{m-(k-3)}^{k-1} - d_{m-(k-2)}^{k-1}| < 3^{m-(k-2)}$ 

Proof: this proof is similar to Lemma 4, by substitute m instead m - s

So 
$$p_{m-s-1} > \frac{3^{m-s-1}-2}{m-s-2}$$
, this is Contradiction for  $m-s \ge 3$ 

Theorem:  $d_1^k = 1$ , for any k

Proof: According to above Lemmas 3 &4 this theorem is hold, for k = m + 1 since  $d_1^{m+1} < 3$  then  $d_1^{m+1} = 1$ , therefore we proof the Theorem.

# **References:**

[1] G. H. Hardy and E. M. Wright, An Introduction to the Theory of Numbers, Oxford, 1964.

[2] Killgrove, R. B.; Ralston, K. E. "On a Conjecture Concerning the

Primes."

[3] "SWAC (Computer)."

http://en.wikipedia.org/wiki/SWAC (computer) Accessed February15, 2012.

[4] Weisstein, Eric W. "Proth's Theorem." From MathWorld (A Wolfram

Web Resource. http://mathworld.wolfram.com/ProthsTheorem.html

[5] Proth, Francois, Theoremes Sur Les Nombres Premiers, C. R. Acad.

Sci. Paris, 1877, Volume 85, Pages 329-332,

[6] Weisstein, Eric W. "Mertens Conjecture." From MathWorld{A

Wolfram Web Resource.

http://mathworld.wolfram.com/MertensConjecture.html

[7] C. B. Haselgrove (1958). "A disproof of a conjecture of Polya."

Mathematika, Volume 5, Pages 141-145

doi:10.1112/S0025579300001480

[8] Caldwell, Chris K. "Largest Known Primes." Univery of Tennesse At

Martin. http://primes.utm.edu/top20/page.php?id=3

[9] Caldwell, Chris K. "Probable Prime." Univery of TennesseAt Martin.

http://primes.utm.edu/glossary/page.php?sort=PRP

[10] Mulcahy, Colm. Card Colm.

http://www.maa.org/columns/colm/cardcolm201008.html

[11] Andrew Odlyzko: Home Page

http://www.dtc.umn.edu/ odlyzko/ Accessed February 16, 2012.

[12] Weisstein, Eric W. "Fermat's Little Theorem." From MathWorld {AWolfram Web Resource.

http://mathworld.wolfram.com/FermatsLittleTheorem.html

[13] Weisstein, Eric W. "Mersenne Prime." From MathWorld {A Wolfram

Web Resource. http://mathworld.wolfram.com/MersennePrime.html
[14] C. B. Haselgrove (1958). A disproof of a conjecture of Polya.
Mathematika, 5 ,pp 141-145 doi:10.1112/S0025579300001480
[15] Dubuque, Bill. (Number of oddly factored numbers <= n) - (number of evenly factored numbers <= n). July 03 2002.</p>
http://oeis.org/A072203. Accessed April 9, 2012.
[16]An interesting Opportunety:theGilbreath Conjecture,
www.carroll.edu/library/thesisArchive/Sturgill-Simon\_2012final.pdf
[17]Research Proposal, Elan A. Segarra, Harvey MuddCollege ,Senior ThesisMathematicsSpring(2005

PageO