

# Dynamics of the “Bullet Cluster” (Interactions of the Dark Matter)

Sylwester Kornowski

**Abstract:** Here, within the Scale-Symmetric Physics (S-SP), we analyse the internal interactions in the dark matter and the weak interactions via leptons of the entangled dark matter with the hadronic and leptonic matter.

## 1. Introduction

Within the Einstein General Theory of Relativity we obtain formula for the total energy of the Standard-Model particles i.e. for particle that inertial mass is equal to its gravitational mass (the Principle-of-Equivalence objects). Assume that the word “imaginary” concerns physical quantities characteristic for objects that have broken contact with the wave function that describes state of the Universe. This means that such objects cannot emit some particles so they should be the internally structureless objects i.e. they are some pieces of space carrying only the inertial mass (they are the non-gravitating objects). Substitute  $i c$  instead the speed of light in “vacuum”  $c$ ,  $i v$  instead the kinetic speed  $v$  and  $i m$  instead the gravitational mass  $M$ , where  $i = \sqrt{-1}$  is the imaginary unit. Then the formula for the total energy of a gas composed of the non-gravitating pieces of space is

$$E = m c^2 / \sqrt{v^2 / c^2 - 1}. \quad (1)$$

We can see that now the non-gravitating pieces of space must be superluminal ( $v$  must be higher than the speed of light,  $c$ , in “vacuum”) i.e. they are the non-gravitating tachyons. The gas composed of non-gravitating tachyons I refer to as the modified Higgs field. It is the Higgs field which causes that non-gravitating objects, due to the interaction with the Higgs field, acquire their gravitational mass (the Higgs mechanism).

The Scale-Symmetric Physics (S-SP), [1], starts from the Higgs field composed of the non-gravitating tachyons. The new law of saturation of interactions via the Higgs field and the law of conservation of spin lead to the succeeding phase transitions of the Higgs field. Due to the phase transitions, we obtain different scales of size, energy and speeds – it is the foundations of the S-SP.

We obtain five scales i.e. the Higgs-field-component superluminal scale associated with gravitational fields, the quantum-entanglement superluminal scale, the luminal Planck scale

associated with the luminal Einstein-spacetime components (it leads to the internal structure and properties of neutrinos), the baryonic scale that leads to the atom-like structure of baryons (it leads to the internal structure and properties of electrons as well), and the cosmological scale that leads to the origin of the dark matter and dark energy and to the expanding Universe.

The S-SP starts from 7 parameters and 3 very simple formulae only and is free from approximations, mathematical tricks and free parameters i.e. it is a unique theory. Within such a theory, I calculated a thousand results which are consistent or very close to experimental data.

The assumption that the two leading theories are incomplete only is incorrect. There must be in existence a third fundamental theory which should lead to the initial conditions applied in General Relativity (GR) and Quantum Physics (QP). The third fundamental theory should solve all the unsolved fundamental problems. And within the S-SP we can do it. The S-SP shows that unification of GR and QP within the same methods is impossible (the gravitational fields are the gradients in the superluminal Higgs field produced by the luminal Einstein-spacetime components whereas the Standard-Model interactions are associated with the superluminal quantum entanglement, with the free luminal Einstein-spacetime components or with objects composed of entangled and/or confined luminal Einstein-spacetime components). We can unify the GR and QP only via the succeeding phase transitions which lead to the different scales.

Within S-SP, for example, we can show how the luminal Einstein-spacetime components, which are the associations of the superluminal entanglons responsible for the quantum entanglement, produce the superluminal gravitational fields but emphasize once more that unification of gravity and quantum physics within the same methods is impossible.

## 2. Interactions of the dark matter

According to S-SP, both dark-matter particle and dark-energy particle are the luminal Einstein-spacetime components [2]. They appeared due to the evolution of the cosmological object associated with the cosmological scale [1]. The dark-energy consists of the free additional Einstein-spacetime components whereas the dark-matter particles are entangled due to the superluminal quantum entanglement and the entangled dark matter interacts with the hadronic and leptonic matter via the weak interactions of leptons.

Coupling constant for the pure directional quantum entanglement is

$$\alpha_E = 3.1 \cdot 10^{92}, [3],$$

whereas coupling constant for the weak interactions via leptons of entangled dark matter with hadrons and leptons is

$$\alpha_{W(\text{electron-muon})} = 9.511 \cdot 10^{-7} [1], [4],$$

i.e. the directional superluminal quantum entanglement is much stronger than the weak interactions via leptons.

It causes that during a collision of two clusters (as, for example, the ‘‘Bullet Cluster’’) the dark matter passes through the collision practically without a change in its distribution and the weak interactions are too weak the colliding baryonic and leptonic matter could entail the dark matter. Just the entangled structures in dark matter are much more stable than the mixed structures of dark and visible matter that follow from the weak interactions via leptons.

Since the Einstein-spacetime component, the dark-matter particle and the dark-energy particle all are the neutrino-antineutrino pairs, [1], [2], so the dark-matter structures expand

together with the Universe. It follows from the fact that intensity of the directional quantum entanglement does not depend on distance. But we must emphasize that there is the very strong shortest-distances entanglement for distances in approximation  $2.3 \cdot 10^{-35}$  m and  $7.0 \cdot 10^{-35}$  m which are close to the Planck length – it follows from the fact that then simultaneously are exchanged many entanglons [1]. It causes that the electric charge of proton is the very stable structure.

The dark energy is distributed in the Universe much more uniformly than the dark matter which is closer to hadronic matter. It causes that the dark matter had a greater impact on the expansion of the protogalaxies (according to the S-SP, protogalaxy formation has already occurred before the expansion of the Universe [1]).

Emphasize as well that S-SP shows that detection of the neutrino-antineutrino pairs is much difficult than detection of free neutrinos. It follows from the fact that the resultant weak charge of a neutrino-antineutrino pair is equal to zero so they interact gravitationally (the very weak interaction), they can interact via directional quantum entanglement (there are only the indirect phenomena) and via volumetric confinement which follows from the Mexican-hat mechanism (it is the very short-distance interaction).

### References

- [1] Sylwester Kornowski (6 March 2015). “The Scale-Symmetric Physics”  
<http://vixra.org/abs/1203.0021>
- [2] Sylwester Kornowski (26 February 2015). “The Einstein-Spacetime, Dark-Energy and Dark-Matter Particle and the Higgs Boson”  
<http://vixra.org/abs/1502.0132>
- [3] Sylwester Kornowski (25 March 2015). “The Composite Sham Higgs Boson with a Mass of 125 GeV in the Scale-Symmetric Physics”  
<http://vixra.org/abs/1503.0181>
- [4] Sylwester Kornowski (15 January 2015). “The Dark-Matter Mechanism and Spin Speeds of Stars in Spiral Galaxies”  
<http://vixra.org/abs/1410.0031>