

1.0 Abstract

In “The Aether Found, Discrete Calculations of Charge and Gravity with Planck Spinning Spheres and Kaluza Spinning Spheres” (1), it was shown that spinning spheres can unite the gravitational and electromagnetic force with spinning spheres. The equation 4, developed in “The Aether Found, Discrete Calculations of Charge and Gravity with Planck Spinning Spheres and Kaluza Spinning Spheres” can be used to predict a value of the fine structure constant. This constant is found to depend only on pi and the rest masses of the electron, neutron, and proton. The following paper shows a predicted fine structure constant using the Codata values for the fundamental physical constants at each publication since 1969. As the data for the fundamental physical constants has become more accurate, the prediction for the fine structure constant has been trending for a precise number difference.

Some, like John D. Barrow, Richard Feynman, and Sir Arthur Eddington knew that the fine structures existence is embarrassingly elusive to grasp. Is its value to be found in string theory or quantum foam? Is pi a value incorporated in the fine structure constant?

John D. Barrow wrote; “If the deep logic of what determines the value of the fine-structure constant also played a significant role in our understanding of all the physical processes in which the fine-structure constant enters, then we would be stymied. Fortunately, we do not need to know everything before we can know something.”

— John D. Barrow, *New Theories of Everything*(4)

Why does, this Equation 2.2, below predict a value for the fine structure constant within the limits of the Quantum Hall method of measuring the fine structure constant? We do not know, but we also touch a forever that we do not yet understand, yet are allowed to exist in the “moment an instant lasted forever and be destined for the leading edge of Eternity.

2.0 The Equation for Charge

$$\text{Equation 2.0 (1)} \quad q^2 = T\pi^3 hc\epsilon(Me) / 2Mn$$

Where q=elementary charge, h=Planck’s constant, ϵ =dielectric permittivity, c=speed of light, Me=Mass of the Electron, Mp=Mass of Proton, and Mn=Mass of Neutron, and T is defined below.

$$\text{Equation 2.1} \quad T^2 = \frac{((Mp - Me)^2 + Mn^2 + Mn^2)}{Mn^2} \quad (1)$$

Equation 2.0 can be rearranged to calculate two different methods for the fine structure constant.

Equation 4.0 from “The Aether Found, Discrete Calculations of Charge and Gravity with Planck Spinning Spheres and Kaluza Spinning Spheres” (1), is shown below for the two methods for calculating the fine structure constant. Each portion of the equation in brackets gives the two methods for approximating the fine structure constant.

$$\text{Equation 4.0 (1)} \quad \left[(e^2) * \frac{1}{h*c*2*\epsilon} \right] / \left[T * (\pi^3) * \frac{Me}{4*M} \right] = 1$$

We will be using Equation 2.2 for approximating the fine structure constant with the Codata constants since 1969.

Equation 2.2 Fine structure constant= $\sigma = T\pi^3 \frac{Me}{4Mn}$

Where q=elementary charge, h=Planck's constant, ϵ =dielectric permittivity, c=speed of light, Me=Mass of the Electron, Mp=Mass of Proton, and Mn=Mass of Neutron, and T is defined below.


Equation 2.1 $T^2 = \frac{((Mp - Me)^2 + Mn^2 + Mn^2)}{Mn^2}$ (1)

It was Feynman who wrote,

"There is a most profound and beautiful question associated with the observed coupling constant, e - the amplitude for a real electron to emit or absorb a real photon. It is a simple number that has been experimentally determined to be close to 0.08542455. (My physicist friends won't recognize this number, because they like to remember it as the inverse of its square: about 137.03597 with about an uncertainty of about 2 in the last decimal place. It has been a mystery ever since it was discovered more than fifty years ago, and all good theoretical physicists put this number up on their wall and worry about it.) Immediately you would like to know where this number for a coupling comes from: is it related to pi or perhaps to the base of natural logarithms? Nobody knows. It's one of the greatest damn mysteries of physics: a magic number that comes to us with no understanding by man. You might say the "hand of God" wrote that number, and "we don't know how He pushed his pencil." We know what kind of a dance to do experimentally to measure this number very accurately, but we don't know what kind of dance to do on the computer to make this number come out, without putting it in secretly!"

— Richard Feynman, *QED: The Strange Theory of Light and Matter* (5)

We see that the fine structure constant being related to pi, but also we see that it could be related to pi in wrapped up dimensions predicted in string theory, as the value, pi, is cubed. When we look at the "The Aether Found, Discrete Calculations of Charge and Gravity with Planck Spinning Spheres and Kaluza Spinning Spheres" (1), we find that there are hidden dimensions, but they are spheres within spheres at dimensions that are like Planck length and Planck time. It is like a quantum foam, but it is a uniform quantum foam, with irregularity within the hidden spheres, not on the surface of the hidden spheres. Please see image below for a polysphere nested within a sphere.



3.0 Calculation of Fine Structure Constant

Codata year	Inverse Fine Structure Constant Equation 2.2	Inverse Fine Structure Constant Codata(2)	Ratio of Equation 2.2 to Codata value
1969	1.37032772109E+02	1.3703608(20) E+02	1.00002413942.E+00
1973	1.37035937319.E+02	1.3703612(15) E+02	1.00000133309.E+00
1986	1.37035999593.E+02	1.370359895(61) E+02	9.99999926345.E-01
1998	1.37036001127.E+02	1.3703599976(50) E+02	9.99999990023.E-01
2002	1.37036001470.E+02	1.3703599911(46) E+02	9.99999982781.E-01
2006	1.37036001547.E+02	1.37035999679(94)E+02	9.99999986369.E-01
2010	1.37036001541.E+02	1.37035999074(44)E+02	9.99999982000.E-01
2014	1.37036001616.E+02	1.37035999139(31)E+02	9.99999981919.E-01

Table 2.0 Fine Structure constant table.

Note© All values calculated above for Fine Structure Constant Equation 2.2 are taken from (2) Codata.

The calculated values seem to be reaching a limit for the prediction, which may indicate that there is an unknown second order affect. When one looks at the value of 0.99999998319 that was reached in

“Mathematical Geometric Origin of Masses of Particles Proton and Electron”(3) and increases the mass of the electron and proton artificially by this number the calculations for equation 2.2 can be redone for each Codata year. The following Table (2.1) is developed;

Codata year	Inverse Fine Structure Constant Equation 2.2	Inverse Fine Structure Constant Codata(2)	Ratio of Codata to Equation 2.2 value
1969	1.37032769039E+02	1.3703608(20) .E+02	9.99975838767.E-01
1973	1.37035934250.E+02	1.3703612(15)E+02	9.99998644518.E-01
1986	1.37035996524.E+02	1.370359895(61)E+02	1.00000005126.E+00
1998	1.37035998058.E+02	1.3703599976(50)E+02	9.99999987578.E-01
2002	1.37035998400.E+02	1.3703599911(46)E+02	9.99999994820.E-01
2006	1.37035998477.E+02	1.37035999679(94)E+02	9.99999991232.E-01
2010	1.37035998471.E+02	1.37035999074(44)E+02	9.99999995601.E-01
2014	1.37035998546.E+02	1.37035999139(31)E+02	9.99999995682.E-01

Table (2.1) Adjusted Fine Structure Table.

We see, from Table (2.1), that a 2nd order affect effect, could indeed improve the accuracy of Equation 2.2. We see that the predicted value compares favorably as the accuracy of the masses of the proton, electron, and neutron are developed. It is likely that there would be 3rd, 4th, and more order effects.

4.0 Discussion

The predicted values of Fine Structure are close to the limits of the Codata value. Although this does not prove that equation 2.2 is correct, the values predicted leave open the possibility that the equation could be correct.

Note that as time goes on the prediction of equation 2.2 becomes more precise. After 1998 the preciseness maxes out, perhaps indicating that there is another factor is necessary to improve preciseness. It is likely that there is a 2nd order affect, for Equation 2.2, that is necessary to improve the calculated fine structure constant.

Please note, that in **“Mathematical Geometric Origin of Masses of Particles Proton and Electron”** (3), the prediction of the proton/neutron mass ratio is within 0.99999998319.

Section 1 Proton/Neutron Mass Ratio

Equation 1 $y(1-y) = \sqrt{3} / 2 \int_0^1 x^4 (1-x)^4 dx$

Where $y \sim 0.998623461644084$ and $y \sim 0.00137653835591585$

One can notice that the first $y=0.998623461644084$ is very close to the Codata Value of the ratio of the mass of the proton to the mass of the neutron of 0.998623478. Within 0.99999998318.

Either with or without the adjusted 2nd order affects. The calculated values are within the values measured using the Quantum hall affect. This a new and different method of derived and empirical calculation for the fine structure constant. It does not have the appearance of random number manipulation like numerology. The calculations are part of a new derivation to unite the forces of gravity and electromagnetic force through a polynested spinning sphere that has the appearance of both string theory and quantum foam theory. It is not unexpected that there should be 2nd order affects for the fine structure constant. It is also not unexpected that pi should be part of the equation for the fine structure constant, nor that it should have aspects that hint at wrapped up dimension of String Theory, nor is in unexpected that there should be undulations proposed by Quantum Foam theory. These undulations rather appear to be patterns of differences in rotation like Calabi Yau, rather than a physical differences in structure. I would like that people evaluate this work.

5.0 References

1 <http://vixra.org/pdf/1403.0502v6.pdf>

2 <http://physics.nist.gov/cuu/Constants/index.html>

3 <http://vixra.org/pdf/1502.0193v2.pdf>

4 John D. Barrow, *New Theories of Everything*

5 — Richard Feynman, *QED: The Strange Theory of Light and Matter*

6 DreamsTime.com