

New The Formula For Law Of Gravity

GuagSan Yu

(Harbin · Macro · Dynamics Institute. 150066, P. R. China)

E-mail: 1951669731@qq.com

(2016.5.21—2016.5.22)

Abstract: Newton's second law and Newton's third law has proven to be wrong, then including the law of gravity into account, but also need make the appropriate modification. Following will be given the new formula the law of gravity, corresponding to the new calculations, a lot of specific data astronomical observations, may be subject to change. Such as mass of celestial bodies, and the size of gravity between celestial bodies, are likely to change. So far variety of astronomical data, should all be re-calculated.

Key Words: Newtonian mechanics; Newton's second law; Newton's third law; New the second law of motion; New the third law of motion; Gravity

PACS: 45.20.Dd, 45.40.àf, 45.50.àj, 45.50.Dd

According to the new second law of motion and the new third law of motion^[1,2], proposed the new formula for the law of gravity.

New the formula for the second law of motion it is:

$$F = \lim_{\Delta t \rightarrow \infty} m \cdot \frac{\Delta l}{\Delta^2 t^2} = m \cdot \frac{ql}{q^2 t^2} = ma^+ \quad (1.01)$$

New the formula for the third law of motion it is:

$$F_1 = ma^+ \Leftrightarrow F_2 = \beta m \cdot \beta^2 a^+ \quad (1.02)$$

So the law of gravity new the formula is as follows:

$$F_1 = G \cdot \frac{(m_1 + m_2)}{r^2} \cdot \frac{a_1^+}{a_1^+ + \beta^2 a_1^+} \cdot m_1 \quad (2.01)$$

$$F_2 = G \cdot \frac{(m_1 + m_2)}{r^2} \cdot \frac{\beta^2 a_1^+}{a_1^+ + \beta^2 a_1^+} \cdot m_2 \quad (2.02)$$

Thereinto $G \cdot \frac{(m_1 + m_2)}{r^2} = a_1^+ + \beta^2 a_1^+$ (2.03)

and $\beta = \frac{m_1}{m_2}$ (2.04)

From (2.01)~(2.03) to get:

$$F_1 = m_1 a_1^+ \quad (2.05)$$

$$F_2 = m_2 \beta^2 a_1^+ \quad (2.06)$$

Physics Disquisition

Visible the force in between two celestial bodies, each other is asymmetrical. Big celestial body by do the force is in small, small celestial body by do the force is in big, Such situation is conducive to the stability of galaxies in the universe run. Be the stability principle for celestial bodies in the universe run. Adopt a new formula to calculations, some of the problems in the past astronomical calculations, there may be get new conclusions. Therefore it is of great significance.

Acknowledgment

The authors to thank the Editorial Office. The authors to thank References author.

The authors to thank his teachers are for his scientific research activity by gave sustain:

Professor Shixu Guan, Chief editor Xinmin Zhu, Principal Lanxu Xu.

The authors thank do ever assisted his the university:

Department head Shuquan Wang, Department head Xinde Jiang, Associate Professor Risheng Piao.

And many teachers.

References

- [1]New Newtonian Mechanics and New Laws of Motion, GuagSan Yu, <http://vixra.org/abs/1507.0025v7> [2015-7-4 21:02:55]
- [2]The Inverse Derivative —— the New Algorithm of the Derivative, GuagSan Yu, <http://vixra.org/abs/1601.0189v2> [2016-01-18 00:35:19]
- [3]Analyze Mistake of the Newton Third Law, GuagSan Yu, <http://vixra.org/abs/1409.0115v2> [2014-09-14 23:22:57]
- [4]D.Halliday, R.Resnick. 1979.5 Physics foundation. Zeng Yongling. Beijing: Higher education publishing organization (in Chinese) [D. 哈里德, R. 瑞斯尼克. 1979. 5 物理学基础(上册). 郑永令译. 北京: 高等教育出版社]
- [5]Cheng Souzu, Jiang Ziyong. 1961.8 Common physics. Beijing: People's education publishing organization (in Chinese) [程守洙, 江之永. 1961. 8 普通物理学(第一册). 北京: 人民教育出版社]
- [6]Stephen Fletcher Hewson. 2010 A MATHEMATICAL BRIDGE An Intuitive Journey in Higher Mathematics. Shanghai: Shanghai Scientific & Technological Education Publishing House (in Chinese) [斯蒂芬·弗莱彻·休森. 2010 数学桥--对高等数学的一次观赏之旅. 邹建成等译 上海: 上海科技教育出版社]
- [7]W. Shere, G. Love. 1974.3 APPLIED MATHEMATICS FOR ENGINEERING AND SCIENCE. Zou Huansan. Beijing: Science publishing organization (in Chinese) [W. 希尔, G.洛夫. 1974.3 应用数学基础 (下册). 周焕山译 北京: 科学出版社]

万有引力定律的新公式

庾广善

(Harbin · Macro · Dynamics Institute. 150066, P. R. China)

E-mail: 1951669731@qq.com

(2016.5.21—2016.5.22)

摘要: 牛顿第二定律和牛顿第三定律已经被证明是错的, 那么包括万有引力定律在内, 也要进行相应的修改. 以下将给出万有引力定律的新公式, 对应于新的计算, 天文观测的很多特定的数据, 都可能要有所改变. 例如天体的质量, 和天体之间引力的大小, 都可能有所改变. 因此迄今的各种天文学数据, 都要从新进行计算.