

Clustering Based On Natural Metric

ISSN 1751 - 3030

Author:

Ramesh Chandra Bagadi

Data Scientist

International School Of Engineering (INSOFE)

2nd Floor, Jyothi Imperial, Vamsiram Builders,, Janardana Hills, Above South India Shopping Mall,, Old Mumbai Highway, Gachibowli,, Hyderabad, Telangana 500032 State, India.

Email: ramesh.bagadi@insofe.edu.in

Abstract

In this research article, the author has detailed a Novel Scheme of Clustering Based on Natural Metric.

Theory

For every point, we find it's Natural Metric and check if other points fall along on this Natural Metric [1] or/ and lie on this Natural Metric (Function), once, connected. Then, we can say that all such points that are along the Natural Metric or/ and lie on this Natural Metric (Function), once, connected, belong to One Cluster.

Computation Of The Natural Metric For Any Real Positive Number

We can note that any Real Positive Number can be expressed as a Ratio of two Positive Integers. Hence, One Step Evolution of such a Ratio is the One Step Evolution of the Numerator and also of the Denominator.

References

1. Bagadi, R. (2017). Theory Of Natural Metric. ISSN 1751-3030. *PHILICA.COM Article number 979*.
http://philica.com/display_article.php?article_id=979
2. http://www.vixra.org/author/ramesh_chandra_bagadi
3. <http://philica.com/advancedsearch.php?author=12897>
4. Bailey, Ken (1994). "Numerical Taxonomy and Cluster Analysis". *Typologies and Taxonomies*. p. 34. ISBN 9780803952591.
5. Tryon, Robert C. (1939). *Cluster Analysis: Correlation Profile and Orthometric (factor) Analysis for the Isolation of Unities in Mind and Personality*. Edwards Brothers.

6. Cattell, R. B. (1943). "The description of personality: Basic traits resolved into clusters". *Journal of Abnormal and Social Psychology*. **38**: 476–506. doi:10.1037/h0054116.
7. Estivill-Castro, Vladimir (20 June 2002). "Why so many clustering algorithms — A Position Paper". *ACM SIGKDD Explorations Newsletter*. **4** (1): 65–75. doi:10.1145/568574.568575.
8. Everitt, Brian (2011). *Cluster analysis*. Chichester, West Sussex, U.K.: Wiley. ISBN 9780470749913.
9. Sibson, R. (1973). "SLINK: an optimally efficient algorithm for the single-link cluster method" (PDF). *The Computer Journal. British Computer Society*. **16** (1): 30–34. doi:10.1093/comjnl/16.1.30.
10. Defays, D. (1977). "An efficient algorithm for a complete link method". *The Computer Journal. British Computer Society*. **20** (4): 364–366. doi:10.1093/comjnl/20.4.364.
11. Lloyd, S. (1982). "Least squares quantization in PCM". *IEEE Transactions on Information Theory*. **28** (2): 129–137. doi:10.1109/TIT.1982.1056489.
12. Kriegel, Hans-Peter; Kröger, Peer; Sander, Jörg; Zimek, Arthur (2011). "Density-based Clustering". *WIREs Data Mining and Knowledge Discovery*. **1** (3): 231–240. doi:10.1002/widm.30.
13. Microsoft academic search: most cited data mining articles: DBSCAN is on rank 24, when accessed on: 4/18/2010
14. Ester, Martin; Kriegel, Hans-Peter; Sander, Jörg; Xu, Xiaowei (1996). "A density-based algorithm for discovering clusters in large spatial databases with noise". In Simoudis, Evangelos; Han, Jiawei; Fayyad, Usama M. *Proceedings of the Second International Conference on Knowledge Discovery and Data Mining (KDD-96)*. AAAI Press. pp. 226–231. CiteSeerX 10.1.1.71.1980. ISBN 1-57735-004-9.
15. Ankerst, Mihael; Breunig, Markus M.; Kriegel, Hans-Peter; Sander, Jörg (1999). "OPTICS: Ordering Points To Identify the Clustering Structure". *ACM SIGMOD international conference on Management of data*. ACM Press. pp. 49–60. CiteSeerX 10.1.1.129.6542.
16. Achtert, E.; Böhm, C.; Kröger, P. (2006). "DeLi-Clu: Boosting Robustness, Completeness, Usability, and Efficiency of Hierarchical Clustering by a Closest Pair Ranking". *LNCS: Advances in Knowledge Discovery and Data Mining. Lecture Notes in Computer Science*. **3918**: 119–128. doi:10.1007/11731139_16. ISBN 978-3-540-33206-0.