

Access to Metaspace And The Metamorphic Ratio

Miguel A. Sanchez-Rey
The Physicalist Program

Abstract

Access to metaspace and the metamorphic ratio.

May 17th, 2017

Gaining Access Access to Metaspaces And The Ratio

Metamorphic space is defined as cosmological homotopic states between variant [of stringy]'s of prime. It's understood that one cannot anticipate metaspaces. Instead metaprocedures must be put in place. Metaprocedures that allow one to harness metaspaces. The defining question is how does one gain access access to metaspaces?

One can see metaspaces as having, through the TrH Theorem, approximately prime variant [of stringy]'s. The TrH Theorem can be seen as a property of number space. We denote number space as $\text{TrH} \in N_{\nabla\Delta}$.

Where variant [of stringy]'s of prime $\subseteq \text{TrH}$ such that every variant [of stringy]'s of prime is proportional to every variant [of stringy]'s of prime. That is prime $\in N_{\nabla\Delta}$. In which one deduces that variant [of stringy]'s $\in N_{\nabla\Delta}$.

Considering that each of variant [of prime] can replicate in close and open variant [of stringy]'s then number space can be said to be:

$$N_{\nabla \oplus \Delta \oplus \blacktriangledown \oplus \blacktriangle \dots}$$

Then increasing replication of variant [of stringy]'s of prime leads to increasing order in number space. Increasing order in number space that is parameterized at number space. That is if each variant is at the Planck limit of $\hbar = 1$; then, replication of each variant must increase by a factor of $\sum [\nabla \oplus \Delta \oplus \blacktriangledown \oplus \blacktriangle \dots] = \alpha$; then the energy-scale is at $E = \hbar\alpha$. That is, like the neutron atom, splitting the variant [of stringy] yields more and more energy such that one gains access access to metaspaces. In which after the metaprocedures are imposed: prime factorization, computational control, Incalculability, A-scheme and B-scheme, etc. etc. to contain metaspaces.

How to achieve such a procedure requires only that one move higher and higher the energy scale until, very much like nuclear fission, the mechanism is developed that utilizes the charge monopoles of variant [of stringy]'s to initiate A- scheme and B-scheme in its much earlier form. But the process remains too unstable and so the next step is to harness metaspaces, ignite a large-scale terraformic reaction, and use The Grand Unification Scheme to take advantage of the terraformic process.

E is nevertheless a crucial element. In that giving the current energy-scale, at the Large Hadron Collider at CERN, of 13 TeV one gains premature knowledge of The Grand Unification Scheme at 16 TeV that is after a period of 5 years, starting 13 TeV, one achieves ITER [International Thermonuclear Experimental Reactor], by lasers and confinement, such that 25 years after ITER goes online access access to metaspaces is achievable, through the TrH Theorem, in which acceleration in advances in ITER, gives an approximation of a 20-year period when ITER goes on the manufacturing line.