

## 4. General Asymmetric Fields of Ontology and Cosmology

Wei XU, wxu@virtumanity.us

**Abstract.** By discovering *Asymmetric World Equation*, we formulate the astonishing results: the *Third Universal Motion Equations*, which produce a consequence of laws of conservations and commutations, and characterize universal evolutions of *Ontology* and *Cosmology*:

- a) Flux Commutations and classical General Relativity,
- b) Animation and Reproduction of Physical Ontology,
- c) Creation and Annihilation of Virtual Ontology
- d) Motion Dynamics of Cosmology, and
- e) Field Equations of Cosmology.

Finally, the philosophical terminology is outlined as the inspirational highlights of “*Universal and Unified Field Theory*”.

Keywords: Classical general relativity, Cosmology, Unified field theories and models, Spacetime topology, Field theory, Relativity and gravitation  
 PACS: 04.20.-q, 98.80.-k, 12.10.-g, 04.20.Gz, 11.10.-z, 95.30.Sf

### INTRODUCTION

In reality, the laws of nature strike aesthetically harmonics a duality not only between  $Y^-Y^+$  symmetries, but also among symmetry and asymmetry. Because of the  $Y^-Y^+$  duality, a symmetric system naturally consists of asymmetric ingredients or asymmetric constituents. Symmetry exists in one horizon can be simultaneously asymmetric in the other without breaking its original ground symmetric system that coexists with its reciprocal opponents. An almost absurdly finely tuned universe is a miracle of the asymmetry and symmetry together that gives rise to the next horizon where a new symmetry is advanced and composed at another level of consistency and perpetuation. Similar to the  $Y^-Y^+$  flux commutation and continuities of potential densities, a duality of symmetry and asymmetry represents the cohesive and progressive evolutions aligning with the working of the topological hierarchy of our nature.

This manuscript is scoped where, based on *universal symmetry*, a set of the formulae is constituted of, given rise to and conserved for ontological and cosmological horizons asymmetrically. Through the performances of the  $Y^-Y^+$  symmetric actions, laws of conservation and continuity determine the asymmetric properties of interruptive transformations, dynamic transportations, entangle commutations, photon and graviton fields of ontology and cosmology.

### XVII. ASYMMETRIC WORLD EQUATION

Asymmetry is an event process capable to occur at a different perspective to its symmetric counterpart. The natural characteristics of the  $Y^-Y^+$  asymmetry has the basic properties as the following:

- 1) Associated with its opponent potentials of scalar or vector fields, an asymmetric system is a dark fluxion flowing dominantly in one direction without its mirroring or equivalent fluxion from the other.
- 2) Asymmetry is a part of components to the symmetric fluxions of the underlining transform and transport infrastructure cohesively and persistently aligning with its systematic symmetry.
- 3) As a duality of asymmetry, the  $Y^-$  or  $Y^+$  anti-asymmetry is another part of components for the dual asymmetric fluxions of the base infrastructure consistently aligning with the underlining  $Y^-$  or  $Y^+$  symmetry.
- 4) Both of the  $Y^-$  and  $Y^+$  asymmetries have the laws of conservation consistently and perpetually, that orchestrate their respective continuity locally and harmonize each other's movements externally in progressing towards a next level of symmetry.

The *World Equations* of (5.4) [1] can be updated and generalized in term of a pair of the  $Y^-$  and  $Y^+$  asymmetric fields, vector fields, matrix fields, and higher orders of the tensor fields, shown as the following:

$$W_b = W_0^\pm + \sum_n h_n \left\{ \kappa_1 \langle \partial_\lambda \rangle^\pm + \kappa_2 \partial_{\lambda_2} \langle \partial_{\lambda_1} \rangle^\pm + \kappa_3 \partial_{\lambda_3} \langle \partial_{\lambda_2} \rangle^\pm \dots \right\} \quad (17.1)$$

where  $\kappa_n$  is the coefficient of each order n of the  $\lambda^n$  event. The symbol  $\langle \rangle^\mp$  implies asymmetry of a  $Y^-$ -supremacy or a  $Y^+$ -supremacy with the lower index  $\langle \rangle_s^\mp$  for scalar fields,  $\langle \rangle_v^\mp$  for vector fields and  $\langle \rangle_M^\mp$  for matrix tensors. Because the above equations constitute a pair of the scalar density fields:  $\phi_\phi^\pm = \phi^\pm \varphi^\mp$  as one-way fluxion density without a symmetric engagement from its reciprocal pair, they defines the density fields as  $Y^-$ -asymmetry or  $Y^+$ -asymmetry, respectively.

For the asymmetric acceleration forces, the underlying system of the symmetric commutations and continuities do not change, but the motion dynamics in the world planes as a whole changes. In this view, the  $Y^-Y^-$  entanglements are independent at “internal” primacy during their formations, and their expressions can be formulated by (11.3-11.6) the asymmetric brackets [3]:

$$\langle \partial_{\lambda_1} \rangle_s^+ = \langle \partial_{\lambda_1} \rangle_s^- \equiv \varphi_n^- \dot{x}^\nu \partial_\nu \phi_n^+, \quad \langle \partial_{\lambda_1} \rangle_s^- = \langle \partial_{\lambda_1} \rangle_s^+ \equiv \varphi_n^+ \dot{x}_m \partial_m \phi_n^- \quad (17.2)$$

$$\langle \partial_{\lambda_2} \rangle_v^+ = \langle \partial_{\lambda_2} \rangle_v^- \equiv \varphi_n^- \dot{x}^\nu \partial_\nu V_\mu^+, \quad \langle \partial_{\lambda_2} \rangle_v^- = \langle \partial_{\lambda_2} \rangle_v^+ \equiv \varphi_n^+ \dot{x}_m \partial_m V_\mu^- \quad (17.3)$$

Obviously, asymmetry occurs when a fluxion flows without a correspondence of its mirroring opponent. In fact, as a one-way steaming of supremacy, an  $Y^-$  or  $Y^+$  asymmetric fluxion is always consisted of, balanced with, and conserved by its conjugate potentials as a reciprocal opponent.

Since they are a part of the symmetric components, such fluxions not only are stable and consistent but also can dictate its own system's fate by determining its motion dynamics taken in a world plane. Therefore, the two entanglers have the freedom to control each of their own operations, asynchronously, independently and cohesively - another stunning example of the workings of the remarkable nature of our universe.

### XVIII. FLUX COMMUTATION

For asymmetric fluxions, the entangling invariance requires that their fluxions are either conserved at motion acceleration or maintained by reactive forces. Normally, the divergence of  $Y^-$  fluxion is conserved by the virtual forces  $0^+$  and the divergence of  $Y^+$  fluxion is balanced by physical dynamic curvatures. Together, they maintain each other's conservations and commutations cohesively and complementarily.

Under the environment of both  $Y^-Y^+$  manifolds for a duality of fields, the event  $\lambda$  initiates its parallel transport, communicates along a direction with the first tangent vectors of each  $Y^+$  and  $Y^-$  curvatures. Following the tangent curvature, the event  $\lambda$  operates the effects transporting  $(\partial^\lambda, \partial_\lambda)$  into its opponent manifold through the second tangent vectors of each curvature, known as *Normal Curvature* or perpendicular to the first tangent vectors. The scalar communicates are defined by the *Commutator Bracket* [  $\int_\phi^\mp$  of equations (11.3-11.4) [3].

As the horizon quantity of an object, a vector field forms and projects its motion potentials to its surrounding space, arisen by or acting on its opponent through a duality of reciprocal interactions.

Because of the vector transport, both of the boost and spiral communications give rise to various tensors of the horizon fields aligned with the motions of dynamic curvatures and beyond. When an object has a rotation on the antisymmetric manifolds of the world  $\{\mathbf{r} \pm i\mathbf{k}\}$  planes, the event naturally operates, constitutes or generates *Torsions*, balancing on the dual dynamic resources and appearing as the centrifugal or Coriolis forces on the objects such as particles, earth, and solar system. At the third horizon, acting upon the vector fields of  $V^\mu = \partial^\mu\psi$  and  $\dot{x}^\nu = \dot{x}_a J_{va}^+$  or  $V_m = \partial_m\psi$  and  $\dot{x}_n = \dot{x}^\alpha J_{n\alpha}^-$  the event operates and gives rise to the tangent curvature  $\dot{x}^\nu \partial^\nu$  and  $\dot{x}_\nu \partial_\nu$ , and vector rotations  $\dot{x}_n \Gamma_{sn}^{-m} \dot{x}_s$  and  $\dot{x}_n \Gamma_{sn}^{-m} \dot{x}_s$ . The vector communications are defined by the *Commutator Bracket*  $[ \ ]_v^\mp$  of equations (11.5-11.6) [3].

**Artifacts 18.1: Scalar Commutation.** Entangling between  $Y^-Y^+$  manifolds, considering the parallel transport of a *Scalar* density of the fields  $\rho = \phi^+ \phi^-$  around an infinitesimal parallelogram such that the first step along a direction with vector  $\hat{\partial}^{\lambda_1}$  under potential  $\phi^+$ , simultaneously followed by a step along a direction with tangent  $\hat{\partial}^{\lambda_2}$ , and then go back parallel to the first curve  $\check{\partial}_{\lambda_1}$  under potential  $\phi^-$  and finally back along the second curve  $\check{\partial}_{\lambda_2}$ . The chain of this reaction can be interpreted by (3.11)-(3.12) [1] and formulated as the following:

$$\phi^- \hat{\partial}^{\lambda_2} (\hat{\partial}^{\lambda_1} \phi^+) = \phi^- \left( (\dot{x}^\nu \partial^\nu) (\dot{x}^m \partial^m) + \dot{x}^\nu \Gamma_{\sigma\nu}^{+\mu} \dot{x}^\sigma \partial^\sigma \right) \phi^+ \quad (18.1)$$

$$\phi^+ \check{\partial}_{\lambda_2} (\check{\partial}_{\lambda_1} \phi^-) = \phi^+ \left( (\dot{x}_\nu \partial_\nu) (\dot{x}_m \partial_m) + \dot{x}_\nu \Gamma_{s\nu}^{-m} \dot{x}_s \partial_s \right) \phi^- \quad (18.2)$$

Subtracting the two equations, it expresses an entangle commutation, called the *Y<sup>+</sup> Scalar Commutation of Spiral Entanglement*:

$$\left[ \hat{\partial}^{\lambda_1} \check{\partial}_{\lambda_2}, \check{\partial}_{\lambda_1} \hat{\partial}_{\lambda_2} \right]_s^+ = \dot{x}_\nu \dot{x}_m \left( \frac{R}{2} g^{\nu m} + G_\sigma^{m\nu} \right) : R^{\nu m} = \frac{R}{2} g^{\nu m} \quad (18.3)$$

$$R^{\nu m} \equiv \phi^- \frac{(\dot{x}^\nu \partial^\nu) (\dot{x}^m \partial^m)}{\dot{x}^\nu \dot{x}^m} \phi^+ - \phi^+ \frac{(\dot{x}_\nu \partial_\nu) (\dot{x}_m \partial_m)}{\dot{x}_\nu \dot{x}_m} \phi^- \quad (18.4)$$

$$G_\sigma^{m\nu} \equiv \phi^- \frac{\dot{x}^\nu \Gamma_{\sigma\nu}^{+\mu} \dot{x}^\sigma \partial^\sigma}{\dot{x}^\nu \dot{x}^m} \phi^+ - \phi^+ \frac{\dot{x}_\nu \Gamma_{s\nu}^{-m} \dot{x}_s \partial_s}{\dot{x}_\nu \dot{x}_m} \phi^- \quad (18.5)$$

where  $g^{\nu m}$  is the metrics,  $G_\sigma^{\mu\nu}$  is the *Y<sup>+</sup> Stress Tensor*, and the *Ricci* tensor  $R$  is defined on any pseudo-Riemannian manifold as a trace of the *Riemann* curvature tensor, introduced in 1889 [4]. Like the metric itself, the *Ricci* tensor is a symmetric bilinear form on the tangent space of the manifolds. Similarly, its reciprocal pair exists as the following:

$$\left[ \check{\partial}_{\lambda_1} \hat{\partial}_{\lambda_2}, \hat{\partial}_{\lambda_1} \check{\partial}_{\lambda_2} \right]_s^- = \dot{x}_\nu \dot{x}_m \left( \frac{R}{2} g_{\nu m} + G_{\nu m} \right) : R_{\nu m} = \frac{R}{2} g_{\nu m} \quad (18.6)$$

Therefore, the stationary curvature measures how movements ( $\dot{x}$  and  $\check{x}$ ) under the *Y<sup>-</sup> Scalar Fields*  $\{\phi^+, \phi^-\}$  are balanced with the inherent stress  $G_\sigma^{\mu\nu}$  during a parallel transport between the  $Y^-Y^+$  manifolds. It represents the *Y<sup>-</sup> Scalar Commutation of Spiral Entanglement*.

**Artifacts 18.2: Vector Commutation.** For vector communications under physical primary, it generally involves both boost and spiral movements entangling between the  $Y^-Y^+$  manifolds. Considering the parallel transport around an infinitesimal parallelogram under the dual *Vector* fields of  $V^\mu$  and  $V_m$ , the entanglements have the first step projecting a direction with vector  $\hat{\partial}_{\lambda_1}$  at a potential  $V^\mu$  of  $Y^+$  manifold, simultaneously followed by transforming  $\check{\partial}^{\lambda_2}$  from its opponent  $Y^-$  manifold along a directional tangent at potential  $V_m$  of  $Y^-$  manifold, bi-directionally. Because of the transformations of  $\dot{x}^\nu \mapsto \dot{x}_a J_{va}^+$  and  $\dot{x}_n \mapsto \dot{x}^\alpha J_{n\alpha}^-$ , its entanglements of the expressions are given by (3.14, 3.16) [1] as the following formulae:

$$\left[ \hat{\partial}_{\lambda_1} \check{\partial}_{\lambda_2}, \check{\partial}_{\lambda_1} \hat{\partial}_{\lambda_2} \right]_v^+ = \left[ V_m \dot{x}^\alpha J_{n\alpha}^- (\partial_n + \Gamma_{an}^-) \dot{x}_a J_{va}^+ (\partial^\nu V^\mu + \Gamma_{\sigma\nu}^{+\mu} V^\sigma) + V^\mu \dot{x}_a J_{va}^+ (\partial^\nu + \Gamma_{a\nu}^{+\mu}) \dot{x}^\alpha J_{n\alpha}^- (\partial_n V_m + \Gamma_{sn}^{-m} V_s) \right]_v^+ = \dot{x}_\nu \dot{x}_n \left( [P] + [R] + [G] + [C] \right) \quad (18.7)$$

$$[P] = \left[ \frac{1}{\dot{x}_\nu \dot{x}_n} (\dot{x}^\alpha J_{n\alpha}^- \partial_n) (\dot{x}_a J_{va}^+ \partial^\nu), \frac{1}{\dot{x}_\nu \dot{x}_n} (\dot{x}_a J_{va}^+ \partial^\nu) (\dot{x}^\alpha J_{n\alpha}^- \partial_n) \right]_v^+ \quad (18.8)$$

$$[R] = \left[ \frac{\dot{x}^\alpha J_{n\alpha}^-}{\dot{x}_\nu \dot{x}_n} \partial_n (\dot{x}_a J_{va}^+ \Gamma_{\sigma\nu}^{+\mu} V^\sigma), \frac{\dot{x}_a J_{va}^+}{\dot{x}_\nu \dot{x}_n} \partial^\nu (\dot{x}^\alpha J_{n\alpha}^- \Gamma_{sn}^{-m} V_s) \right]_v^+ \quad (18.9)$$

$$[G] = \left[ \frac{1}{\dot{x}_\nu \dot{x}_n} \dot{x}^\alpha J_{n\alpha}^- \Gamma_{sn}^{-m} \dot{x}_a J_{va}^+ \partial^\nu, \frac{1}{\dot{x}_\nu \dot{x}_n} \dot{x}_a J_{va}^+ \Gamma_{\sigma\nu}^{+\mu} \dot{x}^\alpha J_{n\alpha}^- \partial_n \right]_v^+ \quad (18.10)$$

$$[C] = \left[ \frac{1}{\dot{x}_\nu \dot{x}_n} \dot{x}^\alpha J_{n\alpha}^- \Gamma_{ms}^{-n} \dot{x}_a J_{va}^+ \Gamma_{\sigma\nu}^{+\mu}, \frac{1}{\dot{x}_\nu \dot{x}_n} \dot{x}_a J_{va}^+ \Gamma_{\sigma\nu}^{+\mu} \dot{x}^\alpha J_{n\alpha}^- \Gamma_{ms}^{-n} \right]_v^+ \quad (18.11)$$

where  $[P]$  is defined as *Commutative Potential*, an entanglement capacity of the dark energies;  $[R]$  a *Transport Curvature*, a routing track of the communications;  $[G]$  as *Connection Torsion*, a stress energy of the transportations; and  $[C]$  as *Entangle Connector*, a connection of dark energy commutations. Since the manifolds are associated with the *Commutative Potentials*  $[P]$  bidirectionally, alternatively and simultaneously, exhibitions of the entanglements  $[\hat{\partial}^\lambda, \check{\partial}_\lambda]$  must expose to the transport paths of the networking curvature  $[R]$ , connection torsions  $[G]$ , and transportation contortions  $[C]$ , regardless of which manifolds are aligned with or observed from for any field relationships of scalars, vectors, and tensors.

**Artifacts 18.3: Rotational Transport.** Consider a point object observed externally such that the  $J_{\nu m}^\pm$  has the diagonal effects only. Following the commutation infrastructure of the equation (18.7), the event operations contract directly to the manifold communications ( $m = \mu, s = \sigma$ ), which result in each of the components in the forms of the following expressions:

$$[P] = \frac{1}{\dot{x}_\nu \dot{x}_n} \left( V_m (\dot{x}^n \partial_n) (\dot{x}_\nu \partial^\nu) V^\mu - V^\mu (\dot{x}_\nu \partial^\nu) (\dot{x}^n \partial_n) V_m \right) \quad (18.12)$$

$$[R] = V_m \frac{1}{\dot{x}_\nu} \partial_n (\dot{x}_\nu \Gamma_{\sigma\nu}^{+\mu} V^\sigma) - V^\mu \frac{1}{\dot{x}_n} \partial^\nu (\dot{x}^n \Gamma_{sn}^{-m} V_s) \quad (18.13)$$

$$[G] = V_m \Gamma_{\sigma n}^{-m} \partial^\nu V^\mu - V^\mu \Gamma_{\sigma\nu}^{+\mu} \partial_n V_m \quad (18.14)$$

$$[C] = \frac{1}{\dot{x}_\nu \dot{x}_n} \left( V_m \dot{x}^n \Gamma_{ms}^{-n} \dot{x}_\nu \Gamma_{\sigma\nu}^{+\mu} V^\sigma - V^\mu \dot{x}_\nu \Gamma_{\sigma\nu}^{+\mu} \dot{x}^n \Gamma_{ms}^{-n} V_s \right) \quad (18.15)$$

The first item carries out *Ricci* tensor  $R_{\mu\kappa}$  and scalar  $R$  curvature.

$$[P] \mapsto R_{\nu n} = \frac{1}{2} g_{\nu n} R \quad (18.16)$$

The second item,  $[R]$ , composes *Riemannian*  $R_{\nu\sigma}^\mu$  geometry, developed in 1859 [4], which is defined as the *Transportation Curvature*:

$$[R] = -R_{\nu\sigma}^\mu \mapsto \left( \partial_\nu \Gamma_{\alpha\sigma}^{-\mu} \partial_\alpha \Gamma_{\nu\rho}^{+\mu} + \Gamma_{\alpha\sigma}^{-\rho} \Gamma_{\nu\rho}^{+\mu} - \Gamma_{\nu\rho}^{+\sigma} \Gamma_{\alpha\rho}^{-\mu} \right) \quad (18.17)$$

The third item embraces the energy torsion twisted and accentuated by the tangent vector fields of the rotational potentials  $\Gamma_{\sigma n}^{-m} \partial_n \psi$  and  $\Gamma_{\sigma\nu}^{+\mu} \partial_\nu \psi$ , known as *Stress Tensor*:

$$[G] \mapsto G_{\nu\sigma}^\mu \equiv \Gamma_{\sigma n}^{-m} \partial_\nu - \Gamma_{\sigma\nu}^{+\mu} \partial_n \quad (18.18)$$

The fourth item contains the spiral entanglements of a  $Y^-Y^+$  connector, which is a continuum of the internal entanglements:

$$[C] \mapsto C_{\nu\sigma}^{\mu n} \equiv \Gamma_{m\sigma}^{-n} \Gamma_{\sigma\nu}^{+\mu} - \Gamma_{\sigma\nu}^{+\mu} \Gamma_{m\sigma}^{-n} \quad (18.19)$$

Therefore, under the transport infrastructure between the manifolds, the *Commutation* relations of equation (18.7) is simplified to the following:

$$\left[ \hat{\partial}_{\lambda_1} \check{\partial}_{\lambda_2}, \check{\partial}_{\lambda_1} \hat{\partial}_{\lambda_2} \right]_v^+ = \dot{x}_\nu \dot{x}_n \left( \frac{R}{2} g_{\nu n} - R_{\nu\sigma}^\mu + G_{\nu\sigma}^\mu + C_{\nu\sigma}^{\mu n} \right) \quad (18.20)$$

More precisely, the event presence of the  $Y^-Y^+$  dynamics manifests infrastructure foundations and transportations of the potential, curvature, stress, torsion, and contorsion, which give rise to the interactional entanglements through the center of an object by following its geodesics of the underlying virtual and physical commutations.

**Artifacts 18.4: General Relativity.** Generally, transportations between the  $Y^-Y^+$  manifolds are conserved dynamically. However, if the commutations between the  $Y^-Y^+$  manifolds were balanced statically and frozen at motionlessly, the two-dimensions of the world line would have aggregated the expression  $R_{\nu\sigma}^\mu \mapsto R_{\nu\sigma}$ ,  $G_{\nu\sigma}^\mu \mapsto G_{\nu\sigma}$  and  $C_{\nu\sigma}^{\mu n} \mapsto C_{\nu\sigma}^n$  to formulate *General Relativity*:

$$G_{\nu\nu} = R_{\nu\nu} - \frac{1}{2}Rg_{\nu\nu} \quad : \quad \left[ \partial_\lambda \hat{\partial}_\lambda, \check{\partial}^\lambda \check{\partial}^\lambda \right]_\nu^+ = 0, \quad C_\nu^n = 0 \quad (18.21)$$

known as the *Einstein* field equation [5], discovered in November 1915. The theory has been one of the most profound discoveries of modern physics to account for general commutation in the context of classic forces. For a century, however, the philosophical interpretation remained a challenge until this infrastructure was discovered in 2016.

**Artifacts 18.5: Contorsion Tensor.** In 1955, *Einstein* stated that "...the essential achievement of general relativity, namely to overcome 'rigid' space (ie the inertial frame), is only indirectly connected with the introduction of a *Riemannian* metric. The directly relevant conceptual element is the 'displacement field'  $\Gamma_{ik}^\mu$  which expresses the infinitesimal displacement of vectors. It is this which replaces the parallelism of spatially arbitrarily separated vectors fixed by the inertial frame (ie the equality of corresponding components) by an infinitesimal operation. This makes it possible to construct tensors by differentiation and hence to dispense with the introduction of 'rigid' space (the inertial frame). In the face of this, it seems to be of secondary importance in some sense that some particular  $\Gamma$  field can be deduced from a *Riemannian* metric..." [6]. In this special case, stress tensor  $G_{\nu\nu}$  of an object vanishes from or immune to its external fields while its internal commutations conserve a contorsion tensor of  $T_{\sigma\nu}^\mu$  as a part of the life entanglements:

$$T_{\sigma\nu}^\mu = \Gamma_{\sigma\nu}^{-\mu} - \Gamma_{\sigma\nu}^{+\mu} \quad : \quad G_{\nu\sigma}^\mu \mapsto T_{\sigma\nu}^\mu \partial_\nu = \left( \Gamma_{\sigma\nu}^{-\mu} - \Gamma_{\sigma\nu}^{+\mu} \right) \partial_\nu \quad (18.22)$$

This extends the meaning to and is known as *Élie Cartan Torsion*, proposed in 1922 [6]. Besides of spin generators, this tensor carries out the additional degrees of freedoms for internal communications.

### XIX. THIRD UNIVERSAL MOTION EQUATIONS

From two pairs of the scalar fields, Asymmetric fluxions consist of and operate a pair of the commutative entanglements consistently and perpetually. Similar to deriving the formulae (12.2) and (12.4), the  $Y^-Y^+$  acceleration fields contrive a pair of the commutations as the following:

$$\mathbf{g}_\alpha^- / \kappa_g^- = \left[ \partial_\lambda \hat{\partial}_\lambda, \hat{\partial}^\lambda \hat{\partial}^\lambda \right]^- = \left[ \frac{W_0}{\kappa_2} \right]^- - \zeta^- \quad : \quad \zeta^- = \left( \hat{\partial}^\lambda \hat{\partial}^\lambda - \hat{\partial}^\lambda \hat{\partial}_\lambda \right)^- \quad (19.1)$$

$$\mathbf{g}_\alpha^+ / \kappa_g^+ = \left[ \partial_\lambda \hat{\partial}_\lambda, \check{\partial}^\lambda \check{\partial}^\lambda \right]^+ = \left[ \frac{W_0}{\kappa_2} \right]^+ - \zeta^+ \quad : \quad \zeta^+ = \left( \hat{\partial}_\lambda \hat{\partial}^\lambda - \check{\partial}_\lambda \hat{\partial}_\lambda \right)^+ \quad (19.2)$$

$$W_0^\pm = c^2 E_0^\pm, \quad \kappa_2 = \pm \frac{(\hbar c)^2}{2E_\mp^\pm}, \quad \left[ \frac{W_0}{\kappa_2} \right]^\mp = \pm \frac{4}{\hbar^2} E_0^+ E_0^- \Phi^\mp \quad (19.3)$$

As general formulae for asymmetric entanglements  $\zeta^\mp$ , it is this pair of continuity of the  $Y^-Y^+$  asymmetric accelerations that constitutes the laws of conservations universal to all type of the  $Y^-Y^+$  interactional motion curvatures, dynamics, accelerations, forces, transformations, and transportations on the world line of the dual manifolds. Therefore, these two equations above outline and define the **General Asymmetric Equations** or *Third Universal Motion Equations*.

**Artifacts 19.1: Conservation of Ontology.** An *Ontology* is the living types, properties, and interrelationships of the natural entities that exist in a primary domain of being, becoming, existence, or reality, which compartmentalizes the informational discourse or theory required for sets of formulation and establishment of the relationships between creation and reproduction, and between animation and annihilation. The commutations are one of the interpretable and residual features exchanging the informations carried by the scalar fields (19.1)-(19.2):

$$\left[ \partial_\lambda \hat{\partial}_\lambda, \hat{\partial}^\lambda \hat{\partial}^\lambda \right]_s^- = 4 \frac{E_0^- E_0^+}{\hbar^2} \Phi^- - \left( \hat{\partial}^\lambda \hat{\partial}^\lambda - \hat{\partial}^\lambda \hat{\partial}_\lambda \right)_s^- \quad : \quad \Phi^- = \phi^- \varphi^+ \quad (19.4)$$

$$\left[ \partial_\lambda \hat{\partial}_\lambda, \check{\partial}^\lambda \check{\partial}^\lambda \right]_s^+ = -4 \frac{E_0^+ E_0^-}{\hbar^2} \Phi^+ - \left( \hat{\partial}_\lambda \hat{\partial}^\lambda - \check{\partial}_\lambda \hat{\partial}_\lambda \right)_s^+ \quad : \quad \Phi^+ = \phi^+ \varphi^- \quad (19.5)$$

where the index  $s$  implies the **scalar** potentials. The first equation is defined as **Physical Animation and Reproduction of Ontology**, and the second equation as **Virtual Creation and Annihilation of Ontology**. As a general expectation, the ontology features the *Residual Dynamics* and closely resembles the objects under a duality of the real world.

**Artifacts 19.3: Conservation of Cosmology.** A *Cosmology* is the living behaviors, motion dynamics, and interrelationships of the large

scale natural objects that exist in the evolution and eventual trends of the universe as a whole, which compartmentalizes the infrastructural discourse or theory required for sets of formulation and constitution of the relationships between motion and dynamics, and between universal conformity and hierarchy. The commutations are one of the interpretable features exchanging the curvature dynamics carried by the vector fields:

$$\left[ \partial_\lambda \check{\partial}_\lambda, \hat{\partial}^\lambda \hat{\partial}^\lambda \right]_v^- = 4 \frac{E_0^- E_0^+}{\hbar^2} \Phi_v^- - \left( \hat{\partial}^\lambda \check{\partial}^\lambda - \hat{\partial}^\lambda \check{\partial}_\lambda \right)_v^- \quad : \quad \Phi_v^- = \phi_v^- V_v^+ \quad (19.6)$$

$$\left[ \partial_\lambda \check{\partial}_\lambda, \check{\partial}^\lambda \check{\partial}^\lambda \right]_v^+ = -4 \frac{E_0^+ E_0^-}{\hbar^2} \Phi_v^+ - \left( \hat{\partial}_\lambda \check{\partial}^\lambda - \check{\partial}_\lambda \hat{\partial}_\lambda \right)_v^+ \quad : \quad \Phi_v^+ = \phi_v^+ V_v^- \quad (19.7)$$

where the index  $v$  implies the **vector** potentials. The first equation is defined as **Physical Dynamics of Cosmology**, and the second equation as **Virtual Curvatures of Cosmology**.

For expression convenience, it is articulated by each of the four distinctive conceptions to deliver the *Laws of Conservation* and *Commutation Equations* that characterize universal evolutions as each of the above subjects, distinctively: i) Physical Animation and Reproduction, ii) Virtual Creation and Annihilation, iii) Cosmological Motion Dynamics, and iv) Cosmological Field Equations. A consequence of these laws of conservations and commutations is that the perpetual motions, transformations, or transportations on the world line curvatures can exist only if its motion dynamics of energies are conserved, or that, without virtual symmetric and asymmetric fluxions, no system can deliver unlimited time of movements through out its surroundings.

### XX. GENERAL ONTOLOGICAL EQUATIONS

With the scalar potentials, the  $Y^-$  events conjures up the entanglements of eternal fluxions as a perpetual streaming for residual motions traveling on curvatures of the world lines, which is the persistence of an object without deviation in its situation of movements at its state and energies. Classically, the term "residual" is described by or defined as: an object not subject to any net external forced moves at a constant energy on the world plane, which means that an object continues moving at its current state inertially until some interactions causes its state or energy to change. Illustrated by equations of (18.6), the equation (19.4) can now be fabricated in the covariant form as the following, and named as the *Y- Ontological Equations*, representing *Physical Animation and Reproduction of Ontology*:

$$\dot{x}_\nu \dot{x}_m \left( \frac{R}{2} g_{\nu m} + G_{\nu m} \right) = 4 \frac{E_0^- E_0^+}{\hbar^2} \Phi_s^- - \frac{E_n^-}{\hbar} \hat{\partial}^\lambda (\mathcal{F}_{m\alpha})_x^- \quad (20.1)$$

where  $(\mathcal{F}_{m\alpha})_x^- = \left( \check{F}_{m\alpha}^- - \check{T}_{m\alpha}^- \right)_x^-$  is given by (7.8) or (7.14) [2], and the symbol  $( )_x$  indicates the off-diagonal elements of the tensor.

In parallel fashion, the  $Y^+$  events conjures up the entanglements of eternal fluxions as another perpetual streaming for transformations on the world-line curvatures. Transformation between the complex manifolds of the  $Y^-Y^+$  world planes redefines the invariable quantities how commutations between the dual spaces are entangled under the conjugation framework in two referential frames traveling at a consistent velocity with respect to one another. In the (9.1) derivation [2], we had the similar approach in the following expression

$$\varphi_n^- \hat{\partial}_\lambda \check{\partial}^\lambda \phi_n^+ = \varphi_n^- \hat{\partial}_\lambda (\phi_n^+ \varphi_n^- \check{\partial}^\lambda \phi_n^+) \mapsto \mathcal{F}_{\nu\mu}^{+n} \mathcal{F}_{\mu\nu}^{+n} + \hat{\partial}_\lambda \mathcal{F}_{\nu\mu}^{+n} \quad (20.2)$$

The last term  $\hat{\partial}_\lambda \mathcal{F}_{\nu\mu}^{+n}$  is the horizon force that balances between (9.1) and (19.5) and are balanced or vanished. Consequently, with (18.3) and (20.2), the (19.5) can be compactly fabricated in the covariant formula as the following and is named as the *Y+ Ontological Equations*, representing *Virtual Creation and Annihilation of Ontology*:

$$\dot{x}^\nu \dot{x}^m \left( \frac{R}{2} g^{\nu m} + G^{\nu m} \right) = -4 \frac{E_0^- E_0^+}{\hbar^2} \Phi_s^+ - \frac{E_n^+ E_n^-}{\hbar^2} (\mathcal{F}_{\nu m})_s^+ (\mathcal{F}_{\nu m})_s^+ + \frac{E_n^+}{\hbar} \hat{\partial}_\lambda (\mathcal{F}_{m\alpha})_x^+ + \Delta^+ \quad : \quad (\mathcal{F}_{m\alpha})^\pm = \left( \hat{F}_{m\alpha}^\pm \right)^+ + \left( \hat{T}_{m\alpha}^\pm \right)^+ \quad (20.3)$$

where  $\hat{F}_{\nu\alpha}^\pm$  and  $\hat{T}_{\nu m}^\pm$  are given by (7.11) and (7.17) [2], and the scalar wave equation of photons and/or graviton is defined by:

$$\Delta^\pm \equiv \frac{1}{c^2} \left( \hat{\partial}^\lambda \check{\partial}_\lambda \right)^\pm = \frac{1}{c^2} \left( \check{\partial}_\lambda \hat{\partial}^\lambda \right)^\pm = \left( \nabla^2 - \frac{1}{c^2} \frac{\partial^2}{\partial t^2} \right)^\pm \quad (20.4)$$

It is similar but extends the meanings to *d'Alembertian* operator.

Generally, the diagonal components describes: a) that the transformation process initiated from the  $Y^+$  manifold are conserved and carried out the virtual area intensity for creations and annihilations, which serves as *Law of Conservation of Ontology*, and b) that, in the world planes, the stationary curvature  $R$  and  $Y^+$  stress tensor  $\mathbf{G}^+$  are dynamically sustained the asymmetric transformation over the transport movements. The effective potential  $\Phi_s$  in virtual wave schema  $\Delta^+$  generates the asymmetric fluxions between the dual manifolds at a horizon rising from commutations of scalar potentials during their  $Y^-Y^+$  entanglements. Usually, this equation describes the outcomes observable externally to the system.

Likewise, the off-diagonal components are the world-line fluxions entangling the scalar potentials to produce the asymmetric internal fields, cohesively and consistently. This is a continuity of energy fluxions sustained by the resources and modulated by the transform and transport messages while traveling over the world-line curvatures.

**Artifacts 20.1:  $Y^-$  Ontological Fields.** As the field components of photons and gravitons, (20.1) can be translated to the vector forms:

$$\bar{\mathbf{u}}^- \left( \frac{R}{2} \mathbf{g}^- + \mathbf{G}^- \right) \bar{\mathbf{u}}^- = 4 \frac{E_0^+ E_0^-}{(\hbar c)^2} \Phi_s^- - \mathbf{O}_\times^- \quad : \quad \bar{\mathbf{u}}^- = \frac{\mathbf{u}^-}{c} \quad (20.5)$$

where the contravariant metrics  $g_{\nu m}$  is mapped to  $\mathbf{g}^-$ , the contravariant stress tensor  $G_{\nu m}$  is mapped to  $\mathbf{G}^-$ , and  $\mathbf{O}^\mp$  is the  $Y^-Y^+$  *Ontological Tensors*, defined by the following expression

$$\frac{E_n^-}{\hbar} \hat{\partial}^\lambda (\mathcal{F}_{ma})_s = \mathbf{O}_\times^- \quad : \quad \mathbf{O}_\times^\pm = \frac{E_n^-}{\hbar c^2} \begin{pmatrix} -(\mathbf{u}^\pm \nabla) \cdot \mathbf{B}_s^\pm \\ \frac{\partial}{\partial t} \mathbf{B}_s^\pm + (\frac{\mathbf{u}^\pm}{c} \nabla) \times \mathbf{E}_s^\pm \end{pmatrix} \quad (20.6)$$

$$\Phi_s^- = \varphi_n^+ \varphi_n^-, \quad \Phi_s^+ = \varphi_n^- \varphi_n^+, \quad \mathbf{u}^+ = \dot{x}^\nu, \quad \mathbf{u}^- = \dot{x}_\nu \quad (20.7)$$

The Strength Fields  $\mathbf{B}_s^\pm$  and Twisting Fields  $\mathbf{E}_s^\pm$  are the asymmetric fluxions that are defined by (7.9), where the index  $s$  implies the *scalar* potentials given by equations (17.2), and  $\mathbf{b}$  is the coordinate basis of the  $Y^-$  manifold. At the motion speed  $\mathbf{u}$ , the equations (20.5) represent the  $Y^-$  *Conservation of Ontological Dynamics*, introduced at 2:00am September 3rd 2017 Metropolitan Area of Washington, DC USA. Connected with a stationary curvature  $R$  and stress tensor  $\mathbf{G}$ , the  $Y^-$  asymmetric fluxions give rise to the physical dynamics perpetually, entangling with the asymmetric strength  $\mathbf{B}_s^-$  and twisting  $\mathbf{E}_s^-$  fields, cohesively and consistently. Similar to (13.15) and (13.17), at the constant speed  $c$ , the ontology tensor ( $\mathbf{O}^- \mapsto 0$ ) is vanished. The  $Y^-$  *Ontological Field* is simplified and shown by the following equation:

$$\frac{R}{2} \mathbf{g}^- + \mathbf{G}^- = S_A^- \quad : \quad \mathbf{u}^- = c, \quad S_A^\mp = 4 \frac{E_0^+ E_0^-}{(\hbar c)^2} \Phi_s^\mp \quad (20.8)$$

This is conservation of fluxions representing the resources equivalent to the stress  $\mathbf{G}^-$  and metric  $\mathbf{g}^-$  fields, emitting waves  $\Phi_s^-$  at the constant energy fluxion  $S_A^-$ , also known as the area entropy, cohesively and persistently. This residual ontology in microscopy is equivalent to or known as *Black Hole* macroscopically, Remarkably, this ontological energy operates physical animation and reproduction as the foundation of *Spontaneous Symmetry Breaking*, demonstrated by (9.13) and (9.14) [2].

**Artifacts 20.2:  $Y^+$  Ontological Fields.** As composites of photons and gravitons, (20.3) comes up with the formation parallel to (20.5):

$$\bar{\mathbf{u}}^+ \left( \frac{R}{2} \mathbf{g}^+ + \mathbf{G}^+ \right) \bar{\mathbf{u}}^+ = -S_A^+ - \mathbf{M} + \mathbf{O}^+ + \Delta^+ \quad : \quad \bar{\mathbf{u}}^+ = \frac{\mathbf{u}^+}{c} \quad (20.9)$$

where  $\mathbf{M}$  is defined as the  $Y^+$  *Ontology Modulator* as the following:

$$\mathbf{M} = \frac{E_n^+ E_n^-}{(\hbar c)^2} (\mathcal{F}_{\nu m})_s^- (\mathcal{F}_{\nu m})_s^+ \quad (20.10)$$

Connected with a stationary curvature  $R$  and stress tensor  $\mathbf{G}^+$ , the  $Y^+$  asymmetric fluxion acts upon the residual motion system associated with transform generators  $J_{ia}^+$  and transport coordinators  $K_{va}^+$ , which institute the  $Y^+$  *Conservation of Ontological Dynamics*. The equation has the relative speed  $\bar{\mathbf{u}}^+$  in the  $Y^+$  manifold. To convert it to the  $Y^-$  space at its associated speed  $\mathbf{u}^+ \mapsto \mathbf{u}^-$ , it might has the simple mapping  $\dot{x}^\nu \mapsto \dot{x}_a (J_{va}^+ + K_{va}^+)$  of transformations and transportations. At the constant speed  $c$ , the field equation can be further reduced to:

$$\mathbf{G}^+ + \frac{R}{2} \mathbf{g}^+ + \mathbf{M} + S_A^+ = \Delta^+ \quad : \quad \mathbf{u}^+ = c \quad (20.11)$$

where the ontological tensor ( $\mathbf{O}^+ \mapsto 0$ ) is vanished. Given rise from the scalar potential fields, the virtual world performs *Virtual Creation and Annihilation* that it not only supplies the energy fluxion  $S_A^-$ , but also operates the modulator  $\mathbf{M}$  with entanglements of boost transforms  $\hat{F}_{ma}^{\pm n}$  and spiral transports  $\hat{T}_{ma}^{\pm n}$ , resulting in streaming and transmitting phonons and gravitons including the free space (8.21)[2] and (14.8)[3].

## XXI. GENERAL COSMOLOGICAL EQUATIONS

Aligning with the continuously arising horizons, the events fabricate the derivative operations on the scalar potentials giving rise to the vector potential fields for further dynamic motions. Substitution by the vector potentials  $V^\mp$  at the expressions of (3.9)-(3.10), the equations of (17.2) and (17.3) imply that the asymmetric fluxions of the *Universal Equations* of (19.1)-(19.2) be the generic processes of cosmology at the arising horizons.

By following the same formulations in deriving the  $Y^-$  *Ontological Equations* (20.1) and considering (18.20), we reformulate the equation (19.6) of motion dynamics compactly in the covariant formula, named as *Cosmological Motion Equations*:

$$\mathbf{g}_\nu^- / \kappa_\nu^- = \dot{x}_\nu \dot{x}_m \left( \frac{R}{2} g_{\nu m} - R_{\nu m}^\sigma + G_{\nu m}^\sigma + C_{m\nu}^\sigma \right)_\nu = c^2 S_\nu^- - \frac{E_n^-}{\hbar} \hat{\partial}^\lambda (\mathcal{F}_{ma})_{\nu \times}^- \quad (21.1)$$

where the lower index  $\nu$  indicates the vector potentials. The *Riemannian* curvature  $R_{\nu m}^\sigma$  associates tensors to each world-line points of the  $Y^-$  and  $Y^+$  manifolds that measures the extent to which the metric tensors are not locally isometric to its own manifold or, in fact, conjugate to each other's. The above equation also serves as *Law of Conservation of  $Y^-$  Cosmological Motion Dynamics* that associates curvature, stress and contorsion with area fluxions.

In a parallel fashion, by following the same approach in deriving the  $Y^+$  *Ontological Equations* (20.3) and considering (18.20), we can fabricate compactly the contravariant formula, named as *Cosmological Field Equations*:

$$\mathbf{g}_\nu^+ / \kappa_\nu^+ = \dot{x}^\nu \dot{x}^m \left( \frac{R}{2} g^{\nu m} - R_{\nu m}^+ + G_{\nu m}^+ + C_{m\nu}^+ \right)_\nu = c^2 \Delta^+ - c^2 S_\nu^+ - \frac{E_n^+ E_n^-}{\hbar^2} (\mathcal{F}_{\nu m})_\nu^- (\mathcal{F}_{\nu m})_\nu^+ + \frac{E_n^+}{\hbar} \hat{\partial}_\lambda (\mathcal{F}_{ma})_\nu^+ \quad (21.2)$$

This equation serves as *Law of Conservation of  $Y^+$  Cosmological Fields*, introduced at 17:16am September 7th 2017 that the  $Y^+$  forces or acceleration fields of a world-line curvature are constituted of and modulated by asymmetric fluxions given rise from the vector potential fields not only to operate motion curvatures, but also to emit and transport photons and gravitons.

**Artifacts 21.1:  $Y^-$  Cosmological Fields.** Rising from the vector fields, the asymmetric fluxions constitute the acceleration or force fields in world-line curvatures. At a constant speed  $\mathbf{u}^- = c$  and  $\mathbf{g}_\nu^- \mapsto 0$ , the covariant formula (21.1) can be abridged and converted to:

$$\bar{\mathbf{u}}^- \left( \frac{R}{2} \mathbf{g}^- + \mathbf{G}^- - \mathfrak{R}^- + \mathbf{C}^- \right) \bar{\mathbf{u}}^- = S_\nu^- - \Theta^- \quad (21.3)$$

where the covariant *Riemannian* geometry  $R_{\nu m}^\sigma$  is mapped to the tensor  $\mathfrak{R}^-$ , the covariant stress tensor  $G_{\nu m}^\sigma$  to  $\mathbf{G}^-$ , the metrics  $g_{\nu m}$  to  $\mathbf{g}^-$ , and the contorsion  $C_{m\nu}^\sigma$  to  $\mathbf{C}^-$ . The *Cosmological Tensor*  $\Theta^\pm$  and the area fluxions are defined by the following expressions:

$$\Theta^\pm = \frac{E_n^\pm}{\hbar c^2} \begin{pmatrix} -(\mathbf{u}^\pm \nabla) \cdot \mathbf{B}_v^\pm \\ \frac{\partial}{\partial t} \mathbf{B}_v^\pm + (\frac{\mathbf{u}^\pm}{c} \nabla) \times \mathbf{E}_v^\pm \end{pmatrix}, \quad S_\nu^\mp = 4 \frac{E_0^+ E_0^-}{(\hbar c)^2} \Phi_\nu^\mp \quad (21.4)$$

The *Strength Fields*  $\mathbf{B}_v^\pm$  and *Twisting Fields*  $\mathbf{E}_v^\pm$  are the asymmetric fluxions that are given by (7.9) and (7.15), where the index  $\nu$  implies the *vector* potentials similar to (17.3). At the constant speed  $c$ , the field equation can be reduced to the following expression:

$$\mathfrak{R}^- + S_\nu^- = \frac{R}{2} \mathbf{g}^- + \mathbf{G}^- + \mathbf{C}^- \quad : \quad \mathbf{u}^- = c, \quad \Theta^- \rightarrow 0 \quad (21.5)$$

Logically, there are two types of the components:

- 1) The diagonal equation describes that the metric, stress and connector tensors conserve the *Riemannian* curvature  $\mathfrak{R}^-$  and area fluxion  $S_{A^-}$ , travelling over the world lines and entangling between the  $Y^-Y^+$  manifolds. These  $Y^-$  motion curvature  $\mathfrak{R}^-$ , stress  $\mathbf{G}^-$  and contorsion  $\mathbf{C}^-$  are dynamically balanced the transportation by the effective potential  $\Phi_v^-$  through the asymmetric fluxions  $S_v^-$  between the dual manifolds. At a horizon rising from commutations of vector potentials, this equation describes the outcomes of the  $Y^-Y^+$  entanglements and accelerations observable externally to the system.
- 2) The off-diagonal elements composite the *Y-Continuity of Cosmological Motion Equation* that the  $Y^-$  fluxions are entangling the vector potentials to produce the symmetric strength  $\mathbf{B}_v^-$  and twisting  $\mathbf{E}_v^-$  fields, conservatively and consistently. This continuity of energy fluxion is convertible to and interruptible with its  $Y^+$  internal fields for the dynamic entanglements reciprocally through out and within the system.

The cosmological nature of  $Y^-$  characteristics is dynamic motions.

**Artifacts 21.2:**  $Y^+$  *Cosmological Fields*. At the acceleration towards zero  $\mathbf{g}_v^+ \rightarrow 0$ , the contravariant formula (12.2) can be translated into the following equation:

$$\tilde{\mathbf{u}}^+ \left( \mathbf{G}^+ + \frac{R}{2} \mathbf{g}^+ - \mathfrak{R}^+ + \mathbf{C}^+ \right)_v \tilde{\mathbf{u}}^+ = \Delta^+ - S_A^+ - \Lambda + \Theta^+ \quad (21.6)$$

where the contravariant *Riemannian* geometry  $R_{\mu\nu}^{+\sigma}$  is mapped to the tensor  $\mathfrak{R}^+$ , the contravariant stress tensor  $G_{\nu\mu}^{+\sigma}$  is mapped to  $\mathbf{G}^+$ , the contorsion  $C_{m\mu\nu}^{+\sigma}$  to  $\mathbf{C}^+$  and the covariant metrics  $g^{\nu n}$  is mapped to  $\mathbf{g}^+$ . The tensor  $\Lambda$  is named as *Cosmological Modulator* and defined by:

$$\Lambda = \frac{E_n^+ E_n^-}{(\hbar c)^2} (\mathcal{F}_{vm}^-)_v (\mathcal{F}_{vm}^+)_v \quad (21.7)$$

At the constant speed  $c$ , the field equation is reduced to the expression:

$$\mathfrak{R}^+ + \Delta^+ = \frac{R}{2} \mathbf{g}^+ + \mathbf{G}^+ + \mathbf{C}^+ + S_A^+ + \Lambda \quad ; \mathbf{u}^+ = c, \Theta^+ \rightarrow 0 \quad (21.8)$$

It implies not only that the virtual world supplies energy in the forms of area fluxions  $S_A^+$ , but also that, besides the metric  $\mathbf{g}^+$ , stress  $\mathbf{G}^+$  and contorsion  $\mathbf{C}^+$  tensors, the cosmological modulator  $\Lambda$  has the intrinsic messaging secrets of dark energy formations, further outlined in the statement below.

- 1) The cosmological motion fields are internally adjustable through the modulator  $\Lambda$  and energy fluxions  $S_A^+$  that not only operates the motion curvature, but also generates and radiates photons and gravitons  $\Delta^+$ .
- 2) A symmetric system is governed by the cosmological modulator  $\Lambda$  and virtual transport fluxion  $S_A^+$  asymmetrically.
- 3) During the  $Y^-Y^+$  entanglements between the world planes, the asymmetric potentials dynamically modulate the  $Y^+$  world-line curvature and maintain area energy at a horizon rising from symmetric fluxions of vector potentials.

Usually, the trace  $\Lambda$  describes outcomes of dynamic modulations for the curvature while area fluxions supply the resources observable externally to the system. Besides, the asymmetric strength  $\mathbf{D}_v^\pm$  and twisting  $\mathbf{H}_v^\pm$  fields of the off-diagonal  $\Lambda$  components are the motion entanglements throughout the system intrinsically, resourcefully and modulatively.

## PHILOSOPHICAL TERMINOLOGY

In summary, «Universal and Unified Field Theory» abstracts some fundamental terminologies philosophically as the preliminary laws of universal topology outlined as the following:

**Universe** - The whole of everything in existence that operates under a topological system of natural laws for, but not limited to, physical and virtual events, states, matters, and actions. It constitutes and orchestrates various domains, called *World*, each of which is composed of hierarchical manifests for the events, operations, and transformations among the neighborhood zones or its subsets of areas, called *Horizon*.

**World** - An environment composed of events or constituted by hierarchical structures of both massless and massive objects, events,

states, matters, and situations. These hierarchical structures of the global manifold are respectively defined as *Virtual World*, where operates virtual event, or *Physical World*, where performs physical actions. Together, the virtual and physical worlds form one integrated *World* as a domain of the universe and interoperates as the complementary opponents of all natural states and events. Traditionally, the virtual world is referred to as the inner world, the physical world as the outer world, and together they form holistic lives in universe. A world has a permanent form of global topology, localizes a region of universe, and interacts with other worlds rising from one or the others with common ground in universal conservations. Furthermore, there are multiple levels of inner worlds and outer worlds. Inner worlds are instances of situations, with or without energy or mass formations, while outer worlds include physical mass of living beings and inanimate objects.

**Duality** - The complementary opponents of inseparable, reciprocal pairs of all natural states, energy, and events, constituted by the topological hierarchy of our world. Among them, the most fundamental duality is our domain resources of the universe, known as yin and yang, with neutral balance that appears as if there were nothing or dark energy. Yinyang presents the two-sidedness of any event, operations, or spaces, each dissolving into the other in an alternating stream that generates the life of situations, conceals the inanimacy of resources, operates the movement of actions through continuous helix-circulations, symmetrically and asymmetrically. Because of this yinyang nature, our world always manifests a mirrored pair in the imaginary part, a conjugate pair of a complex manifold, known as YinYang Manifolds.

**Manifold** - Various states of both virtual and physical spaces are describable at global domains where emerge as object events, operate in zone transformations, and transit between state energies and matter enclaves. The universal topology consists of two manifolds: *Yin Manifold* for the events of physical supremacy and *Yang Manifold* for the events of virtual supremacy, progressively and complementarily rising through various stages of alternating streams - *Entanglements*.

**Operation** - An event is naturally initiated by and interoperated among each of horizons, worlds, and universe. Together, they form the comprehensive situations of the horizon, life steams of the world, and environments of the universe. As one of the universe domains, for example, our world is consisted by the laws of YinYang principles which represent the complementary opponents serving as the resource of the motion dynamics for all natural states and events.

**Horizon** - The apparent boundary of a realm of perception or the like, where unique structures are evolved, topological functions are performed, various neighborhoods form complementary interactions, and zones of the world are composed through multi-functional transformations. Each horizon rises and contains specific fields as a construction of the symmetric and asymmetric dynamics within or beyond its own range. In other words, fields vary from one horizon to the others, each of which is part of and aligned with the universal topology of the world. In physics, for example, the microscopic and macroscopic zones are in the separate horizons, each of which emerges its own fields and aggregates or dissolves between each others.

In physics, therefore, the nature objects are often virtual and physical matters, and the morphisms are dualities of the dialectical processes orchestrating a set or subsets of events, operations, and states in one regime rising, transforming, transporting, and alternating into states of the others: universal topology of the nature structure.

## REFERENCES

1. Xu, Wei (2017) «Universal and Unified Field Theory» 1. Topological Framework, World Equations and Universal Fields. viXra:1709.0308
2. Xu, Wei (2017) «Universal and Unified Field Theory» 2. Entangle Generators, Quantum Physics, Conservation of Light and Standard Model. viXra:1709.0358
3. Xu, Wei (2017) «Universal and Unified Field Theory» 3. Fluxions, Gravitation, and Thermodynamics of General Symmetric Fields. viXra:1709.0385
4. Petersen, Peter (2006). *Riemannian Geometry*, Berlin: Springer-Verlag, ISBN 0-387-98212-4
5. Einstein, Albert (1916). "The Foundation of the General Theory of Relativity". *Annalen der Physik*. 354 (7): 769.
6. Friedrich W. Hehl, Yuri N. Obukhov (2007) "Elie Cartan's torsion in geometry and in field theory, an essay", arXiv:0711.1535