Non-existence of odd harmonic divisor numbers

Kouji Takaki

February 16th, 2021

Abstract

Let *b* be an odd harmonic divisor number. Let the prime factors of *b* which are different from each other be odd primes $p_1, p_2, ..., p_r$ and let the exponent of p_k be a positive integer q_k . If the product of the prime factors' series is an integer *a*,

$$a = \prod_{k=1}^{r} (p_k^{q_k} + p_k^{q_{k-1}} + \dots + 1)$$
$$b = \prod_{k=1}^{r} p_k^{q_k}$$

If b is a harmonic divisor number, let m and n be positive integers,

$$m = \prod_{k=1}^{r} (q_k + 1)$$
$$an = bm$$

hold. By a research of this paper, let a_k be an integer and b_k be an odd integer and if

$$a_k = a/(p_k^{q_k} + \dots + 1)$$
$$b_k = b/p_k^{q_k}$$

hold, when $r \ge 2$, by a proof which uses the prime factors and the greatest common divisor (GCD) C_k included in b_k and $p_k^{q_k} + \dots + 1$, we found that it becomes a contradiction when $C_k < b_k$ since a least one prime number exists only in the denominator on the left-hand side and it does not in the denominator on the right-hand side. When $C_k = b_k$, we found that it becomes inconsistent. We have obtained a conclusion that there are no odd harmonic divisor numbers other than 1.

Contents

Introduction	2
Proof	2
Acknowledgement	4
References	4

1. Introduction

In mathematics, a harmonic divisor number, or Ore number (named after Øystein Ore who defined it in 1948), is a positive integer whose divisors have a harmonic mean that is an integer. For example, the harmonic divisor number 6 has the four divisors 1, 2, 3, and 6. Their harmonic mean is an integer:

$$4/(1 + 1/2 + 1/3 + 1/6) = 2$$

(Quoted from Wikipedia)

In this paper, we prove that there are no odd harmonic divisor numbers other than 1.

2. Proof

Let *b* be an odd harmonic divisor number. Let the prime factors of *b* which are different from each other be odd primes $p_1, p_2, ..., p_r$ and let the exponent of p_k be a positive integer q_k . If the product of the prime factors' series is an integer *a*,

$$a = \prod_{k=1}^{r} (p_k^{q_k} + p_k^{q_k - 1} + \dots + 1) \dots (1)$$
$$b = \prod_{k=1}^{r} p_k^{q_k} \dots (2)$$

If *b* is a harmonic divisor number, let *m* and *n* be positive integers,

$$m = \prod_{k=1}^{r} (q_k + 1)$$
$$an = bm \dots ③$$

hold. Divide m and n by the greatest common divisor and assume that they are relatively prime. Even if this calculation is performed, generality is not lost.

Let a_k be an integer and b_k be an odd integer, $a_k = a/(p_k^{q_k} + \dots + 1)$ $b_k = b/p_k^{q_k}$

From the equation (3), $na_k(p_k^{q_k} + \dots + 1) = mb_k p_k^{q_k} \dots ④$ I. When r = 1 $n(p_1^{q_1} + \dots + 1) = (q_1 + 1)p_1^{q_1}$ Let n' be an integer and if $n = n'p_1^{q_1}$ holds, $n'(p_1^{q_1} + \dots + 1) = q_1 + 1$ Since $n' \ge 1$, $(q_1 + 1)/(p_1^{q_1} + \dots + 1) \ge 1$ $q_1 + 1 \ge p_1^{q_1} + \dots + 1 \ge p_1^{q_1} + 1$ $q_1 \ge p_1^{q_1}$

When $q_1 \ge 1$ and $p_1 \ge 3$, this inequality does not hold obviously. Therefore, odd harmonic divisor numbers do not exist when r = 1.

II. When $r \ge 2$ From the equation ④, $na_k(p_k^{q_k+1}-1) = mb_k p_k^{q_k}(p_k-1)$ $((na_k - mb_k)p_k + mb_k)p_k^{q_k} = na_k$ Since $na_k/p_k^{q_k}$ is an integer, let c_k be an integer. $((na_k - mb_k)p_k + mb_k) = na_k/p_k^{q_k} = c_k$

When $p_k \ge 3$, $p_k^{q_k-1} + \dots + 1 = (p_k^{q_k} - 1)/(p_k - 1) < p_k^{q_k}/2$

From the equation ④, $mb_k - na_k = c_k(p_k^{q_k} + \dots + 1) - c_k p_k^{q_k} = c_k(p_k^{q_k-1} + \dots + 1)$ $mb_k - na_k < c_k p_k^{q_k}/2 = na_k/2$ $mb_k < 3na_k/2$ $a_k/b_k > 2m/(3n)$

From the equation (4),

$$\begin{split} &na_k/b_k = mp_k{}^{q_k}/(p_k{}^{q_k}+\dots+1) \ \dots \textcircled{5} \end{split}$$
 When m is divided by $p_k{}^{q_k}+\dots+1,$ let m' be an integer, m' = $mp_k{}^{q_k}/(p_k{}^{q_k}+\dots+1)$ $a_k = m'/n \times b_k$

hold. Since the equation (5) is an equation for obtaining m'/n-multiperfect numbers, considering only the case where m is not divisible by $p_k^{q_k} + \dots + 1$ for all k does not lose generality.

A case where m cannot be divided by $p_k^{q_k} + \dots + 1$ for all k is considered. At this time, the right-hand side is not an integer. $p_k^{q_k} + \dots + 1$ is the product of the prime factors p_1 to p_r excluding p_k and the prime factors of m. Let C_k be the greatest common divisor (GCD) of the denominators on both sides in the equation (5). When the denominator on both sides are divided by C_k , if mC_k becomes a multiple of the denominator on the right-hand side, let s_k be an integer,

 $mC_k = s_k(p_k^{q_k} + \dots + 1)$

this equation is assumed to hold, the value of the left-hand side of the equation (5) is $s_k p_k^{q_k}/C_k$. If this value is an integer, s_k is a multiple of C_k since p_k is not a prime factor of C_k . However, this contradicts the condition that m is not divided by $p_k^{q_k} + \dots + 1$. Therefore, when C_k is transposed from the denominator on the left-hand side to the right-hand side, the right-hand side does not become an integer.

Let P_k be an odd integer and $P_k = b_k/C_k$ holds. When $b_k > C_k$, if the numerator on the left-hand side is a multiple of P_k , it becomes contradiction since the left-hand side is an integer and the right-hand side is not. Therefore, when the left-hand side is reduced, at least one of P_k 's prime factors, p_{ki} remains in the denominator. At this time, it becomes inconsistent since the prime number p_{ki} does not exist in the denominator on the right-hand side.

When $b_k = C_k$ and the denominators on both sides are divided by C_k , it becomes a contradiction from the above proof since the left-hand side is an integer and the right-hand side is not. Therefore, no odd harmonic divisor numbers exist when $r \ge 2$.

From the above I and II, there are no odd harmonic divisor numbers other than 1.

3. Acknowledgement

We would like to thank the family members who sustained the research environment and the mathematicians who reviewed this research.

4. References

Hiroyuki Kojima "The world is made of prime numbers" Kadokawa Shoten, 2017 Fumio Sairaiji Kenichi Shimizu "A story that prime is playing" Kodansha, 2015 The Free Encyclopedia Wikipedia

Kouji Takaki "Non-existence of odd n-multiperfect numbers". 2020