The minimum sum

Ihsan Raja Muda Nasution May 31, 2015

Abstract

In this paper, we propose an idea of TSP-algorithm for any graph.

MSC: 05C12

Keywords: graph, traveling salesman problem

1 Introduction and results

The traveling salesman problem (TSP) is equivalent to the phenomena of bee colony. The algorithm which is based on the phenomena can be constructed [Kar05]. In this paper, we use the arithmetical approach to the TSP. Our mission is to minimize the summability of a graph.

In general, the weighted graph has a minimum and maximum. Indeed, the sum of small numbers is a small number too. Just one large number can affect the summation. We assume the sum is finite. The sum is denoted by Σ .

Definition 1. A number is close to the minimum denoted by ℓ .

Definition 2. A number is close to the maximum denoted by μ .

Definition 3. N denotes the number of terms in Σ .

Thus, the object of the TSP is the minimization of the weights-summation in a graph. Thereby, we introduce the method for solving the TSP. The method has three steps:

- 1. The sum Σ must contain the small totality of the numbers μ .
- 2. The sum Σ should be dominated by the numbers ℓ .
- 3. N should be small.

This method can be applied to any graph.

References

[Kar05] D. Karaboga. An idea based on honey bee swarm for numerical optimization. Technical report-tr06, Erciyes University, Engineering Faculty, Computer Engineering Department, Turkey, 2005.