# Light's equivalence principle (LEP) in the invariant system

Shinsuke Hamaji11\*

<sup>1</sup> Hyama Natural Science Research Institute, Tokyo, Japan

#### INTRODUCTION

In contrast, the mass in the energy-mass equivalence equation  $\boxed{1}$  has two interpretations  $\boxed{2}$ . Interpretation 1 is that energy and mass are not exactly the same; the energy of an object changes depending on velocity whereas the invariant mass does not change in any way. Interpretation 2 is that, apart from the constant  $c^2$ , energy and mass are exactly the same; the energy of a moving object is larger than that at rest. That is, when in motion, an object's relativistic mass is greater than when stationary. The majority of particle physicists have adopted Interpretation 1  $\boxed{3}$ . We have here adopted Interpretation 2 with the equivalence principle of the momentum of light.

## Relationships among invariant, (relativistic,) gravitational, and inertial mass:

The relativistic mass  $(m_r)$  of a moving object [4] can be calculated using the Lorentz factor from the invariant mass  $(m_0)$ . However, Einstein has stated that, apart from its Lorentz factor connection, the "physical meaning of this mass is not known; it therefore is better not to use anything other than invariant mass" [5],

$$m_{\rm r} = \gamma m_0 = m_0/(1 - v^2/c^2)^{1/2}$$
 (1)

The total energy of the object increases with the addition of kinetic energy [4],

$$E = ([m_0 c^2]^2 + [pc]^2)^{1/2}.$$
 (2)

Using a gravitational mass  $M = E/c^2$  [1], Eq. (2) is

$$E = Mc^{2} = ([m_{0}c^{2}]^{2} + [pc]^{2})^{1/2}.$$
 (3)

Compared with the speed of light in the invariant system, the wave speed (Hamaji's light equivalence principle [6]) in another inertial system is

$$W = f \lambda = c/V = (c^2 - V^2)^{1/2}.$$
 (4)

If this increased kinetic energy (pc) is by interpretation 2 [3] a gravitational mass then the mass associated with the total energy is also a gravitational mass M. The inertial mass m is the mass of the combined action of the change in gravitational mass with the energy increase (physical action), and the change in relativistic mass by scale conversion (mathematical action),

$$m = \gamma M = Mc/w. (5)$$

Corresponding author: E-mail address: s\_hyama@yahoo.co.jp

Hence, the inertial mass reverts to Eq. ( $\boxed{1}$ ) if  $M=m_0$  (see Appendix for details). This frees up the limitation that inertial mass = gravitational mass, but retains the essential equivalence principle of energy and momentum. This enables the mass and speed of another inertial system to be given without the need to perform a coordinate transformation,

$$E_0 = m_0 c^2 = \gamma^2 M (c/\gamma)^2 = \gamma m w^2.$$
 (6)

This preserves the relationship that energy is mass times the square of the speed.

### Light's equivalence principle (LEP) in the invariant system:

My previous research involved representing energies (gravitational mass, inertial mass, and Planck's constant) of different particle speeds as an equivalence for quantum ( $Mc = \Delta m\Delta w = hf/c$ ). In addition,  $E = Mc^2$  (kinetic energy is changed to mass) does not indicate that the total energy change is always proportional to particle speed. Therefore, "energy representation of a mathematical action," and "energy change of a physical interaction" are not similar. The actual physical phenomenon should distinguish between these actions. Table  $\boxed{A1}$  and  $\boxed{A2}$  show their distinction.

TABLE A1: Differences between the energies computed by the complex notation and by conventional methods

Total energy	Invariant energy [7]	No energy change [8]	Increase of energy	Decrease of energy	
Gravitational	Mc <sup>2</sup>	Mc <sup>2</sup>	↑ <i>Mc</i> <sup>2</sup>	<i>↓Mc</i> <sup>2</sup>	
mass	$Mw_0^2$	$M(\Delta v^2 + \Delta w^2)$	$\uparrow M(\uparrow v^2 + \downarrow w^2)$	$\downarrow M(\downarrow v^2 + \uparrow w^2)$	
Planck's	$hf_0$	hf	↑hf	↓hf	
constant	$\hbar\omega_0$	ħω	↑ħω	↓ħω	
Inertial	$m_0cw_0$	$(\Delta m)c(\Delta w)$	$\uparrow(\uparrow m)c(\downarrow w)$	$\downarrow (\downarrow m)c(\uparrow w)$	
mass [9]	$m_0 c \lambda_0 f_0$	$(\Delta m)c(\Delta \lambda)f$	$\uparrow(\uparrow m)c(\downarrow \lambda)f$	$\downarrow (\downarrow m)c(\uparrow \lambda)f$	

M: Gravitational mass, c: Speed of light, v: Particle speed, w: Wave speed, h: Planck constant, f: Frequency, m: Inertial mass,  $\lambda$ : Wavelength,  $\hbar$ : Dirac's constant,  $\omega$ : Angular velocity,  $\Delta\Delta$ : Inverse proportion,  $\uparrow$ : Increase,  $\downarrow$ : Decrease.

In the above table, the rows show the energy representation differences.

- •: **Gravitational mass** is the weight as defined by universal gravitation.
- Planck's constant is a physical constant of quantum theory.
- •: Inertial mass quantifies the resistance of an object to the movement.

The columns indicate whether the energy computed in the complex notation has increased or decreased, relative to the standard computation.

- No energy change denotes an inverse proportionality between the particle and wave speeds of the physical quantity (10). For example, the particle velocity of an object in free fall increases while its wave speed decreases. In addition, a photon is red (blue) shifted by a change in the gravitational field.
- •: (•:) Increase (Decrease) of energy denotes that the particle—wave energy relationships of each physical quantity increase or decrease. For example, the kinetic energy increases (decreased) during acceleration (deceleration) of an object. This scenario equally applies to a motionless object seen by a moving observer.

TABLE A2: This was represent the "Case of the total energy change" and "Case of the

total energy no change" of the Fermion and the photon.

	total chergy no onange of the remnon and the photon.				
Fermion	Total energy representation	Photon	Total energy representation		
Inertial motion	$E = Mc^{2} = M(2\varphi + v^{2} + w^{2})$ $= hf = \hbar\omega$ $= mcw = mc\lambda f$	Propagation	$E = Mc^{2} = M(2\varphi + w^{2})$ $= hf$ $= mcw = mc\lambda f$		
Acceleration by boost	$ \uparrow E = \uparrow Mc^2 = \uparrow M(2\varphi + \uparrow v^2 + \downarrow w^2)  = \uparrow hf = \uparrow \hbar \omega  = \uparrow (\uparrow m)c(\downarrow w) = \uparrow (\uparrow m)c(\downarrow \lambda)f $	Inverse Compton effect	$ \uparrow E = \uparrow Mc^2 = \uparrow M(2\varphi + w^2)  = \uparrow hf  = \uparrow mcw = \uparrow mc\lambda f $		
Deceleration by friction	$ \downarrow E = \downarrow Mc^2 = \downarrow M(2\varphi + \downarrow v^2 + \uparrow w^2) $ $ = \downarrow hf = \downarrow \hbar \omega $ $ = \downarrow (\downarrow m)c(\uparrow w) = \downarrow (\downarrow m)c(\uparrow \lambda)f $	Compton effect	$ \downarrow E = \downarrow Mc^2 = \downarrow M(2\varphi + w^2) $ $= \downarrow hf$ $= \downarrow mcw = \downarrow mc\lambda f$		
Escape from Gravitational source	$E = Mc^{2} = M(\downarrow 2\varphi + \downarrow \sqrt{c} + \uparrow w^{2})$ $= hf = \hbar\omega$ $= (\downarrow m)c(\uparrow w) = (\downarrow m)c(\uparrow \lambda)f$	Gravitational Red-shift	$E = Mc^{2} = M(\downarrow 2\varphi + \uparrow w^{2})$ $= hf$ $= (\downarrow m)c(\uparrow w) = (\downarrow m)c(\uparrow \lambda)f$		
Free-fall to Gravitational source	$E = Mc^{2} = M(\uparrow 2\varphi + \uparrow \sqrt{c} + \downarrow w^{2})$ $= hf = \hbar\omega$ $= (\uparrow m)c(\downarrow w) = (\uparrow m)c(\downarrow \lambda)f$	Gravitational Blue-shift	$E = Mc^{2} = M(\uparrow 2\varphi + \downarrow w^{2})$ $= hf$ $= (\uparrow m)c(\downarrow w) = (\uparrow m)c(\downarrow \lambda)f$		

<sup>↑↓:</sup> Inverse proportion, ↑: Increase, ↓: Decrease.

#### **ACKNOWLEDGEMENTS**

We thank Professor Nyanpan (deceased).

#### **REFERENCES**

- 1. A. Einstein, Elementary derivation of the equivalence of mass and energy, Technical Journal 5, 16-17 (1946).
- 2. M. Strassler,
  - http://profmattstrassler.com/2013/07/11/mass-ive-source-of-confusion/ (2013).
- 3. M. Strassler.
  - http://profmattstrassler.com/articles-and-posts/particle-physics-basics/mass-energy-matter-etc/more-on-mass/the-two-definitions-of-mass-and-why-i-use-only-one/ (2013).
- 4. The Feynman Lectures on Physics,
  - http://www.feynmanlectures.caltech.edu/l\_16.html .
- 5. L. B. Okun, The Concept of Mass (PDF), Physics Today 42 (6): 31–36 (1989).
- 6. S. Hamaji, Equivalence principle of light's momentum harmonizing observation from quantum theory to cosmology, Int. J. Phys. Sci. 8(38), 1885-1891 (2013).
- 7. The invariant system is the same inertial system of the Lorentz factor ( $\gamma = 1$ ) that the wave speed is at the same frequency and the speed of light.
- 8. The wavelength is inversely proportional to the inertial mass. They are also proportional to the wave velocity and inversely proportional to the energy.
- 9. The transversal Doppler Effect is determined by the wave speed, and is independent of energy.
- 10.  $v^2$  includes a gravitational potential (2 $\phi$ ). The wave speed inversely varies with  $v^2$ , and the speed of light is constant. The gravitational field is integral to the fermions. Graviton exchange does not change the total energy of the quantum.