

A Proof of Goldbach's strong conjecture

Author : Sitangsu Maitra (email : maitra.sitangsu@gmail.com)

Abstract : The proof includes a series and its aspects, treated in a special way. The concept of Unique Path of primes is explained and its effects are shown. In the midway of the proof, it is postponed for a while and a deviation from the course is taken to introduce a probably new axiom. Afterwards the proof restarts again, then definitions of 'list' & 'choice' are given and a claim is proved regarding them, two lemmas and their effects on the choice of a recycled prime discussed, hence using the axiom and other results the conjecture is proved.

Please note : Every symbol 'p' with or without any suffix denotes some prime number. $a|b$ means a divides b and $a \nmid b$ means a doesn't divide b. n is a natural number. The word 'prime' will hereafter mean prime number and 'even' mean even positive integer. The sign ' \exists ' means 'there exist'.

First stage : There is at least one prime p ($3 \leq p < n$) for every $2n > 6$ such that $p \nmid 2n$.

Proof : For any even $2n > 6$, at least one of the evens $2n-2$ and $2n+2$ is not an integral power of 2. Now $n-1$ or $n+1$ is divisible by at least one prime p ($3 \leq p < n$).

So $p|2(n-1) \Rightarrow p \nmid 2(n-1)+2 \Rightarrow p \nmid 2n$, or alternatively $p|2(n+1) \Rightarrow p \nmid 2(n+1)-2 \Rightarrow p \nmid 2n$

Suitably using any of the above two alternative results we can prove the claim.

Second stage : Consider a prime p_1 ($3 \leq p_1 < n$) such that $p_1 \nmid 2n$. Now let $2n-p_1$ is divisible by a prime p_2 , where $p_2 < n$.

So there can be a series

$\exists p_2$, such that $p_2|2n-p_1$, where $p_2 < n$

$\exists p_3$, such that $p_3|2n-p_2$, where $p_3 < n$

...

...

...

... $\exists p_k$, such that $p_k|2n-p_{k-1}$, where $p_k < n$

(Since any $2n-p_{k-1}$ is smaller than $2n$, it is clear that until $2n-p_{k-1}$ remains composite, p_k is necessarily smaller than n and evidently odd.)

The primes p_2, p_3, \dots are taken in such a manner, as far as possible, that each one is different from all the other primes (including p_1) appearing previous to itself in the series.

[Clarification : $2n-p_1$ is odd and has no prime factor which can be equal to p_1 , otherwise $p_1|2n$.

Now the above manner of selections of prime factors works at least for p_1 . Therefore we can reasonably presume that there is an arbitrary limit upto how far this manner of selections of primes works.]

It can easily be proved that no such prime divides $2n$ (since any $p_k \neq p_{k-1}$).

The operation of getting p_2, p_3, \dots must end at some p_k , otherwise there will be infinite number of different primes $< n$; k is a finite positive integer. We henceforth shall call p_1 as 'starting prime'.

We further call p_2, p_3, \dots, p_k (all being different, where p_k is 'one' last available of them; allowing provision for the possibilities of having, more than one, eligible primes to the purpose of finding one such last available, from the same step, so as not to lose any kind of generality, that is why 'one' is used instead of 'the'; however this is unlikely to disturb the the following resonations) as different outputs or simply as outputs.

[Note : The number of primes appearing in such a series can't be smaller than 2, since only one prime on its own can't make any such series.]

And take the example : $3 \otimes 2 \times 14$ so, $\exists 5$ such that, $5|(2 \times 14 - 3)$ and $2 \times 14 - 5$ isn't composite and in this case $3 < 5 < 14 < 23 < 2 \times 14$. Therefore the series ends here (at the step giving out its own last output) is comprised of only one step having just two elements, i.e, the starting prime and the last output. Therefore $k=2$ in this case.

So we can conclude, for any such series $k \geq 2$.]

Let the course of the proof be postponed for a while to discuss a topic. It is a common sense that we can omit anything from a written or mentioned expression. For that purpose we simply need to wipe out or erase the purported object from the expression. But when the question comes to the dealing with its logical aspect, we need to introduce an axiom. Namely ...

Axiom of omission : We can omit or erase anything from an expression or a system of expressions in some context, if and only if, the rest of it bears some logical meaning in that same context.

It is a different question what the effect of this axiom should be in the context of other mathematical topics. It is just a logical interpretation of certain human discretion taken in common sense perspectives.

For our purposes in the following discussions we shall quite justifiably interpret the 'omission of something from something' as the 'imagination of no existence of former in anywhere of the later', judging only from, whatever would be obvious from the mentioned things there.

Return to the proof

Observation (1) : For a particular p_1 we can choose arbitrarily particular p_2, p_3, \dots, p_k (p_k being the last available different output for the series where p_1 is the starting prime) and in this way they constitute a Unique Path : an ordered list of successive particular selections (one time particular selections placed in a particular order, those which can be attributed to this list within the scopes available) from the prime factors of various $2n-p_t$'s, p_t 's starting from p_1 , where p_1 is also included in the same list and put in the first place. Such Unique Path is always strictly ordered.

Observation (2) : p_k being the last different output ($< n$) { p_k available from $2n-p_{k-1}$ as a factor of it } in the series, proceeding similarly beyond it we get p_{k+1} from $2n-p_k$, where $p_{k+1}|2n-p_k$ with the exception that in this case p_{k+1} not necessarily $< n$. Besides, as this step goes past that of the last

different output, the stipulation for outputs to be different from the previously appeared primes in the Unique Path, vanishes automatically for p_{k+1} .

Now $p_{k+1} < n$ implies p_{k+1} is a recycled prime, i.e., p_{k+1} is one of $p_1, p_2, p_3, \dots, p_k$ (since p_k is the last available different output for the series of $k-1$ unique steps, p_1 being the starting prime).

We define 'a list' as a successive mentioning of items (ignore the commas) and 'a choice' as a selection of mentioned item/s. Evidently a list is an expression. We claim that,

we choose only one item from a particular list \Rightarrow we omit the rest of the items from the list (provided the list contains more than one items as its elements)

Proof : If not so.

Since a list is an expression of mentioned items and we have to choose from the list, if we retain at least another item in the list, other than the one intended for this choice,

there will be at least two mentioned items for a choice, where none can be excluded. But we have to choose (i.e., select the mentioned) only one item as per requirement. So there is a contradiction.

Hence our claim is true.

Let p_{k+1} is a recycled prime. Therefore it can be taken from either (1) the set of all elements of the Unique Path, and there is no unique order for the elements of a set, which implies more than one lists, of different particular orders for their respective elements, can be made with the elements (all and nothing more for every such list) of the set ****

[Note : When we discuss anywhere in this proof, about a list formed from a set, we should keep in mind that there is no element in that list, which is not an element of the same set]

We will now prove two important lemmas.

Lemma (a) : We can choose an element from a non empty set \Rightarrow we can choose it from a list that can be formed with the elements (not necessarily all) of the same set, where one of them is the element in question.

Proof : If we can choose an element from a non empty set then the element is a member of the set.

So the list described in the above proposition can be formed from the above non empty set \Rightarrow the element in question is mentioned somewhere in the list and therefore we can undoubtedly choose it from that list (as we have already admitted that, we select it from the set)

This proves the lemma (a).

Now the another lemma.

Lemma (b) : If an element x can be chosen from a non empty set S such that $x \in S$, then it can only be chosen from the list that can be formed with the elements of S (not necessarily consisting of all elements of S), x being one of those elements.

Proof : Since S is non empty,

we choose an arbitrary element of S and examine if it is x . If yes, we stop the operation of choosing (Note : a single element too can make a list). If it is not x , we have to put it aside and choose another element from the subset S_1 of the set S , where S_1 contains every element of S except the element chosen first and put aside, examine it as before and so on. The successive operations continue until we get x .

Now in this process we get a list as x_1, x_2, \dots, x , from which evidently we get x (since the operations have to be successive).

This proves the lemma (b).

[Comment : The above lemmas don't imply that the converses of them are always true, i.e, if an element can be chosen from a list, it isn't necessary that it can be chosen from the set too, from which the list has been formed.]

Now the above lemmas lead to a more specific option for choosing the recycled prime, so to say that {continuing from (1)} ..., or (2) it can be taken from the Unique Path only, where the existence of every element (other than the first) of this Unique Path \Leftrightarrow the existence of corresponding step in the series from which the Unique Path derives.

Explanation : Take the case (1).

Choosing p_{k+1} from the set of all elements of the Unique Path implies choosing it from at least one list having the elements of the set (all and nothing more, since a list that can be formed with the elements of a proper subset of the original set mentioned above is unacceptable in the case of such recycling purpose).

If the recycled prime only to be taken from such a list described above, having an order (a list always has some particular order for its elements) different from that of the Unique Path, i.e, relative positions of other elements of the list w.r.t the recycled prime to be chosen as p_{k+1} , are different from those of the Unique Path,

then either the other list (which is not the Unique Path) cannot be derived by any series such as mentioned before, or (if it at all could be derived so) the list is a different Unique Path made with the same elements (all and nothing more) of that original one (any such Unique Path remains unique only w.r.t one time particular selection of primes placed in a particular order, those which can be attributed to that Unique Path within available scopes).

Both the possibilities contradict the hypothetical situation of existence of the series or related uniqueness of the original Unique Path. [For the same reason a list formed from a proper subset of the set mentioned in case (1) is unacceptable here]

Again, since each step in a series corresponds to an unique element (except the first) of the associated Unique Path and conversely (as obvious from the series),

therefore the existence of every element (other than the first) of the Unique Path \Leftrightarrow the existence of corresponding step in the series from which the Unique Path derives.

Summing up we can say, the case (2) is more definite and the only acceptable one as compared to other possibilities discussed above for our purpose in this context (i.e, when p_{k+1} is a recycled prime).

Further, in this context we claim : the omission of an output from an Unique Path \Rightarrow the omission of corresponding generating step from the series from which the Unique Path derives.(3)

Proof : let the proposition is not true.

Then despite the omission of an output from the Unique Path, there exists corresponding generating step of it in the series mentioned above (in at least one case).

But the existence of the above step in the series \Rightarrow the existence of the output in question in the Unique Path {from the case (2) above}, which contradicts the hypothesis that the output is omitted from the Unique Path.

Therefore our claim is true.

We can establish a similar result for the starting prime too. That is,

omission of the starting prime from a Unique Path \Rightarrow omission of the first step of the series from itself, i.e, the series from which the Unique Path derives.(4)

Proof : Let the above proposition is not true.

Then despite the omission of the starting prime from the Unique Path, there is existence of the first step in the series mentioned in the above proposition (in at least one case). That first step in due course gives rise to the series again and thereby its own Unique Path.

But this Unique Path is the same one mentioned in the above proposition (since both the series and the Unique Path are unique for each other), which contains the starting prime as its element. This contradicts the hypothesis that the starting prime is omitted from the Unique Path.

Therefore the above claim is also true.

Since p_{k+1} is a singularly mentioned prime (as evident from its identity), a recycled prime taken as p_{k+1} is also a singularly mentioned identity, which implies we have to choose only one prime from that particular list of different primes (i.e, the Unique Path).

Now for an arbitrarily particular p_1 we obtain a Unique Path of successive particular selection of primes {as described in Observation (1)}, which must contain a unique starting prime and a unique last output w.r.t the path itself (otherwise we will deny that it is a Unique Path).

Since a Unique Path itself is an ordered list,

omission of any of these two from this Unique Path (i.e, the imagination that there is no existence of any one of these two in anywhere of this Unique Path) doesn't make any logical meaning for the residual expression (i.e, the list) containing any of the rest (i.e, those except p_1 or p_k or both of them as the case of corresponding omissions may be) of its elements (not necessarily all of them), in the process regarding the choice of a recycled prime as was stated earlier, where existence of the Unique Path and thereby the series from which it derives, should be taken as presuppositions (i.e, as necessary conditions) for the choice of a recycled prime to appear as p_{k+1} .

[Clarification : The above omissions implies the Unique Path is devoid of a starting prime and/or a last output (not necessarily they are the only primes to be considered in question of omission, there can be possibilities for other outputs except them as well for omission, though necessarily alongwith any of the first two specified above in every such case) \Rightarrow the series is devoid of corresponding generating step of the last output {from claim (3)} which shows the unique end of the series having a finite number of steps, or the very first step which is unique and unavoidable for any such series {from claim (4)} (alongwith probable omissions of other steps, if so happens, those don't fall in these two category specified here), and thus the whatever (allowing provisions for the possibilities of the omissions of outputs different from p_1 and p_k , so as not to lose any kind of generality) such residual part of the Unique Path in the context of whatever logical set up and conclusion that have been established upto this point, goes undefined, since no such series can be formed except those essential two components (the first and last steps) for any value of $k \geq 2$.]

Therefore by Axiom of omission, any of the above two omissions, i.e, p_1 or p_k , from the Unique Path in the context described in the clarification above, is impossible, which means after every possible omission from the above mentioned ordered list (i.e, the Unique Path) there remains at least two primes to choose as p_{k+1} , none of which is omittable.

So we can say that we can't omit, all primes other than that intended one for recycling purpose, from the Unique Path and as the very choice from this ordered list, in question, requires at least one of the primes p_1 or p_k be removed from it besides all other possible omissions, and since the recycled prime in question must be chosen from that Unique Path only {from case (2) discussed before},

it implies we can't choose only one recycled prime (therefore any recycled prime at all, in fact) as p_{k+1} from that Unique Path.

Summing up the above discussions

we conclude that p_{k+1} can't be recycled, that implies $p_{k+1} \neq n$, and since $p_k < n$,

we are bound to accept the conclusion that $p_{k+1} > n \Rightarrow p_{k+1} = 2n - p_k$.

[$2n - p_k$ can't have a factor that is greater than n and smaller than itself, and $p_{k+1} \neq n$ for obvious reasons.]

Therefore, $2n = p_k + p_{k+1}$

Take a look back at the beginning of the Second stage ...

Contrary to what we have assumed there, if p_2 isn't $< n$, then as $p_1 < n$, p_2 becomes $> n$. This implies $2n = p_1 + p_2$
[Reasons are similar as above]

Finally, over the question whether the integers 6 & 4 comply to Goldbach's strong conjecture, we write $6 = 3 + 3$ and $4 = 2 + 2$

Therefore Goldbach's strong conjecture holds for every $2n \geq 4$.