<u>A strong variant of the ER=EPR conjecture</u> <u>based on Planck wormholes and redefining</u> <u>both big G and Planck constant</u>

Andrei-Lucian Drăgoi¹

Version 1.0 (3.02.2020). DOI: <u>10.13140/RG.2.2.25647.89762</u> Latest version always downloadable from <u>here</u>.

Abstract (and main abbreviations)

This paper proposes a strong variant of ER=EPR conjecture (**svEEC**) based on Planck wormholes (**PWs**) (and partially assuming Einstein's General Relativity), which svEEC helps redefining both big G and Planck constant, potentially explaining both the accelerated expansion of our universe (**OU**) and the highly variable experimental values of big G. This paper continues (from alternative angles of view!) the work of other past articles/preprints of the same author [1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24].

1. A strong variant of the ER=EPR conjecture (svEEC)

In this paper, we propose a *strong variant of ER=EPR conjecture* (**svEEC**) (based on EEC, first launched by Maldacena and Susskind in 2013[25] and progressively developed until present[26]), also based on Einstein's General Relativity (EGR) (partially assumed by svEEC), which states the followings subconjectures (numbered next):

(1) No matter if black holes or not, no matter if entangled or not, any two fermionic elementary particles (**EPs**) of our universe (**OU**) are interconnected by at least one "generic" Planck wormhole (**PW**), so that the 4D spacetime vacuum (**4DSTV**) of OU is redefined (differently from EGR!) as being actually an infinitely large "conglomerate" composed from an infinite number of interwoven PWs;

(2) a PW is (re)defined (by this svEEC) as a cylindrical 4D brane (possibly infinite in length!) composed from a cylindrical 3D hypersurface (possessing its own 3D volume) circularly enclosing a 4th dimensional (4thD) cylindrical (and relatively empty!) core with compact topology possibly infinite in length (but conjectured to have a finite and non-infinitesimal transverse diameter $d_{PW} (\cong l_{Pl})$ comparable to Planck length l_{Pl}): our observable 3D space is conjectured to be actually composed from the sum of all 3D hypersurfaces of all (4D cylindrical) PWs;

(3) all PWs of OU are stated to be under huge tensions (thus highly stretched!) with a tension average T_{PW} close to Planck force so that $T_{PW} \cong F_{Pl} \left(= c^4 / G \cong 10^{44} N\right)$ (as other author also interpreted F_{Pl} as "a tension constant of the spacetime fabric" [27]);

(4) each PW is stated to oscillate at Planck frequency (mostly or with highest amplitude in the 4thD core) and this kinetic energy fully generates/explains the phenomenon of "rest mass" (**RM**) of that PW, which RM may be infinite: however, PWs are stated to also posses a finite average linear massic density ρ_{PW} close to

Planck linear density so that $\rho_{PW} \cong \rho_{Pl(lin)}$

 $(=c^2/G \cong 10^{27} kg/m)$, with most of its RM (and ρ_{PW}

implicitly) concentrated in its 4thD core (explaining why we only detect a very small massic density of the 4DSTV in our observable 3D space, at least at macroscopic scales);

(5) given their huge
$$T_{PW} \left(\cong 10^{44} N\right)$$
 and

 $\rho_{PW} (\cong 10^{27} kg / m)$, these PWs are in fact incredibly rigid, more like "pipes" that may vibrate with very low amplitudes (but

up to very high frequencies), so that svEEC (re)uses Vincenzo Galilei's classical simplified formula² (valid only for those string vibrations of small amplitude) to derive the speed of gravity v_g as

 $v_g \cong v_{\text{max}} = \sqrt{T_{PW} / \rho_{PW}} \quad \text{(defined as the speed of gravitational waves, which are also redefined as very small amplitude transverse waves traveling on PWs): consequently, the universal gravitational constant <math>G\left(\cong 10^{-10} m^3 k g^{-1} s^{-2}\right)$ is redefined by svEEC as an indirect measure of both T_{PW} and ρ_{PW} , so that:

$$G = T_{PW} / \rho_{PW}^{2} = v_{g}^{2} / \rho_{PW}$$
(1)

(6) photons are also defined by svEEC as quantized transverse waves **PWs** traveling on the same with speed $c = v_{\text{max}} = \sqrt{T_{PW} / \rho_{PW}}$: the quantized character of photon is conjectured (by svEEC) to be explained by the finite (and noninfinitesimal!) PW diameter $d_{PW} (\cong l_{Pl})$ which limits those transverse vibrations up to an inferior 4D hypervolumic limit $V_{\min} \stackrel{acj}{=} 4\pi^2 d_{PW}^{4}$ (a small 4D cylinder with a minimum 3D hyper-area $A_{\min}^{def.} = 4\pi^2 d_{PW}^3$ and minimum 4thD length $l_{\min} = d_{PW}$), so that Planck constant is geometrically redefined by svEEC as:

² a formula defining the (maximum) velocity $v_{\max[m/s]} = \sqrt{T_{[N]} / \rho_{[kg/m]}}$

of the wave formed in a vibrating string with linear density $ho_{[kg/m]}$ and

tensioned by a force of tension $T_{[Newtons]}$

^[1] Email and personal website: dr.dragoi@yahoo.com; www.dragoii.com

$$h^{redef.} = \sqrt{T_{PW} \rho_{PW} V_{\min}}$$
(2)

(7) Gravitational waves are also conjectured to be quantized at Planck scales by the same V_{\min} so that svEEC predicts that hypothetical gravitons truly exist but only as excitations of PWs at Planck scales.

(8) Gluons are alternatively defined as non-quantized torsional waves traveling on the same PWs, with their non-quantized character explained by the fact that $d_{PW} (\cong l_{Pl})$ doesn't limit torsions at Planck scales, but only transverse waves traveling on PWs.

(9) quantum entanglement is conjectured by svEEC to be mediated by various known/unknown EPs that may travel through the 4thD cores of PWs between various points of our 4DST.

2. svEEC may explain the accelerated expansion of our observable universe

Based on G redefinition (equation 1) and considering the case of a simple gravitational system consisting of two masses in vacuum (m_1 and m_2) at distance d from one another and reciprocal relative rest (with d being much larger than the linear sizes of the two masses and being traveled by light in a time interval $\Delta t = d/c$) and emitting (experimentally demonstrated) gravitational waves (**GWs**) towards one another traveling with speeds $v_{g1} \begin{pmatrix} \leq \\ \equiv c \end{pmatrix}$ and $v_{g2} \begin{pmatrix} \leq \\ \equiv c \end{pmatrix}$ respectively (according to Einstein's General Relativity [**EGR**]), v_g is defined as a geometrical mean such as $v_g = \sqrt{v_{g1}v_{g2}}$ and the scalar of the Newtonian gravitational attraction force (F_g) between m_1 and m_2 is also redefined such as:

$$F_{g} = G \frac{m_{1}m_{2}}{d^{2}} = \frac{v_{g}^{2}}{\rho_{PW}} \frac{m_{1}m_{2}}{d^{2}}$$
(3)

We also define v_g to be reference-frame-dependent so that, for a mass *m* that emits a GW towards an observer O while moving away from that same O with speed v_x , the emitted GW will have a resultant speed $v_r = v_g - v_x$ when measured by O. In the case of the same simple gravitational system consisting of two masses in vacuum (m_1 and m_2) that depart from one another with relative speed v_x (while emitting GWs with resultant relative speed $v_r (= v_g - v_x)$ towards one another), we generalize the redefined G and the scalar of F_g such as:

$$G_{x} = v_{r}^{2} / \rho_{PW} = \left(v_{g} - v_{x}\right)^{2} / \rho_{PW}$$
(4a)

$$F_{g(x)} = G_x \frac{m_1 m_2}{d^2} = \frac{\left(v_g - v_x\right)^2}{\rho_{PW}} \frac{m_1 m_2}{d^2}$$
(4b)

 $F_{g(x)}$ predicts that, when acting with any finite and noninfinitesimal (no matter how weak!) non-zero constant force $\vec{F} = m_1 a$ (with acceleration $a = v_x / \Delta t_x$) on a mass m_1 (which moves with an increasing speed $v_x = a \Delta t_x$ in respect to a relatively static mass m_2 to which it is initially found at distance d_0 at instant t_0) on the same axis but opposite direction to $\vec{F}_{g(x)}$, the two masses will attract each other (in every specific time instant for which $v_{x2} > v_{x1}$) with a slightly weaker than expected gravitational force for $d_{x2} \cong d_{x1}$:

$$\frac{\left(v_g - v_{x2}\right)^2}{\rho_{PW}} \frac{m_1 m_2}{d_{x2}^2} < \frac{\left(v_g - v_{x1}\right)^2}{\rho_G} \frac{m_1 m_2}{d_{x1}^2}$$
(5)

For this specific reason, the resultant force $\vec{F}_r = \vec{F} - \vec{F}_g(x)$ (acting on this $m_1 \& m_2$ system) and its scalar $F_r = F - F_{g(x)}$ will be *slightly larger in magnitude than expected* in every specific time instant for which $v_{x2} > v_{x1}$ just because $G_{x2} < G_{x1} < G$ implying $F_{g(x2)} < F_{g(x1)}$: in this way and by having $\boxed{F_{g(x)} \propto G_x \propto 1/v_x \propto 1/d_x} (\Rightarrow v_x \propto d_x)$, the generalized gravitational force scalar $F_{g(x)} \left\{ = f \left[\left(v_g - v_x \right)^2 \right] \right\}$ may elegantly explain the accelerated expansion (AE) of our observable universe *without* needing a "dark energy" concept to explain this AE.

At cosmic scales, the $v_x \propto d_x$ direct-proportionality is actually defined by the Hubble constant $H_0 [\cong 69.8(km/s)/Mpc]$ such as $v_x = H_0 d$, so that both G_x and $F_{g(x)}$ can be rewritten as functions, such as:

$$G(d) = \frac{\left(v_g - H_0 d\right)^2}{\rho_{PW}} \cong \frac{\left(c - H_0 d\right)^2}{\rho_{PW}}$$
(6a)

$$F_{g}(d) = \frac{\left(v_{g} - H_{0}d\right)^{2}}{\rho_{PW}} \frac{m_{1}m_{2}}{d^{2}} \cong \frac{\left(c - H_{0}d\right)^{2}}{\rho_{PW}} m_{1}m_{2}$$
(6b)

The variation of the approximation function $G_x(d) = (c - H_0 d)^2 / \rho_{PW}$ can be graphed for a large spectrum of macroscopic distances $d \in [1m, D_{OU}]$ up to the (diametric) distance $D_{OU} = 2R_{OU}$ between two physical objects that are located at the margins of our OU (with radius $R_{OU} \cong 4 \times 10^{26} m$) and diametrically opposed: see next graph.




Figure 1. The variation of the ratio $G_x(d)/G$ for $d \in [1m, D_{OU}]$.

Checkpoint conclusion. The $F_g(d)$ function actually describes an alternative Modified Newtonian dynamics (**MOND**) based on the redefined G(d) which effectively translates the classical (empirically measured) so-called "universal gravitational constant" G in an alternative generalized (and obviously non-constant!) *universal gravitational function*.

3. svEEC may explain the apparently paradoxal divergence of big G experimental values

svEEC also proposes an alternative plausible explanation to the apparent paradox of the *divergent variation of experimental G values*, "despite" constant improvements in the measurement systems: the redefined $G(=v_g^2 / \rho_{PW})$ varies direct-proportionally (and exponentially!) with the square of v_g and inverse-proportionally with ρ_{PW} AND both v_g and ρ_{PW} may slightly vary when any experiment (of determining big G) takes place on Earth, while Earth moves through various regions of our 4DST (by moving around its axis, around the Sun WHILE simultaneous movement of our solar system in our galaxy etc). More specifically, the distance d between the two

(experimentally) tested POs (with masses m_1 and m_2 respectively) is measured using photons at the speed of light c (by using laser-based measurements): that is why, in the G-based scalar

$$F_g = \frac{v_g^2}{\rho_{PW}} \frac{m_1 m_2}{d^2} \left(\approx \frac{v_g^2}{\rho_{PW}} \frac{m_1 m_2}{c^2 t^2} \right), \text{ the squared ratio}$$

$$\left(v_{e_1} / c \right)^2 \text{ may plausibly alter the experimental big G values up to}$$

 $(v_g + c)$ may plausibly after the experimental big G values up to deviations of ±(0.1%-0.2%) (as measured by various highlyaccurate experiments in the last decade). Some small variations of ρ_{PW} may also occur in some regions of our 3DS "swept" by Earth in its various movements (concomitant to the big G determination experiments taking place on Earth). **Prediction**. The larger big G experimental values are predicted to correspond to those experiments in which v_g reaches its closest values to c.

4. References

[1] <u>Andrei-Lucian Drăgoi (February 2020)</u>. (FESTH - v1.0 - 2.02.2020 - 7.5 A4 pages without references) A proposed set of relatively new conjectures and hypotheses in modern physics, mainly the concept of subquantum movement (SQM), the finite "elasticity" of spacetime hypothesis (FESTH), the self-repulsiveness of electromagnetic charge (SR-EMC) and the plausible gravitational significance of the fine structure constant (GS-FSC). Research Gate preprint with DOI: <u>10.13140/RG.2.2.36382.69441</u>. <u>URL1a</u> (Research Gate main source), <u>URL1b</u> (Academia secondary source), <u>URL1c</u> (Vixra secondary source), <u>URL1d</u> (GSJ secondary source), <u>URL1e</u> (dragoii.com latest variant source).

[2] <u>Andrei-Lucian Drăgoi (January 2020)</u>. (QGR - v1.0 - 30.01.2020 - 11 A4 pages [without References]) (toy-model) Sketching a new Quantum General Relativity (QGR) variant mainly based on the redefinition of leptons (as quantum micro black holes composed from highly compressed single triquarks under a very strong quantum gravitational field [QGF]), a dual electro-gravitational interpretation of the fine structure constant (FSC), Planck wormholes ("Planck tubes") and a reinterpretation of Planck units in the "spirit" of Einstein's GR. Research Gate preprint with DOI: <u>10.13140/RG.2.2.15522.58567</u>. URL1a (Research Gate main source), <u>URL1b</u> (Academia secondary source), <u>URL1c</u> (Vixra secondary source), URL1d (GSJ secondary source), <u>URL1e</u> (dragoi.com latest variant source).

[3] <u>Andrei-Lucian Drăgoi (December 2019)</u>. (GTM - long variant 1.0 - 19.12.2019 - 8.5 A4 pages without references section) A simple Gravitational toy-model (GTM) mainly based on a new reinterpretation of the Newtonian/ universal gravitational constant (big G) which solves from "one-shot" the cosmological constant problem, the hierarchy problem, the dark energy problem and the singularity problem (GTMa, GTMb and GTMc). Research Gate preprint with DOI: <u>10.13140/RG.2.2.14361.77926</u>. <u>URL1a</u> (Research Gate main source), <u>URL1b</u> (Academia secondary source). <u>URL1e</u> (dragoii.com latest variant source).

- a. (GTM short variant 1.0 19.12.2019 7 A4 pages without references section). Research Gate preprint with DOI: <u>10.13140/RG.2.2.31138.99525</u>. <u>URL1a</u> (Research Gate main source), <u>URL1b</u> (Academia secondary source). <u>URL1e</u> (dragoii.com latest variant source)
- b. (GTM very short variant 1.0 19.12.2019 4.5 A4 pages without references section). Research Gate preprint with DOI: <u>10.13140/RG.2.2.25738.82885</u>. <u>URL1a</u> (Research Gate main source), <u>URL1b</u> (Academia secondary source). <u>URL1e</u> (dragoii.com latest variant source).

[4] <u>Andrei-Lucian Drăgoi (July 2019)</u>. (SGUM - version 1.0 - 9.07.2019 - 10 pages) A "Simply...Gravitonic" Universe (toy-)Model (SGUM). Wiki-like Research Gate preprint. DOI: <u>10.13140/RG.2.2.28671.36003</u>. <u>URL1a</u> (Research Gate source), <u>URL1b</u> (Academia source), <u>URL1c</u> (Vixra source), <u>URL1d</u> (GSJournal source).

[5] <u>Andrei-Lucian Drăgoi (October 2019)</u>. (MUM - short version 1.0 - 22.10.2019 - 4 A4 pages without references) A "Mirrored" Universe (toy-)Model (MUM) based on a relative big G, a variable quantum big G and a finite mass ambitus of our universe (short variant of the original full preprint). Research Gate preprint with DOI: <u>10.13140/RG.2.2.11788.05763</u>. URL1a (Research Gate main source), <u>URL1b</u> (Academia secondary source). <u>URL1c</u> (Vixra secondary source), <u>URL1d</u> (GSJ secondary source), <u>URL1e</u> (dragoii.com latest variant source).

3

[6] <u>Andrei-Lucian Drăgoi (October 2019)</u>. (MUM – [long] version 1.0 - 21.10.2019 - 7 A4 pages) A "Mirrored" Universe (toy-)Model (MUM) based on a relative big G, a variable quantum big G and a finite mass ambitus of our universe. Research Gate preprint with DOI: 10.13140/RG.2.2.35738.18885. URL1a (Research Gate main source), URL1b (Academia secondary source). URL1c (Vixra secondary source), URL1d (GSJ secondary source), URL1e (dragoii.com latest variant source).

[7] <u>Andrei-Lucian Drăgoi (August 2019)</u>. (DRH – v 1.0 - 28.08.2019 - 4 pages A4) A Dimensional Relativity Hypothesis (DRH), Research Gate preprint with DOI: 10.13140/RG.2.2.30254.87368. <u>URL1a</u> (Research Gate main source), <u>URL1b</u> (Academia secondary source), <u>URL1e</u> (Vixra secondary source), <u>URL1e</u> (dragoii.com latest variant source), <u>URL1e</u> (GSJ secondary source).

[8] <u>Andrei-Lucian Drăgoi (August 2019)</u>. (ACUM - version 1.0 - 25.08.2019 - 7 pages) An elegant Adimensional Cyclic Universe (toy-) Model (ACUM) mainly based on the electrograviton hypothesis (EGH), the quantized gravitational waves hypothesis (QGW-Hyp) and the dimensional relativity hypothesis (DRH). Research Gate preprint with DOI 10.13140/RG.2.2.13834.82881. URL1a (Research Gate main source), URL1b (Academia secondary source), URL1c (Vixra secondary source), URL1d (dragoii.com latest variant source), URL1e (GSJ secondary source).

[9] <u>Andrei-Lucian Drăgoi (June 2019)</u>. (LifeAsEmergent - version 1.0 - 6 pages - 20.06.2019) On the very low probability of complex life forms to be just emergent phenomena and about the "continuous" versus "intermittent" free will. Wiki-like Research Gate preprint. DOI: <u>10.13140/RG.2.2.2592.58887</u>. <u>URL1a</u> (Research Gate source), <u>URL1b</u> (Academia source), <u>URL1c</u> (Vixra source), <u>URL1d</u> (GSJournal source).

[10] <u>Andrei-Lucian Drăgoi (April 2019</u>). (LFs and gravity – working paper – variant 1.0 – 7 pages – 13.04.2019) Life forms, "hybrid" causality, gravity and hierarchical parallel universes. Research Gate preprint. DOI: <u>10.13140/RG.2.2.19089.28009</u>. URLs: <u>URL1a</u> (Research Gate source), <u>URL1b</u> (Academia source), <u>URL1c</u> (Vixra source), <u>URL1d</u> (GSJournal source).

[11] <u>Andrei-Lucian Drăgoi (January 2019</u>). (eSR – short version – 4 pages – 3.01.2018) An extended Special relativity (eSR) containing a set of universal equivalence principles and predicting a quantized spacetime. Research Gate preprint. DOI: 10.13140/RG.2.2.29665.35686. URL (Research Gate source).

[12] Andrei-Lucian Drăgoi (December 2018). (eSR – version 1.0 – 6 pages – 20.12.2018) An extended Special relativity (eSR) containing a set of universal equivalence principles and predicting a quantized spacetime. Research Gate preprint. DOI: 10.13140/RG.2.2.10208.53764. URL (Research Gate source).

[13] <u>Andrei-Lucian Drăgoi (December 2018)</u>. (eZEH article-like preprint – version 1.0 – 8 pages -12.12.2018) An extended zero-energy hypothesis predicting the existence of negative-energy gravitons and possibly explaining the accelerated expansion of our universe. Research Gate preprint. DOI: <u>10.13140/RG.2.2.36245.99044</u>. <u>URL</u> (Research Gate source).

[14] <u>Andrei-Lucian Drăgoi (August 2018)</u>. (IP-GP – version 1.0 – 15 pages – 14.08.2018) **On** the intrinsic paradox of the geometric point definition (solved using the Included Middle Logic) as the main cause of Euclid's postulate "inaccuracy", allowing the existence not only of non-Euclidean geometries but also of a new "t-metamathematics" used to redefine the basics of General relativity, Quantum field theory, Superstring theories and M-theory. Research Gate preprint. DOI: <u>10.13140/RG.2.2.32439.42405</u>, <u>URL</u> (Research Gate source).

[15] Andrei-Lucian Drăgoi (August 2018). (eZEH – version 1.0 – 10 pages – 2.08.2018) An extended zero-energy hypothesis: on some possible quantum implications of a zero-energy universe, including the existence of negative-energy spin-1 gravitons (as the main spacetime "creators") and a (macrocosmic) black-hole (bh) Casimir effect (bhCE) which may explain the accelerated expansion of our universe. Research Gate preprint. DOI: 10.13140/RG.2.2.31515.36642. URL (Research Gate source).

[16] <u>Andrei-Lucian Drăgoi (September 2017)</u>. (FSC-TS – preprint – version 7.2 – 28 pages – 15.09.2017) On a plausible triple electro-gravito-informational significance of the fine structure constant and its implications in a plausible four fields unification pattern at Planck scale and the existence of life forms in our universe. Research Gate preprint. DOI: 10.13140/RG.2.2.13114.39365. URL (Research Gate source).

[17] Andrei-Lucian Drăgoi (May 2017). (version 1.1 – 12 pages – 5.06.2017) A preonic toy model of all known elementary particles based on 1D and 2D branes. Research Gate preprint. DOI: 10.13140/RG.2.2.26817.97123. URL.

[18] <u>Andrei-Lucian Drăgoi (May 2017</u>). (version 2.3 – 12 pages – 6.06.2017) A cyclic toy model of the universe based on a quantized spacetime predesigned for life (technical essay).

Research Gate preprint – Version: 2.3, In Progress. DOI: <u>10.13140/RG.2.2.22391.83369</u>. URL (Research Gate source).

[19] <u>Andrei-Lucian Drăgoi (April 2017)</u>. (version 2.0 – 28 pages – 9.05.2017) A cyclic toy model of the universe predesigned for life, based on preonic quantized branes and a very strong 2D gravitational field as a candidate for a unified primordial field. Research Gate preprint – Version: 2.0, In Progress. DOI: <u>10.13140/RG.2.2.24084.30087</u>. URL (Research Gate source).

[20] Andrei-Lucian Drăgoi (February 2017). (BIDUM 3.2 full – Part A – 18 pages – last update on: 23.02.2017) A Bio-Info-Digital Universe (toy-)Model – towards a transdisciplinary TOE centered on life phenomenon – Part A. Research Gate preprint. DOI: 10.13140/RG.2.2.23869.26082. URL (Research Gate source)

[21] <u>Andrei-Lucian Drăgoi (February 2017</u>). (BIDUM 3.2 full – Part B – 20 pages – last update on: 23.02.2017) A Bio-Info-Digital Universe (toy-)Model – towards a transdisciplinary TOE centered on life phenomenon – Part B. Research Gate preprint . DOI: 10.13140/RG.2.2.35013.65760/1. URL (Research Gate source).

[22] <u>Andrei-Lucian Drăgoi (September 2016)</u>. (BIDUM 3.1 beta version – 24 pages – data) A toy model of the universe based on a large numbers hypothesis inspired by Edward Teller – towards a TOE centered on life phenomenon. Research Gate preprint. DOI: (see other related DOIs 10.13140/RG.2.2.23869.26082 ^[URL2] and <u>10.13140/RG.2.2.35013.65760/1</u> ^[URL2]). URL (Research Gate source).

[23] <u>Andrei-Lucian Drăgoi (May 2018)</u>. (DVTM – PSIJ – Short Research Article – 30.05.2018 – 19 pages) (Toy-model) A Simple "Digital" Vacuum Composed of Space Voxels with Quantized Energetic States (Physical Science International Journal, ISSN: 2348-0130, Vol.: 18, Issue.: 1). DOI: <u>10.9734/PSIJ/2018/41391</u>. <u>URL0</u> (original source); <u>URL1</u> (Research Gate source);

[24] <u>Andrei-Lucian Drăgoi (July 2017)</u>. (PSIJ – Short Research Article – 29.07.2017) On a Plausible Triple Electro-gravito-informational Significance of the Fine Structure Constant (Physical Science International Journal, ISSN: 2348-0130, Vol. 15, Issue 3). DOI: 10.9734/PSIJ/2017/34613 (URL-CrossRef.org). URL0 (original source); URL1 (Research Gate source);

[25] Maldacena, Juan; Susskind, Leonard (2013). "Cool horizons for entangled black holes". Fortschritte der Physik ("Progress of physics") 61 (9): 781–811. arXiv: 1306.0533. Bibcode: 2013ForPh..61..781M. DOI: 10.1002/prop.201300020.

[26] Susskind, Leonard (2016). "Copenhagen vs Everett, Teleportation, and ER=EPR". Fortschritte der Physik ("Progress of physics"). 64 (6–7): 551–564. arXiv: <u>1604.02589</u>. Bibcode: <u>2016ForPh..64..551S</u>. doi: <u>10.1002/prop.201600036</u>.

[27] Estakhr, Ahmad Reza (2016). "Planck Force is Tension of Spacetime (General Relativity & Estakhr's expression of Einstein Field Equation)". 2016 Annual Meeting of the Far West Section of the American Physical Society (APS), Volume 61, Number 17, Abstract ID: BAPS.2016.FWS.G1.31, Abstract: G1.00031, Friday–Saturday, October 28–29, 2016; Davis, California, Session G1: Poster Session 4:00 PM, Friday, October 28, 2016, Conference Center Room: Lobby. Retrieved on 20.10.2019 from URL http://meetings.aps.org/link/BAPS.2016.FWS.G1.31, which redirects to http://meetings.aps.org/Meeting/FWS16/Event/286265