The Mirror Symmetric Reflective Multiverse with Fermion Propeller Repelling Black Holes.

Leo Vuyk, Architect, the Netherlands.

Abstract,

We humans are our own entangled reflections from far away, in the mirror symmetric Muliverse.

The Base for the Ultimate Theory of Everything (TOE) is the reflective entangled multiverse supported by:

John Cramer's TI is the same as CP (Charge Parity) symmetric multiverse entanglement. (clocks are running only backwards over there)

TI is: Transactional Interpretation between mirror symmetric wavefunctions.

Libet's retarded measurement results between RPI and RPII, are assumed to be the support for TI.

Bohmian Double Slit Interpretation also seems to need a reflective entangled Universes, and the Benjamin Libet experiment.

Mirror symmetry could solve the absence of antimatter in one universe like our sole material universe.

My predictions for the TOE (Q-FFF Theory)

- 1: black holes are non singular knots of strings pressed together by the oscillating Axion-Higgs string vacuum lattice with variable Planck distances between transition nodes.
- 2: The universe is an entangled part of dual Charge Parity symmetric Charge Parity symmetric raspberry shaped bubble multiverse.
- 3: The multiverse is cyclic by the consumption of smaller black holes by larger black holes the content of the universe is decreasing including the vacuum.
- 4: Electric Birkeland Current Production Two Herbig Haro Black Holes in space can be miniaturized to microscopic magnetic interference Stable Ball Lightnings on Earth
- 5: Local Electricity currents can be created (in the future on earth), by small dual stable Ball Lightning Herbig Haro systems on earth for free energy.
- 6: Consiousness and human choice making is created by retardation of different readiness potentials times measured by Benjamin Libet on test humans on earth.
- 7: Benjamin Libet test results (RPI and RPII) suggest that we live inside one of the simulated 8-12 copy universes in the multiverse.
- 8: As a result, we live with the illusion that we make our own decisions alone.

- 9: The decision making in the universe is also described by John Cramer as a "Transactional Interpretation" (TI).
- 10: Also Bohmian double slit one photon interference experiment seems to be based on the former TI principle.

Introduction.

New Physics is supposed to be obtained by the architecture of Quantum FFF (Function Follows Form) Theory.

Could we live in a rigid string based information universe? (fig 20-21) Characteristics:

- 1: The clear MICROSTRUCTURE or the 3D FORM of rigid elementary particles, (also called 3DPreons) made out of convertible Higgs particles, is responsible for "Bound states of Fermions" and composite Quarks.
- 2: A massless Axion Higgs particle is supposed to be energetic oscillating, it is the origin all particle motion and spin states and Dark energy inside a truncated tetrahedron shaped chiral vacuum lattice. The lattice chirality (left or right handed) is the origin of our material universe. Axion-Higgs particles are zero point "Planck Oscillators" the origin of the Casimir force, waiting to be harnessed as free energy.
- 3: Nothing sucks in physics, Gravitons act with less pressure on Fermions than the Axion Higgs vacuum (dark energy) and everything is entangled by instant communication between at least two anti-copy universe or Raspberry multiverse, being entangled since the big bang. 4: Black holes of all sizes (down to interference black holes like ball lightning) do not emit gravitons, they feel only Casimir Gravity of the vacuum oscillations so they are massless but counter intuitively the origin of dark matter and producers of all Hydrogen by electron and Positron pairs as horizon fluctuations and repel all Fermionic plasma at the BH horizon accelerated by the negative charged electron shell around each black hole.
- 5: The Multiverse is Pulsating by two phenomena, A; vacuum (Higgs) eating new paradigm dark matter black holes (causing the Hubble redshift) and B: by universal expansion caused by the oscillation vacuum force (Dark energy) of the Axion Higgs vacuum lattice.

FUNCTION FOLLOWS FORM in Quantum FFF-Theory. The Microstructure of elementary particles, is supposed to be the origin of functional differences between Higgs- Photon- and propeller shaped Fermion particles.

Something small is missing in mainstream physics: a NEW splitting and pairing Massless black hole, the origin of all dark matter, Ball Lightning Micro Comets, Comets, Sunspots up to Galaxy external Anchor Black Holes and the Big Crunch of the CP symmetric pulsating raspberry shaped multiverse.

The multiverse can be compared with a huge pinball machine, with dark energy in the form of linear oscillating double Higgs pins as the origin of photonic collision products with the

propeller shaped Fermions as balls. All forces are the result of this entangled Pin-Ball interaction.

The 125GeV Higgs Boson recently found in the LHC is assumed to be not a single but a threefold knot of monopole magnetic particles (North or South).

The 125GeV energy is the base for universal dark energy, the frequency is the base for local time and the length a base for the Planck scale. (Twin Higgs, Dual Higgs, Duplex Higgs, or Tandem Higgs)

As a result, an unstable Higgs vacuum seems to be present around all black hole horizons due to observed H2 plasma production and annihilation radiation created by pair production of positrons and electrons. (Instability of the Higgs field)

The Lyman alpha Structure of the universe seems to be the result of the H2 production and black hole splitting process, which seems to be supported by the recently observed huge Quasar Groups found by R.Clowes, et al. (Ref: 96) and the recent UHECR (Ultra High Energetic Cosmic Rays) observations from the Pierre Auger Observatory.(Ref. 97.) Consequently this seems to be a new support to consider new astrophysical models such an alternative Big Bang black hole splitting process.

THE HOLY GRAIL OF SCIENCES: THE TOE.

In Quantum FFF Theory, Fermions are supposed to be small rigid transformer strings with a propeller shape, able to become compound particles to form Quarks.

Different elementary particles have different qualities by their different complex stringy shape. Leptons and Quarks have a propeller shape with left or right handed pitch creating charge difference. Gluons, Photons and Neutrino particles have no comparable pitch.

The rigid FORM and Microstructure of elementary particles (rigid strings), is supposed to be the origin of functional differences between Higgs- Graviton- Photon- and Fermion particles. As a consequence, a new splitting, accelerating and pairing new paradigm Dark Matter Black Hole, (DMBH) seem to be able to convert vacuum particle energy (ZPE) into real plasma which could explain quick Galaxy- and Star formation, by so called Galaxy- or Stellar Anchor Black Holes (GABHs respectively SABHs).

These Anchor Black Holes can be observed as Herbig Haro (HH) Hotspots or Bowshocks. Recent observation of two High Energy Cosmic Ray Hotspots, (HECRHs) at solar polar locations, (Big Dipper and Southern cross) is reason to assume in accord with new physics of Quantum FFF Theory, that these hotspots represents the locations of our Solar Anchor Black Hole (the North-and South SABHs).

At the same time in the Quantum FFF model, it is proposed that early Galaxies also are created by dual black hole (HH) systems being former Big Bang black hole splintered primordial dark matter black holes.

They will be called Galaxy Anchor Black Holes (GABHs)

As a consequence, the standard Hot Big Bang with Hot plasma and Hydrogen as the base for everything has to be rejected.

Recent observation of a faint galaxy without a dark matter content (NGC 1052 DF2) seems to be created by the star forming capacity even by triple pairing dark matter black hole nuclei, located in the center of the surrounding globular star clusters assumed to have a triangular topology.

New Quantum Physics.

Quantum FFF theory states, that the vacuum is seeded with fast oscillating massless Axion-Higgs particles, oscillating along a complex chiral tetrahedral vacuum lattice, which has the ability to transfer Photon and Graviton FORM information in bunches of oscillations, through the vacuum lattice with the local speed of light. As a consequence there is no attraction forces on propeller shaped Fermions. Gravity seems to be the result of two different impulse arrays: the massless Axion-Higgs impulse array and the opposing (less effective) massless Graviton impulse array.

As a consequence Black holes suffer only Higgs impulses and NO gravitons are escaping because the nucleus of the black hole is supposed to be a super dense knot of real rigid Axion Higgs particles. Only the statistical sum of the different kinds of vacuum impulses from all directions on Fermions is responsible for all (energetic) phenomena in the universe. The accelerating plasma tail of NEW paradigm black holes, and the splitting black holes by smaller pairing black holes is supposed to be the origin of a smooth proliferation of black holes in the universe. The Eagle Spire Nebula, (fig. 7) the Carina and other nebulas are examples of a smooth proliferation of black holes through Galaxies and Nebula. What we can observe in these nebulas is the pairing and splitting of black holes ending up into multiple Herbig Haro objects as the origin of new stars as the start of small open star clusters..

Our sun is supposed to be also a remnant of a former open star cluster located in between two Stellar Anchor black holes, representing the so called hotspots of a former Herbig Haro object. (figure 1 and 3)

The solar planetary system and planets are supposed to be expelled from the ever growing Sun by instable stellar rotation effects.

As a result we may discriminate two different kinds of stars:

Stars accompanied by two or even more Stellar Anchor Black holes (SABHs) and stars that are not.

As a result we may observe clear differences in the way stars form planetary nebula at the end of their life.

There are Planetary Nebula's (PNs) with and without clear hotspots located on both sides of the symmetrical exploded gas distribution.

Next pages should give visual support for these statements.

Short historic reference.

It was **Abdus Salam** who proposed that quarks and leptons should have a sub-quantum level structure, and that they are compound hardrock particles with a specific non-zero sized form. **Jean Paul Vigier** postulated that quarks and leptons are "pushed around" by an energetic sea of vacuum particles.

David Bohm suggested in contrast with The "Copenhagen interpretation", that reality is not created by the eye of the human observer, and second: elementary particles should be "guided by a pilot wave".

John Bell argued that the motion of mass related to the surrounding vacuum reference frame, should originate real

"Lorentz-transformations", and also real relativistic measurable contraction.

Richard Feynman postulated the idea of an all pervading energetic quantum vacuum. He rejected it, because it should originate resistance for every mass in motion, relative to the reference frame of the quantum vacuum.

However, I postulate the strange and counter intuitive possibility, that this resistance for mass in motion, can be compensated, if we combine the ideas of Vigier, Bell, Bohm and Salam, and a new dual universal Bohmian "pilot wave", which is interpreted as the EPR correlation (or Big Bang entanglement) between individual elementary anti-mirror particles, living in dual universes.




Figure :A Schrodinger's cat problem is solved by Cramer's TI. No human eye is needed for cats

Alternative Standard Model of Quantum FFF Theory

With ONE Axion-Higgs Mother particle

The Axion- Higgs Vacuum Field particle is coded OOO, representing three closed Rigid String hinges of the mother rigid ring, able to rotate in steps over 90 degrees into L,U and R: Left Up and Right,




Figure 1, most rigid string particles with much dualities, (stil undiscovered) described by only three hinges and 4x possible rotations of 90 degrees. (ULRO)




Figure 2, Galaxy Anchor Black Hole by triple Pairing of DMBHs, of NGC 1052 DF2

Dual Solar Hotspots as remnants of former Herbig Haro system suggested in 2014, by Quantum FFF Theory and found later (2015) by K.Kawata et all. (UHECR)




Figure 3, UHECR = Ultra High Energty Cosmic Radiation by A Percelli ICRC 2015. PRD90122005 (2014) and A. Kawata et al. ICRC 2015.

The origine of Double MWC922 interference rings



Figure 4, The Red Square Planetary nebula MWC922, equipped with double cone structure of expelled material including trailing starspots (Micro Black Holes). There are FOUR cones of interferences originated by the two Stellar Anchor black holes (SABHs). These four cones seem to interfere with the TWO cones of expelled material of the star, leading to FOUR rings of interference.




Figure 5, Axion Higgs Vacuum structure around a set of two Black holes, as is found to be present around Planetary nebula and early Galaxies and Herbig Haro objects.




Figure 6, Cygnus A, equipped with Galaxy Anchor Black Holes (GABHs) clear electron jets and Hotspots, showing ionized gas production.





This Exploding Star /Planetary Nebula M2-9, is presenting only two Stellar Anchor black holes located at A and B. The star is located at C. The shape of this system is an example of double ring shaped dark matter/ sunspot gravity influence.



This Exploding Star /Planetary Nebula is presenting even a double pair of Stellar Anchor black holes located at A,B,C and D.. Our solar system is supposed to have also at least two Stellar Anchor black holes located on both sides of the planetary plane..

Figure 7, The Spire Eagle nebula, with two Planetary nebula, examples of the importance of black holes in the universe.





Figure 8, Dual Quasar/ Galaxy and Cluster forming relation in the early universe after Dark Matter Black Hole nuclear Big Bang splitting.

Fermion/ Dust production and repulsion at small (Herbig Haro) black hole horizons during and after fractal inflation.



According to Quantum FFF Theory, there is no fermion information loss, only photonic information loss in a black hole. Quantum fluctuations around the BH horizon produce pairs of leptons. e-,e+ and even compound quarks (d,u, etc, see Fermion 3D string propeller theory: Fermion repelling by spin flip). For tripple BH horizons see image nrs 7, 10 and 11. Event horizon=7, Inner photon ring = 10, Outer photon ring = 11. Conclusion The Big Bang did not produce instantly all the Fermions in the universes. Even now lots of Fermions are produced by all BHs even the largest primordial Big bang splinters located outside large galaxies. see also: http://vixra.org/abs/1410.0039




Figure 9, Principle of Fermion repulsion around a black hole according to Quantum FFF theory..

First evidence for a Solar Anchor Black hole: a Cosmic Ray Hotspot

A mysterious source of high energy cosmic rays are found north near the Big Dipper (university of Utah) In addition: the south pole IceCube experiment found concentrated neutrino sources at north and south locations (see upper figure, nrs.23+18) Both could repesent the Stellar Anchor Black Hole (SABH) locations of the sun, according to Q-FFF theory.




Figure: 10, 9-july 2014. first evidence for the first Solar Anchor Black Hole. (SABH) A hotspot with powerful cosmic rays found under the Big Dipper, by the University of Utah. Now (2017) however the southern counterpart (the second SABH hotspot) is found. See also: http://www.sciencedaily.com/releases/2014/07/140708092910.htm

Mystery of the "super string of young stars" around two merging giant ellipticals in the cluster <u>SDSS</u>

<u>J1531+3414</u> solved by the merging and stabilisation into multiple new star forming Herbig Haro systems of both Galaxy Anchor Black Holes (GABHs) systems of both galaxies. (according to Quantum FFF theory)




Figure: 11, Gravity lensed light through central hole in the globular Shell of Dark matter Black Holes or Galaxy Anchor Black Holes (GABHs). The absence of GABHs in the centre is supposed to do the job.

Some dual dark matter black hole related structures and HH systems.




Figure 12, The new paradigm.

The pairing and splitting of Electric Dark Matter Black Holes into dual Herbig Haro bowshocks, as the fast creation and proliferation of Stars and galaxies after the splitting bigbang.




Figure 13, Examples of HH objects and dual DMBH pairing

How massive galaxy clusters are formed in the early Universe. According to Quantum Abundance of X-shaped radio sour-FFF theory, the Big Bang process is the result of a fractal shaped splitting and evaporating BB dark matter black hole process creating the Lyman Alpha structure of galaxy distribution. By the evaporation of BB "spliters" (14) the oscillating Higgs field vacuum is created by the so called "Branched inflation". Retarded Black hole splinters (13) do ces with off-axis distortions. With not evaporate by Higgs vacuum pressure, but create plasma "tails" pushing them awa from the center of gravity in search for a partner to form a Herbig Haro system.(16,17 Z=0.2-0.8. by D.H.Roberts et al. in line with the Quantum FFF model. Black hole leaving the preeting place for stable Herbig Haro location (A) or unstable gas PILLAR creation (B). The unstable tail swing is guided by external Tail B gravity sources like the RECEDING opposing micro black BHS hole gravity and other more distant (Nebula) source Black hole leaving the meeting place for stable Herbig Haro location (A) or unstable gas tail

Figure 14, Abundance of X shaped radio sources.

Secondary and tertiary Dual BH Herbig Haro systems, as the origin of different shaped dwarf galaxies and Star clusters.

Below: Simplification of different sized dual black hole (5) based Herbig Haro Systems with dwarf and star formation in between, in the halo of the MW.

Dual Galaxy- and Stellar Anchor Black Holes (G-SABHs) as former Herbig Haro bowshocks, observed in deep space or Planetary Nebula.





Figure 15, Secondary and Tertiary Dual BH HH systems.

Bok Nebula ESO 9934 with indication for a Micro-Herbig Haro dual BH system inside. According to Quantum FFF Theory.



Two aligned stellar alike strings (A) starting from the central white hole (B) located between the Herbig haro Black Holes (C)




Figure 16, BOK Nebula ESO 9934.

Examples of Magnetic Monopole Condensations (Rigid Strings) leading to variable Higgs masses, Erebons and Micro Black Holes.

Composite rigid transformable string models based on 3x internal-90 degr. step rotation of the Axion-Higgs Torus made of primordial matter.

Geometrical proposal for the sub-quantum structure of 6 Leptons and Quarks interpreted as compound Photon/Electron Position propeller combinations. Muon- and Tau particles seem to show up as family members of the Down respectivily Charm Quarks.

The basic rigid transformable Axion string Torus with aspect ratio (=7) and 1x splitting and 3x hinges made of primordial matter, according to Quantum FFF Theory.

Axion /Higgs

Axion /Higgs

All Photons (1xgraviton, 2x electric-,2x mgnetic and 1x general x-gamma-ray photon) and two Fermions, are transformed direct out of the massless Axion/Higgs ring, by internal hinge rotation over 90 degree steps. Electric Dark Matter Black Holes (EDMBHs or EREBONS (Penrose) are formed by 3 or 4 photon knots (ball lightning). Neutrinos are single transformed photons or fermions.



Figure 17, Examples of Rigid string topology.

Rigid String Quantum (3 or 4x) Ring Knots, adding up to higher mass unstable micro quantum black hole nuclei.





'Black Hole Splitting for (TDRG)' J1216+0709

Black hole splitting as the origin of spiral Galaxies Markarian 231 as the Infant Stage of




Figure 18. Black hole splitting and merging possibilities.

Ultra Diffuse Galaxies (UDGs) formed inside Clusters between GABHs (External Galaxy Anchor Black Holes= Dark Matter point sources). According to Quantum FFF Theory.




Figure 19. How galaxy clusters come together, with faint new formed galaxies in the center.

Bouncing/ Cyclic Multiverse. The Big Bang and Big Crunch originated by Black Hole splitting, pairing and recycling into massive growing central galaxy black holes, according to Qauntum FFF Theory. Below: The pairing and splitting premordial Big Bang black holes as creators of spiral galaxies, able to merge and form elliptical galaxies, (like M87) Low entropy Vacuum Pressure decrease equipped with a central growing black hole. Big Crunch $K>0 \Lambda=0$ Higss field vacuum volume Critical Vacu-Early galaxies um perssure Big Bang Vacuum Pressure decrease Low entropy Big Crunch Herbig Haro system Herbig Haro system **Dual Galaxy** Anchor BHs perals! Dual Galaxy Anchor BHs Galaxy Central BHs growing by merger BHs of S-Novas as a start of a contracting Universe into a Big Crunch. Ellipticals

Figure 20, The big Bang splitting of the Dark Matter Black Hole nucleus.

We seem to live in a rigid string based information universe.

See image:

Interference Quantum Black Holes (left) could travel through the LHC machine at CERN without notice and produce UFO dust particles by decay heat.


IF Quantum black holes have no propeller spin or EM charge, then we could live in a rigid string based information universe. http://vixra.org/pdf/1707.0189v2.pdf and: http://vixra.org/pdf/1306.0218v1.pdf




Figure 21, Rigid string topology with sub quantum structure able to make quantum knots of different masses and functions.

Three or more Higgs models in a 3D Rigid String System.

In 1012 the Atlas particle smasher in LHC found two distinct possible Higgs masses around 125GeV.: 123.5 and 126 GeV. Later a bump was found around 375 GeV. Here I present 3D suggestions for such bumps in a Rigid String based Quantum FFF model.



The New Standard Model of Quantum FFF Theory, with Transformer Toroid Axion Higgs, (*AxHi*) as the zero mass Virgin String particle.



and 375

Figure 22, Three or more Higgs models in a 3D Rgid String system.

Non Inertial Gravitating Dark Matter Black holes.

Axion/Higgs

According to Quantum FFF Theory, stable Black Holes are growing by "eating" the gravitating (Casimir) pressure vacuum without the standard gravity related inertial effects, the result is that 1: Small BHs seem to concentrate around the central giant Galaxy BH. 2: Galaxy cluster mergers like Abell 520 overshoot and leaving behind their own Dark Matter content.





Figure 23, Non inertial Gravitating Dark Matter Black Holes and some specific astrophysical effects.

Suggestion for the origin of UFO dust particles inside the LHC at CERN: particle based Quantum Knot heating according to Quantum FFF theory.



Comparison of UFO dust particles diam. 10 mu.m at CERN (left) inside ceramic tubes and on Silicon discharge globules in the lab. 100 mu m (Right)



Below (in yellow) the Quantum Knot trajectory




Figure 24. Magnetic Interference microscopic Higgs black holes, (quantum Knots) with heating effects in silicon and as CERN LHC UFO dust particles.

Multiple Horizons created around Supernova Black Holes.

Proposal for the relation between different S-Nova shapes and the external primordial black hole configuration called Herbig Haro hotspot or Stellar Anchor Black Holes (SABHs)

Different Super Nova shapes are created around two star types: Multiple Charge-Fermion attraction-A: Stars with distant "dual or quadrupole Stellar Anchor Black or repulsion- and photon horizons Holes" assumed to be located in the center of a former open star cluster. (SN1987, NGC2440, Crab Nebula) B: stars without SABHs. (SN1572) Our sun is equipped with two sunspot rings assumed to be of type A, with two SABHs, according to Quantum Function Follows Form Theory. String Knot, not singularity! Ejected Starspot black holes (former Comet nuclei., with a ring or globule form), able to pair into new stellar Herbig Haro hotspot systems examples: NGC 2440, Crab Nebula and NGC 1987. Nebula diameter Standiamete

Figure 25, Super Nova Starspot Black Holes forming small Herbig Haro systems.





Figure 26, Black Hole Ratrios with absorbing consequences.

Tripple Black Hole horizons found by NASA in accordance with Quantum FFF theory..



For tripple B-H horizons in Quantum FFF theory see (nrs: 7: Event horizon, 10: Inner photon ring, (10+11 = Fermion repulsion zone) 11: Photon ring)




Figure 27, Different horizons around the Black Hole.

effects like pair production (e-,e+). 8: test masses.

9: Butterfly shaped Higgs/photon Fermion pushing curves in 2D.

10 and 11: Fermion repulsion zone. Due to the propeller shape of the

The New Black Hole according to the Quantum-FFF Model: Negative Charged (outside) and Fermion (Plasma) Creation out of the massless Axion-Higgs String vacuum. (Fermion repulsion).




Figure 28, Negative charged Black hole at the outide, positive at the inside originated by the chiral vacuum.



Figure 29, examples of rigid string vased monopole particles.




Figure 30., Detailes of vacuum synchrotron motion around a black hole with plasma creation and tail.

In Adittion.

According to Quantum FFF Theory, (Function Follows Form) the FORM and microstructure of elementary particles, is supposed to be the origin of FUNCTIONAL differences between HiggsGraviton- Photon- and Fermion particles.

As a result, a NEW paradigm of splitting-,accelerating- and pairing Black Hole seems to be able to accelerate itself by a -Zero Point Energy driven-self created plasma tails (by a new Quantum Fluctuation process), to form dumbbell systems, of two or even more black holes.

Inside Nebula these dumbbell systems are called Herbig Haro systems.

I think that Stephen Hawking did not calculate with the possibility of a chiral oscillating Higgs field vacuum lattice combined with propeller shaped Fermions. Then, due to Vacuum Chirality, Electron- and Positron propellers could both pushed away from the BH horizon after spin flip polarization at different distances, forming two charged separated spheres. With quark (plasma) formation in between.

Based on such a simple object (propeller and process) oriented ontology, Black Holes could be imagined as charge splitters violating the 2e law af thermodynamics, combined with a continuous microscopic big bang plasma creation process!

The result I try to describe:

1: Black holes are the same as Dark Matter, they all consume photons, even gravitons and the Higgs field, but REPEL Fermions due to their propeller shape. They produce electric charged plasma.

- 2: Dark Energy is the oscillating (Casimir) energy of the Higgs Field equipped with a tetrahedron lattice structure with variable Planck length..
- 3: Quantum Gravity = Dual Push gravity = Attraction (Higgs-Casimir opposing Graviton push).
- 4: The Big Bang is a Splitting dark matter Big Bang Black Hole (BBBH), splitting into smaller Primordial Big Bang Spinters (PBBS) forming the Fractalic Lyman Alpha forest and evaporating partly into a zero mass energetic oscillating Higgs particle based Higgs field. 5: Dual PBBSs hotspots, produce central plasma concentration in electric Herbig Haro systems as a base for star formation in open star clusters as a start for Spiral Galaxies. 6: Spiral Galaxies will keep both Primordial Dark Matter Black Holes as Galaxy Anchor Black Holes (GABHs) at long distance.
- 7: After Galaxy Merging, these GABHs are the origin of Galaxy- and Magnetic field complexity and distant dwarf galaxies .
- 8: Black Holes produce Plasma direct out of the Higgs field because two Higgs particles are convertible into symmetric electron and positron (or even dual quark-) propellers (by BH horizon fluctuations).
- 9: The chirality of the (spiraling) vacuum lattice is the origin our material universe. (propeller shaped positrons merge preferentially first with gluons to form (u) Quarks to form Hydrogen. 10: The first Supernovas produce medium sized Black Holes as the base for secondary Herbig Haro systems and open star clusters.
- 11: ALL Dark Matter Black Holes are supposed to be charge separators with internal positive charge and an external globular shell of negative charged Quark electron plasma.
- 12: The lightspeed is related to gravity fields like the earth with long extinction distances to adapt with the solar gravity field.
- 13. Quantum FFF Theory states that the raspberry shaped multiverse is symmetric and instant entangled down to the smallest quantum level. Also down to living and dying CATS in BOXES.
- 14 Large Primordial Big Bang Spinters (PBBS) are responsible for the creation of the Lyman Alpha forest structure and first spiral galaxy forming of the universe, but they seem to be also responsible for the implosion of the universe at the end in the form of Galaxy Anchor Black Holes (GABHs) located mainly outside galaxies. see: (Quasisoft Chandra sources) 15, As a consequence of 12-14, Time is always local time in combination with cyclic period time of the multiverse.
- 16, If our material universes has a chiral left handed oscillating Higgs field, then our material Right Handed DNA helix molecule could be explained. However it also suggests that in our opposing symmetric anti-material entangled neighbor universe the DNA helix should have a Left handed spiral.

According to Max Tegmark: in an entangled multiverse we may ask: is there COPY PERSON over there, who is reading the same lines as I do? If this copy person is indeed living over there, then even our consciousness should be shared in a sort of entangled democratic form. Then we are not alone with our thoughts and doubts, see: Democratic Free Will in the instant Entangled Multiverse.

17, All particles and waves should be entangled with anti-copy particles and Higgs field based waves in our opposing anti universes. Then wave particle duality and the so called one particle double slit interference could be explained by accepting that real shaped 3D photon particles only exist in their function of Gluons. However Gluons should transfer form information to

the oscillating luminiferous Higgs field ether, within about 1 cm distance from a fermion.(see: Babock and Bergman anomaly,1964)

- 18, Different elementary particles have different qualities by their different complex stringy shape. Leptons and Quarks have a propeller shape with left or right handed pitch creating charge difference. Gluons, Photons and Neutrino particles have no pitch.
- All particles can be converted to one or more Higgs particles, Lepto Quarks can be compound particles.
- All particles are assumed to be present as Higgs particles already in the cyclic Big Bang Black Hole (BBBH) after the former multiverse has collapsed into a Big Crunch Black Hole. 22, We seem to live inside one material universal bubble of an instant entangled (Charge Parity Time) CPT symmetric raspberry bubble multiverse. Each quantum jump or wave function collapse or human choice is guided by this instant entanglement at long distant. If our material universes has a chiral oscillating Higgs field, then our material Right Handed DNA helix molecule could be explained. However it also suggests that in our opposing Anti materialmultiverse neighbour universe the DNA helix should have a left handed spiral. According to Max Tegmark: in an entangled multiverse we may ask: is There copy pesron over there, who is reading the same lines as I do? If this copy person is indeed living over there, then even our consciousness should be shared in a sort of democratic form.

References;

See: The reflective multiverse of set theory CLLAM Seminar: Paul Gorbow EVENEMANG

Datum: 26 april 2019 10:00 - 26 april 2019 :The reflective multiverse of set theory I present a construction of a model of an expansion of set theory. It embodies a conception of a multiverse of universes of set theory, with an untyped notion of truth-relative-to-a-universe. https://www.philosophy.su.se/forskning/projekt-och-centra/cllam/cllam-seminar-paul-gorbow-1.423192?cache

New evidence that the highest energy cosmic rays come from beyond our galaxy.

 $\frac{http://www.sciencemag.org/news/2017/09/ultra-high-energy-cosmic-rays-comegalaxies far-far-away}{}$

R.Clowes et al. A structure in the early universe at z 1.3 that exceeds the homogeneity scale of the R-W concordance cosmology, see: http://arxiv.org/pdf/1211.6256v1.pdf

Books: The New God Particle and Free Will. Author: Leo Vuyk, LuLu publishers, 2008.ISBN number 978-1-4092-1031- http://www.lulu.com/spotlight/LeoVuyk

Quantum FFF Theory is also published in the form of POSTERS at the

Flickr site: http://www.flickr.com/photos/93308747@N05/ Numbered

listing (latest) of Vixra essays by Leo Vuyk.

http://vixra.org/author/leo_vuyk

and on my blog: https://bigbang-entanglement.blogspot.nl/

Most recent papers.:

[139] viXra:2006.0130 Different Levitation Systems Observed in Big Basin UFOs, EMEC and Anti Maxwell Effect and Free Energy.

[138] viXra:2006.0071 Dual Centrifugal Fermion based Synchrotron Space Thrusters, EMEC.

[137] viXra:2006.0069 Dual Centrifugal Fermion based Synchrotron Space

[136] viXra:2005.0212 Em Drive Space Thrusters Without Lorentz Reaction Force,

- [135] viXra:2005.0193 Em Drive Space Thrusters Without Lorentz Reaction Force,
- [134] viXra:2005.0123 Alternative Michelson and Morley Experiment Between Two
- [133] viXra:2004.0638 New Physics EM Drive Space Thrusters and Fermion
- [132] <u>viXra:2002.0094</u> Electric Birkeland Current Production Between Two Herbig Haro Black Holes or
- [131] <u>viXra:2002.0074</u> 3-Dimensional Rigid Transformer Strings with Composite Topological Strings
- [130] <u>viXra:2002.0073</u> The Origin of "Ultra Diffuse Galaxies" in Galaxy Cluster Centers and the Start Inside the Contracting Abell 520.
- [129] viXra:1911.0346 The Cyclic Undivided Raspberry Multiverse.
- [128] <u>viXra:1909.0417</u> The Magic Fermion Repelling Stringy Fuzzball Black Hole, the Origin of a Cyclic Raspberry Multiverse.
- [127] <u>viXra:1907.0250</u> The Conscious Readiness Potential Ratio Multiverse with Transactional Interpretation of J. Cramer.
- [126] viXra:1905.0244 EM Drive Thruster by Anti Maxwell Dual Monopole Tubular Interference Field Reduction Around a Conductor.
- [125] viXra:1905.0123 The Conscious Undivided Multiverse,
- [124] viXra:1904.0599 The Origin of Universal Structure: Herbig Haro -Electric Dark Matter Black Hole- Systems.
- [123] viXra:1903.0447 Black Hole Creation and Destruction of the Cyclic Conscious Multiverse.
- [122] viXra:1903.0347 Visualizing Subatomic Particles as Building Blocks of the Universe.
- [121] viXra:1903.0102 What Is Wrong With Physics?
- [120] viXra:1902.0349 The Electric Universe by Electric Dark Matter Big Bang Black Holes of Quantum FFF Theory.
- [119] viXra:1902.0201 Novel Ideas About Dark Matter and the SuSy Multiverse.
- [118] viXra:1901.0426 4x and 3x Interference for Stringy Bose Einstein Black Hole Production.
- [117] viXra:1812.0228 Equal Sized Rigid String Based New Black Holes do not Merge But, Form Herbig Haro Systems.
- [116] viXra:1812.0095 E = not Mc2 in Massless Black Holes According to Quantum FFF Theory.
- [115] viXra:1811.0125 Testing Proposals for Human Free Will in the Raspberry Multiverse, Local Entanglement and M&M Lightspeed.
- [114] viXra:1811.0002 Big Bang Energy out of Nothing, or a Compressed Rigid String Nucleus
- [113] viXra:1809.0189 Apparent Violation of the Second Law, Around Black Hole Nuclei and Other Quantum Knots.
- [112] viXra:1807.0437 Preference for Dual Herbig Haro Black Hole Consumption by the Central MW Black Hole, Leaving Plasma Jets Behind.
- [111] viXra:1806.0368 A Fifth Force Vacuum Dipole Repeller, Needed to Create All Attraction Forces Even Around Black Holes in Quantum FFF Theory.
- [110] viXra:1806.0298 Expanding Earth, by Growing Water based Crashed Comet core.
- [109] viXra:1806.0068 Primordial Electric Dark Matter Black Holes Outside Galaxies Responsible for the Creation and Contraction of a Cyclic Multi-Universe.
- [108] viXra:1805.0541 Tidal Star Disruption Events (TDE) by Fermion Repelling Black Holes in Quantum FFF Theory.
- [107] viXra:1805.0307 Fulgurite Created by Lightning Bullet Also Known as Ball Lightning, According to Quantum FFF Theory

- [106] viXra:1804.0138 Dark Matter Black Hole Galaxy Hierarchy According to Quantum FFF Theory.
- [105] viXra:1803.0100 Free Will Readiness Potential Ratios, the Key for a Multiverse Number Calculation.
- [104] viXra:1803.0093 Skyrmion Interference Black Holes, Photonic Molecules, Ball Lightning, Micro Comets, Sprite-Fireballs and Sunspots According to Quantum FFF Theory.
- [103] viXra:1801.0121 Quantum FFF Theory, a Conscious String Theory with Different Vacuum Trajectories for Axion-Higgs Field/ Photons Respectively Fermions, Gluons and Bosons.
- [102] viXra:1801.0040 A Consciousness Theory of Everything based on Rigid Transformable Strings, Instantly Entangled Between 8 or 12 CP Symmetric Universal Bubbles.
- [101] viXra:1712.0349 Tabby Star's Support for New Pysics Starspot Black Holes of Quantum FFF Theory.
- [100] viXra:1712.0122 The Massless Axion-Higgs Vacuum Rigid String Particle, Even in Micro and Macro Dark Matter Black Hole Nuclei.
- [99] viXra:1711.0443 The Semi Classical Model of Quantum FFF Theory based on Symmetric Transformable Entangled Rigid Strings.
- [98] viXra:1711.0379 The Raspberry Shaped Multiverse, Pulsating Between Big Crunch and Big Bang, Based on Rigid Transformable Massless Axion Higgs Particles.
- [97] viXra:1711.0327 The Einstein Cross Lensing Effect Explained by the Quadruple Dark Matter Formation Process of Edge-on Spiral Galaxies, According to Quantum FFF Theory.
- [96] viXra:1711.0237 Higgs Particle Based SIMPs for Ancient and Future (Stone) Cutting Technology.
- [95] viXra:1711.0112 Higgs Quantum Knots is Dark Matter is Black Holes or: Higgs Dark Matter Black Holes.
- [94] viXra:1710.0257 Kilonova Merger Black Holes as the Origin of Dark Matter Black Hole Halo Population.
- [93] viXra:1710.0115 Grand Unification of 4 Forces According to the Quantum FFF Model by di-Monopole Repeller Rigid String Pressure.
- [92] viXra:1710.0050 Emergent Gravity by Dipole Repeller Rigid String Pressure the Origin of Quantum Gravity and Non Inertial Black Holes.
- [91] viXra:1710.0034 The New Physics Black Hole Nucleus: Gravity Without Inertial Mass Effects
- [90] viXra:1709.Dual Solar Anchor Black Holes or Herbig Haro Hotspots, the Origin of Quick Star Formation.
- [90] viXra:1708.0170 Action Without Reaction Symmetry for em Space Propulsion Thruster Technology.
- [89] viXra:1708.0083 Dipole Repeller Gravity Effects at Different Universal Scales as the Origin of Large Scale and Local Quantum Gravity and Hubble Redshift.
- [88] viXra:1707.0224 The Magic of the New Electric Dark Matter Black Hole on Earth and Space.
- [87] viXra:1707.0189 Black Hole Nuclei as a Bunch of Rigid Transformable Higgs Strings Splitting by Relative Small Companion Mergers or Decreased Vacuum Pressure. [86] viXra:1706.0490 The Origin of "Dead" Galaxies.

- [85] viXra:1706.0420 Mass in Motion According to Quantum FFF Theory.
 [84] viXra:1706.0413 Magnetic Monopole Test to Demonstrate the Existence of a Anti Maxwell Dead Zone Around a Current in a Wire.
 [83] viXra:1705.0153 A Different Black Hole Horizon Interpretation Leading to
- [82] viXra:1705.0026 The Magic of Life- and Matter Creating Self Propelled Electric Dark Matter Black Holes Guided by a Holographic Entangled symmetric Multiverse System.

Entropy Reduction and Violation of the Second Law.

- [81] viXra:1704.0272 Interference Black Holes, Ball Lightning, Micro Comets, Sprite Fireballs and Sunspots According to Quantum FFF Theory. [80] viXra:1704.0150 The Origin of Life and the Need for a Rigid String Propeller Fermion Model Combined with a Chiral Vacuum Lattice and Micro Interference Black Holes
- [79] viXra:1704.0133 2. Signals for Retarded Single Big Bang Black Hole Nucleus Splitting and Pairing into Dual Black Hole Herbig Haro Systems [78] viXra:1704.0047 Bohmian Double Slit Interpretation by Dual Entangled Universes, and the Benjamin Libet Experiment. [77] viXra:1704.0003 A Testable CP Symmetric Multiverse Model by Extended Experiments, Done by the Late Benjamin Libet in 1964.
- [76] viXra:1702.0109 CP Symmetry Between Material and Anti Material Copy Universes Combined with Local- and Multi-Universal Cycle Time.
- [75] viXra:1702.0040 The Alternative Origin of Hubble Redshift : Vacuum Absorption by black holes as a Support for Quantum Dipole Repeller Gravity and a Contracting Universe.
- [74] viXra:1701.0633 Local and Multi-Universal Cycle Time According to Quantum FFF Theory. (FFF= Function Follows Form)
- [73] viXra:1612.0365 John S. Bell Was Right: "How to Teach Special Relativity" and Atomic Pear Shaped Contraction.
- [72] viXra:1612.0026 Democratic Free Will and Telepathy in the Instant Entangled
- [71] viXra:1611.0226 Galaxy Cluster Merging and Vacuum Absorption by black holes as a Support for Quantum Dipole Repeller Gravity and a Contracting Universe.
- [70] viXra:1611.0101 Observed Dual Higgs Mass 124-126 Gev and the Chirality of the Vacuum Lattice.
- [69] viXra:1611.0031 Rigid String Cosmology with a Massless AxionHiggs Oscillating Photon Vacuum Lattice and Massive Quantum Knots.
- [68] viXra:1611.0005 Electric Dark Matter Black Holes in the Moon (Orientale Basin)
- [67] viXra:1609.0407 New Physics Elements in the Quantum Function Follows Form Model.
- [66] viXra:1608.0329 God Seems to Play Dice with Dual Entangled Pinball Machines in a Super symmetric (Susy) Multiverse
- [65] viXra:1607.0376 Axion-Higgs 3-Dimensional Rigid Transformable Strings and the Compound 650 GeV Z-Z Decay into Quarks/Lepto quarks.

- [64] viXra:1605.0257 Reaction Less Drive by Anti Maxwell Dead Zone Around a Wire.
- [63] viXra:1604.0372 Herbig Haro Hotspots or Bow shocks Are the Origin of Star Formation, not the Result as the Mainstream Suggest. [62] viXra:1604.0229 Er=epr in the Super symmetric Cyclic Multiverse and in the Lab Without Strange Cats.
- [59] viXra:1505.0101 The Origin of Bok Globules and Molecular Clouds, Splitting and Pairing Electric Dark Matter Black Holes.
- [58] viXra:1503.0186 Primordial Dark Matter Black Holes Outside Galaxies Responsible for the Creation and Contraction of a Cyclic Universe? 22
- [57] viXra:1503.0097 Quantum FFF Theory, Poster News 4.2
- [56] viXra:1502.0086 Parity and Chirality as a Base for Quark-Gluon Plasma and Dust Creating Black Holes and the Beginning and End of Time..
- [55] viXra:1411.0039 Quantum FFF Theory, Poster News 2
- [54] viXra:1410.0039 Evidence for Dark Matter Black Hole Based Plasma, Dust and Ice Production Inside Comets Like 67P,C-G. and the Growing Earth.
- [53] viXra:1409.0164 The O'Connell Effect in Eclipsing Binaries Explained by Mass Related Light Speed Extinction Distances (Lasof) of Stars and Even Planets.
- [52] viXra:1407.0001 Evidence for Evaporating Dark Matter Particles in Silicon Fireballs.
- [51] viXra:1406.0076 Galaxy Formation and Evolution According to Quantum FFF Theory.
- [50] viXra:1406.0019 Quantum FFF Theory Proposals for Some Unsolved Physics Problems.
- [49] viXra:1405.0224 Dual Star Ejection in Open Star Clusters by the Central Star.
- [48] viXra:1404.0151 Future Free Energy of New Physics Ball Lightning Black Holes, the Origin of a Super Social Society or the Opposite? [47] viXra:1404.0002 Proposal for the Origin of Unexpected Large BModes Found in the Bicep2 Measurements.
- [46] viXra:1402.0132 Reconciliation of GR and QM by a New GravityBlack Hole and Lightspeed Model Called Quantum- FFF Theory. [45] viXra:1402.0044 The Impossible Zero Point Electric Black Hole as the Origin of New Physics even for Comets like 67P,C-G.
- [44] viXra:1401.0115 Calabi Yau Shaped Double Fermion Spin States.
- [43] viXra:1401.0071 Democratic Free Will in the Instant Entangled Multiverse.
- [42] viXra:1312.0143 The Navel Cord Multiverse with Raspberry Shape, a Super Symmetric Entangled 12 Fold Bubble Universe.
- [41] viXra:1312.0076 Are Sunspots Made of Gravitating Dark Matter Black Holes?

- [40] viXra:1310.0101 The New Nuclear Magic Number (34) Explained by the Polar Coaxial Ring System of Quantum FFF Theory.
- [39] viXra:1310.0059 The Semi Relativistic Higgs Field Aether with Mass Related Lightspeed Adaptation.
- [38] viXra:1309.0081 New Physics by Table Top Experiments.
- [37] viXra:1308.0083 23 The Raspberry Shaped Super Symmetric Multiverse
- [36] viXra:1307.0068 Quantum Function Follows Form Theory, the Small Scale, Posters part 1.
- [35] viXra:1307.0067 Quantum Function Follows Form Theory, the Large Scale, Posters part 2.
- [34] viXra:1306.0218) Dark Matter UFO Dust Particles or Quantum Knots in the LHC at CERN?
- [33], viXra:1306.0065 The Splitting Dark Matter- Black Hole- Big Bang and the Cyclic Multiverse.
- [32], viXra:1305.0140 Quantum FFF Theory Experiments, a Summary [31], viXra:1305.0041 The Shnoll Effect Explained by Quantum FFF Theory.
- [30], viXra:1304.0022 The Self Organizing Universe in the Carina Nebula.
- [29], viXra:1303.0211 Hubble Redshift Combined with Universal Contraction is Possible.
- [28], viXra:1303.0053 Micro Birkeland Currents Between Two RF Generated Plasma Balls in the Laboratory.
- [27], viXra:1302.0172 Silicon Based Ball Lightning Globule Structures and Signs for Accumulation and Retarded Decrease of Tunneling Energy Bullets.
- [26], viXra:1301.0088 Two or Three Large Quasar Groups (LQGs) Located at the Start of Two or Three Lyman Alpha Systems and a Part of the Raspberry Multiverse?
- [25], viXra:1301.0050 Dwarf Galaxies and Their Relation with Dark Matter Based Galaxy Anchor Black Holes (Gabhs).
- [24], viXra:1210.0177 Instant Broglie Bohm Pilot Waves, the Origin of All Entanglement Effects in the Lab and Wavefunction Collapses in Our Universe as Related to Our Opposing Anti-Copy Universe(s) According to Quantum FFF Theory.
- [23], viXra:1209.0092 New Dark Matter Black Holes and a New Dark Energy Higgs Field, Lead to a Bouncing CP Symmetrical Multiverse, and New Experiments.
- [22], viXra:1209.0061 Birkeland Currents, Sunspots, Comets and Ball Lightning Originated by New Paradigm Dark Matter Black Holes. [21], viXra:1209.0030 Majorana and Sterile Neutrino Solutions in the Quantum-FFF Model.
- [20], viXra:1208.0031 Clumpy Dark Matter Around Dwarf Galaxies a Support for an Alternative Black Hole Theory According to the Quantum Function Follows Form Model.
- [19], viXra:1202.0091 Earth Magnetic Monopole Array Field Interaction with Cyclotron Synchrotron Electrons and Muon Conversion Used for Levitation Systems.

- [18], viXra:1201.0092 Earth Magnetic Monopole Array Field Interaction with Cyclotron Electrons used for Levitation Systems.
- [17], viXra:1112.0065 24 LHC Signals Between 121-130 Gev Interpreted with Quantum-FFF Theory
- [16], viXra:1111.0096 Reconciliation of QM and GR and the Need for a Pulsating Entangled CPT Symmetric Raspberry Shaped Multiverse.
- [15], viXra:1111.0061 Black Hole Horizon Curvature Dependent Balance Between Plasma Creation and e-e+ Annihilation in Quantum FFF Theory.
- [14], viXra:1108.0036 Artificial Ball Lightning Production and Exploitation Device for Zero

Point Electric Energy Usage.

- [13], viXra:1108.0006 Mass in Motion in Quantum FFF Theory.
- [12], viXra:1104.0083 Quantum FFF Theory in Posters.
- [11], viXra:1104.0044 Ball Lightning, Micro Comets, Sprite-Fireballs and X-Ray/gamma Flashes According to Quantum FFF Theory.
- [10], viXra:1104.0002 Stellar Anchor Black Holes as the Remnants of Former Herbig Haro Objects
- [9], viXra:1103.0097 ZPE Zero Point Energy Examples Around Black Holes.
- [8], viXra:1103.0068 Function Follows Form, at the Quantum Scale and Beyond.
- [7], viXra:1103.0024 Quantum Gravity and Electro Magnetic Forces in FFF Theory
- [6], viXra:1103.0015 Wavefunction Collapse and Human Choice-Making Inside an Entangled Mirror Symmetrical Multiverse.
- [5], viXra:1103.0011 An Alternative Black Hole, Provided with Entropy Decrease and Plasma Creation
- [4], viXra:1103.0002 3- Dimensional String Based Alternative Particles Model
- [3], viXra:1102.0056 Experiments to Determine the Mass Related Lightspeed Extinction Volume around massive objects.
- [2], viXra:1102.0054 Atomic Nuclear Geometry Based on Magic Number Logic. [1], viXra:1102.0052 Construction Principles for Chiral "atoms of Spacetim
