

A mathematical analysis of zero-dimensionality in deriving the natural numbers, offering a solution to Goldbach's conjecture and the Riemann hypothesis

Stephen H. Jarvis

ORCID: <http://orcid.org/0000-0003-3869-7694>

web: www.xemdir.com

email: stephen.jarvis@xemdir.com

Abstract: Examined here is zero-dimensional space, or more simply the mathematics and physics of a hypothetical point. The infinitesimal-infinite (scaling) paradox that exists with a point as zero-dimensional space is acknowledged and rectified. The solution presented is central to proposing hypothetical time-points for zero-dimensional space from an infinitesimal scale to an infinite scale as timespace. The next step is to then locate a timespace time-point relative to another timespace time-point, creating the non-local dimensions of time-after and time-before. From such are derived 1d, 2d, and 3d timespace. By such, a mathematical formalism is developed for this timespace to establish the natural numbers and associated primes. By this process Goldbach's conjecture can be shown to be upheld in using 1d timespace. Similarly, the Riemann hypothesis is shown to be upheld in using a 2d timespace complex plane. From there 3d timespace is shown to exhibit prime number features relevant to physical phenomena, there the fundamental relationship between EM and gravity.

Mathematics subject classification: 11M26

Keywords: Goldbach's conjecture; Riemann hypothesis; zero-dimensionality; timespace; golden ratio

1. Introduction

Do numbers require the ideas of time and space? Do time and space require the idea of numbers? Do time, space, and numbers require each other? Could time and space be connected with a mathematics of zero-dimensionality, with the mathematics of a point? Indeed, such is a quest of physics

theory with the utility of mathematics, namely using point-to-point analysis of physical phenomena, yet how well has the mathematics of a point been defined, namely the mathematics of zero-dimensionality?

Although physics describes time and space using mathematical theory, here time and space shall be used as fundamental concepts if not objects to explain *number theory* in first proposing a new and required mathematics of zero-dimensionality, namely the mathematics of a point.

Here it will be demonstrated that time and space as objects/concepts serve the ideal basis for number theory, something which David Hilbert proposed, namely pure mathematics forming the underlying feature of the phenomenality of space and time. Here though the mathematics of zero-dimensionality will not be ignored.

Thus, here it will be shown that numbers have a primary function and co-dependency with the fundamental ideas of time and space via a proposed mathematics of zero-dimensionality, or more simply the mathematics of a point. To achieve such, *new objectivity* for the number 0 is required in alliance with 1 and ω , such in accompanying the objects if not characters of time and space, and thus a *new mathematical description base* for 0, 1, and ω is achieved.

This paper follows on from the current work of Temporal Mechanics [1-43], specifically paper 43 [43] which proposed the basic mathematics of zero-dimensional space. There, the problem with assuming a point as *just a point* is highlighted and rectified. Highlighted there [43] was:

- The current status of cosmology theory and how it employs the idea of zero-dimensional space, namely the presumed conditions pre big bang (before the big bang) and post big bang (ahead of the big bang shock front).
- The discrepancy between a pre big bang condition of a “point” and the region presumably ahead of the post big bang shock front.
- The measurement anomalies between those two “points” of zero-dimensional space and time (*infinitesimal* and *infinite*) are highlighted and resolved.

Of note in this paper is how *this new time and space objectivity of numbers*, fundamentally for 0, 1, and the idea of ω , *can thence derive the set of prime numbers from 0 to ω* , and how those primes would then relate to each other. Of particular note is how the prime number grouping can reveal a golden ratio code derived from the mathematical analysis of zero-dimensional space as *timespace*. That derivation will be demonstrated to form the basis for a time-equation for space and thence how that golden ratio time-equation in providing an absolute account of numbers from 0 to ω can then relate specifically to both Euler’s number e and the complex number plane. In this way both Goldbach’s conjecture and Riemann’s hypothesis are visualized and confirmed.

In achieving such, the paper will be sectioned as follows:

1. Introduction

2. Zero-dimensionality
3. 0, 1, ∞ , space, and time
4. Zero-dimensionality and the \mathbb{O}_0^p realm
5. Zero-dimensional $t_N 1$ positions as *timespace objects*
6. Zero-dimensional $t_N 1$ processes as 1d *timespace*: resolving Goldbach's conjecture
7. Zero-dimensional $t_N 1$ processes as 2d *timespace*: resolving the Riemann hypothesis
8. Zero-dimensional $t_N 1$ processes as 3d *timespace*: Temporal Mechanics
9. Conclusion

Although Riemann presented his 2d complex number and log-scale bridge between the two sides of Euler's zeta function equation (in bringing out the prime-numbers) the absoluteness of the complex number plane and log scale was still in question, hence the uncertainty around Riemann's hypothesis thence requiring constant calculation approaching infinite prime values.

Here, the proof for the absoluteness of Euler's number and Riemann's associated equations is executed by the mathematics of zero-dimensionality and its relationship to Euler's number e and the complex 2d plane. That proof is offered in sections 6-7 with the newly derived mathematics of 0-dimensional space and the underlying golden ratio (φ and $\frac{-1}{\varphi}$) code, namely how the golden ratio features of the mathematics of zero-dimensional space are highlighted in Goldbach's conjecture (section 6) and the Riemann hypothesis (section 7), thus establishing a zero-dimensional reference for a vector of primes in 1d (section 6), 2d (section 7), and thence 3d (section 8) *timespace*.

2. Zero-dimensionality

Contemporary ideas of zero-dimensional space are as follows:

- The mathematics of zero-dimensional space is considered as zero-dimensional topological space having *dimension zero* with respect to other non-zero dimensions of topological space, simply put graphically as a point.
- There, the "*metric*" of zero-dimensionality *is given as zero* in comparison to *what is not zero*, namely in being associated to accompanying non-zero dimensional spatial topologies; there, are the various mathematical descriptions for how to define such zero-dimensional spaces (as points) with other associated non-zero topologies.
- The closest idea mathematics provides for a stand-alone zero-dimensional space is the idea of a zero-dimensional *ball* as a *point(!)*.
- Mathematics also provides zero-dimensional space with the idea of the set of rational numbers [44] as the idea of "*subspace*" topology. Yet such by definition is zero-dimensional

“sub-space”, not zero-dimensional space. Indeed it is logical to think any of the rational numbers could be used to label a point, as is common practice, namely to label a point with a number despite that point still being zero-dimensional space. Such though is mere labelling, and not a true mathematical definition for zero-dimensional space.

The absence of contemporary works into zero-dimensionality therefore supports the notion of a great assumption if not travesty for the mathematics of zero-dimensionality having occurred. Incumbent to this travesty, the literature of Temporal Mechanics [1-43] has revealed the key problem with the *assumption* of a point, namely what presumably existed before the big bang, a point as one could only consider, and thence also what would still exist ahead of the big bang shock front, also a point; there, the problem is the *scale*, and Temporal Mechanics has identified this as the *infinitesimal-infinite* paradox of zero-dimensional space ([43]: p2-4).

Paper 43 ([43]: p2-12) thence delivered a mathematical description for zero-dimensional space, one that allowed a point as a 0-reference to be labelled for any reference in 3d space, provided that the *infinitesimal-infinite* paradox could be resolved. How such was achieved required defining zero-dimensional space with a new mathematics, specifically with new mathematical tags to accommodate for the ideas of 0 and ∞ , namely the *infinitesimal* scale (0) and the *infinite* scale (∞). Although such may appear to be creating new terms for mathematics and physics, the anomalous mathematical implications of the Λ CDM model nonetheless have required such to be so.

The process here in providing fuller definition to zero-dimensionality is as follows:

- *The basis for numbers and associated scale, namely 0, 1, and ∞ , needs to be described as a new proposal for this new zero-dimensional mathematics.*

In therefore cautiously approaching this process of definition for zero-dimensionality, the basic known and upheld ideas for numbers, time, and space shall be presented, which shall then pay attention to rectifying the *infinitesimal-infinite* scaling anomaly of zero-dimensionality (zero-dimensional space and time). The great irony though, if not paradox itself, is that to explain the following forthwith a new fundamental mathematics must be proposed, a new basis that then requests something unfamiliar to the thoughts of mathematicians and physicists alike. The hope is the following presents a case of deductive reasoning that is clear enough to be understood and followed.

3. 0, 1, ∞ , space, and time

3.1 *Numbers as objects*

A number quite simply is a *mathematical object* used to count, measure, identify, and label. The natural numbers (positive integers) 1, 2, 3..., are the whole numbers used for counting.

From there are the relationships between numbers most simply as fractions which are termed rational numbers.

Those fractions that are not expressions of real numbers are the irrational numbers.

There are positive numbers and negative numbers, generally dependent on their reference to the value 0 or even more simply as per their utility for addition and subtraction in calculations.

There are also other numbers such as i ($\sqrt{-1}$) forming the basis of what are known as complex numbers.

In short, numbers quantify things, either as a basic process of labelling, or used in mechanisms of calculations in their association with each other (addition, subtraction, multiplication, division, and exponentiation). Calculations with numbers are performed with arithmetical operations, commonly addition, subtraction, multiplication, division, and exponentiation.

With all of such, in numbers being primarily mathematical objects, they do not specify anything exclusive or particular unless requested to, namely unless applied to something exclusive or particular. There is nonetheless a possibility that numbers (such as primes) may by their particular association with each other represent a foundation for objective phenomena, and such will be examined here by first addressing the number 0 as an ideal mathematical reference object.

3.2 *The mathematical object of 0 as a spatial reference, and 1 as time*

As a mathematical object, the number 0 has an interesting past, only being formally employed as a mathematical object in the early Renaissance period. Traditionally 0 was considered as a type of void, an uncountable. Today 0 is considered as a reference point, namely the reference between the positive and negative numbers. 0 is also considered as a “0” result for calculations resulting in 0. 0 can also be arbitrarily defined as a baseline value for physical values (such as 0 Kelvin).

The question though this paper primarily asks is how the mathematics of 0 as a number can work for 3d space, namely how can a zero-dimensional point as zero-dimensional space relate with another zero-dimensional space *in the context of 3d space?*

The proposal in this paper is that the process of analysis and description for a zero-dimensional reference of space (a point) to relate with another zero-dimensional reference of space (another point) requires the idea of another universal reference not as space yet as that which is not space, proposed here as *time*, as the context of a universal moment, as a unit value, 1.

The proposal here is to consider this universal reference *accompanying space* as *time*, specifically as a unit value of time, not a 0 value for time, yet a unit value for time, as *time-now=1*, as t_N1 . Simply, t_N1 is proposed to exist for a zero-dimensional spatial realm of any size, *infinitesimal* or *infinite*, for of course the scale of space in this context in being zero-dimensional space has yet to be defined.

Such is not an intuitive thing to imagine, as our imagination is adjusted to thinking in terms of 1d time and 3d space regarding small and large scales. Yet the basis here is proposing that any infinite

number of zero-dimensional spatial points are related to one another temporally in being a part of the one moment, the *one* temporal realm as t_N1 . The problem here is the following:

- the scale at play for space (the *infinitesimal-infinite* paradox)
- and how indeed time as t_N1 relates with space.

The next question therefore to ask is how one zero-dimensional spatial point can be related to another zero-dimensional spatial point in the context of t_N1 , to relate time with space. To address this the idea of t_N1 as a mathematical object first needs to be addressed.

3.3 *The mathematical object of 1 as time*

Here the value t_N1 will form a key link with zero-dimensional space, proposed as *timespace*, as per the following proposals:

- The number 1 is to be *primarily* used with the idea of “time” as the concept of a moment, as t_N1 , namely *time-now=1*.
- Such is not to be confused with a length of time, namely not to be confused with the idea of *1 second*, yet here defined as a moment as a *primary* consideration for time and not a *secondary* consideration for time (as with addition and subtraction).
- Here t_N1 presents with the feature that if space as a fundamental consideration is a zero-dimensional construct, at its core, and time as a moment is proposed to represent the concept of 1, as t_N1 , then t_N1 can be applied to any concept, any number, as with multiplication and division, and still have no effect on that any number’s value.
- 1 of course added to or subtracted from any value changes that value by an increment of 1, which is considered as a *secondary* application of the number 1. Yet here on a fundamental level of consideration, as an *axiom*, the idea of 1 is to be fundamentally considered for a process of the datum reference of *time-now* for zero-dimensional space as t_N1 .
- Regardless of location in space, time for that space is always still existing as the moment regardless of one’s position or relative motion, as t_N1 .

By such, the idea of t_N1 for zero-dimensional space can be considered as an *axiom* in being self-evident:

The temporal moment is given symbolic mathematical value as time-now=1 (t_N1) for any zero-dimensional point reference of space.

The next question is how can this t_N1 realm for 0-space can lead to the idea of a position in space and thus determine a scale for 0-space?

4. Zero-dimensionality and the \odot_0^ω realm

Zero-dimensional (0d) space (or nildimensional space) is space with no dimension, simply imagined as a point. Zero-dimensional space is the idea of something without scale as a point, usually and commonly considered to be the concept of an *infinitesimally* sized point, despite such having no scale of size in being 0d. Simply, a 0d point could be any size as a point, as it has nothing to bear reference to as an *a priori*, as a standalone entity.

Let this problem be considered as the 0- ω paradox, namely whether zero-dimensional space as a point is *infinitesimal* (0) or *infinite* (ω).

To resolve this issue, let us consider the *infinitesimal* and *infinite* zero-dimensional realms as *one*, here proposed as \odot_0^ω , a symbol of a point surrounded by a circle in between and including the mathematical scales of 0 to ω , as a *single overall infinite set of infinitesimal zero-dimensional points*; the proposal here is to consider a *continuum between* the *infinitesimal* zero-dimensional reference and the *infinite* zero-dimensional reference, and nothing more just yet.

Consider this proposed *model* as the \odot_0^ω model.

The obvious issue here though is the idea of a point within a point, namely a lack of precise position/reference and scale.

If it were therefore required to find an infinitesimal zero-dimensional reference in that infinite zero-dimensional \odot_0^ω realm, a core infinitesimal point in that infinity, how would it be done?

The proposed process involves nominating that the entire \odot_0^ω realm represents a moment in time as the datum-reference of *time-now*. In other words, the concept of “time” is being employed to explain zero-dimensional space, nominated here as a moment (not a period) of time as the value of “1” noting that time by this description cannot be as “0” yet must represent a value, nominated as the value of 1, as $t_N = 1 (t_N1)$.

To be proposed is as follows:

Infinitesimal time-points, namely t_N1 associated to a zero-dimensional spatial object, as “timespace” objects, are proposed to exist anywhere and everywhere in the \odot_0^ω realm such that there would exist an infinite number of infinitesimal t_N1 time-points in this \odot_0^ω realm.

It would therefore follow that *timespace* objects as a t_N1 time-points (t_N1 associated to zero-dimensional space) bearing reference to another t_N1 time-point is still a moment in time in the context of an overall t_N1 moment of time for the \odot_0^∞ realm. The following then would hold true:

For every infinitesimal t_N1 zero-dimensional reference in the proposed \odot_0^∞ realm, time is as a moment as though there is a universal moment entanglement of t_N1 infinitely everywhere in the \odot_0^∞ realm.

The question now arises as to how time and space as these *timespace* time-points can develop as dimensions and not *infinitesimal* zero-dimensional point-analogues merely associated as integer sets of t_N1 time-points. Namely, how can an *infinitesimal* point in space as zero-dimensional space be *located/positioned* in reference to another *infinitesimal* point in time and space in the context of this entire *infinite* datum-reference of t_N1 time-points, such to create sets or dimensional extensions of t_N1 time-points (*timespace*) represented by the natural numbers?

5. Zero-dimensional t_N1 positions as *timespace* objects

Here the idea of *position* enters the \odot_0^∞ realm, which requires bearing reference from one t_N1 zero-dimensional reference to another t_N1 zero-dimensional reference as an altogether new event, as a spatial *dimensional* event, namely the spatial position of a nominated t_N1 zero-dimensional reference in the \odot_0^∞ *time-now* (t_N1) realm compared to another t_N1 zero-dimensional reference point.

Time here though as an *infinitesimal* time-point (t_N1) bearing reference to another *infinitesimal* time-point (t_N1) is still a moment in time.

Therefore, in order to generate dimensionality for space as distance, time must develop as a dimensional entity from its t_N1 status in order for space to also develop as a dimensional entity. The question is how.

The proposal here is to create two new *temporal positions* as *time-before* and *time-after* in regard to *time-now* (t_N1).

Why? *Time-now* must be *time-now* by definition of the general *infinitesimal* and *infinite* zero-dimensional reference realm (\odot_0^∞), as a universal moment, and so to create another *infinitesimal time-now* is to herald to another t_N1 reference, and thus technically the same t_N1 reference, which is disallowed as that condition already exists, namely t_N1 existing anywhere and everywhere. Thus, a new concept of a *position* of time relative to *time-now* must be created.

Here is the proposed concept of *time-after* as a new reference of time, say t_A , *time-after* being that step *beyond time-now*.

What is the position of *time-after*? The position of *time-after* is proposed to be *unknown*, as much as space is still 0-space and the reference grid scale is still indeterminate other than space being a 0-space non-dimensional point reference in the context of time-points all representing a moment.

Therefore, as a proposal thus far, $t_N = 1(t_N1)$, and $t_A=?$.

To say though there is a *time-after* event is to imply a *time-before* event relative to t_N1 , and thus there must be a *time-before* event also, somehow, say as t_B .

Thus, there would be three features for time, *time-now* (t_N), *time-after* (t_A), and *time-before* (t_B).

The proposal is that *time-now* (t_N) in alliance with this potential *time-before* (t_B) results in *time-after* (t_A).

The solution proposed here is that t_B in regard to t_N requires a negative sign for t_B (equation 1) given t_B would be a “backward/negative” step in reference to t_N if indeed *time-after* is a forward step *ahead of time-now*, namely t_B as a “before” concept in regard to t_N1 as a zero-dimensional space reference, and thus negative (-) in reference to 0. Thus:

$$(-t_B) + 1(t_N1) = \text{fundamental property A} \quad (1)$$

Yet, if time as t_N1 is the *time-now* basis, as a $\odot_0^{\infty} t_N1$ realm basis, t_N can also be per “ $-t_B$ ” as another valid mathematical fundamental property, as technically t_B would already be positioned *within* the t_N1 reference, as t_B would have already happened in the context of t_N1 as indeed it is proposed that the \odot_0^{∞} realm is a t_N1 realm. Thus:

$$\frac{1(t_N1)}{(-t_B)} = \text{fundamental property B} \quad (2)$$

Thus, if these two equations represent fundamental properties of time, and time itself is being defined as a $\odot_0^{\infty} t_N1$ realm, then fundamental property A must equate to fundamental property B:

$$(-t_B) + 1(t_N1) = \frac{1(t_N1)}{(-t_B)} \quad (3)$$

From equation 3:

$$t_B^2 - t_B = 1(t_N1) \quad (4)$$

$$t_B + 1(t_N1) = t_B^2 \quad (5)$$

Given there are only 3 proposed concepts for time, namely t_B , t_N , and t_A , then t_B^2 must be equivalent to t_A :

$$t_B + 1(t_N1) = t_A \quad (6)$$

Equation 6 is the proposed time-equation for *timespace*, noting that the quadratic solution to equation 5 as t_B is φ and $\frac{-1}{\varphi}$, the golden ratio.

These two values (φ and $\frac{-1}{\varphi}$) as the golden ratio are now proposed to function as two distinct references for time which can thence be used to formulate *spatial dimensionality* and thus *positioning*.

To now work with these features, let us take two Pythagorean algebraic vectors for t_B , one as φ the other as $\frac{-1}{\varphi}$, giving the hypotenuse as the value of $\sqrt{3}$, arriving at equation 7:

$$\left(\frac{-1}{\varphi}\right)^2 (t_A) + \varphi^2(t_A) \cong 3(t_N1) \quad (7)$$

How this 3 value manifests as *spatial dimensionality* is proposed to be how space is incorporated with *time-now* (t_N1) as a dimensional entity, namely 3d space associated to a universal time-now t_N1 event, simply as $3(t_N1)$.

Here the proposal is that $3(t_N1)$ from equation 7 represents a 3d vector grid as the 3 t_N1 dimensions of 0-space serving as the dimensional definition of a 3d spatial position in regard to t_N1 . This is proposed as a 3d *timespace* grid.

To note is that the $\sqrt{3}$ value can also be expressed with t_N1 as Pythagorean algebraic vectors resulting in a value of 2 as the hypotenuse; here it is proposed that the 2 value represents a double t_N1 as $2(t_N1)$, meaning there are proposed to be two t_N1 applications for each of the 3 dimensions of space. Of course, there are two golden ratio values, yet these two values have already been factored, thus a new concept must be considered when applying this $2(t_N1)$ factor to 3d space from a zero-dimensional (0d) reference point.

Here regarding $2(t_N1)$, 0-space is proposed to have 3 time-related dimensions (3d) incorporating 2 temporal outcomes for each of the 3 time-related axes; in creating a 0-space reference for each 3d time-spatial (*timespace*) vector grid, the $2(t_N1)$ value would represent the *dual* directions on each t_N1 vector axis from the 0d reference for 3d space.

To note is that in this process both t_B and t_A as non-localities (non- t_N1) are used together according to Pythagorean algebra to set a zero-dimensional reference for 3d space, as t_N1 points (zero-dimensional) in *timespace*. Although the values of the golden ratio are irrational, they are defined as being *non-local* in not being as t_N1 , yet together via Pythagorean algebra they form the locality for time-now (t_N1) as 3d space for a zero-dimensional point reference 0.

Thus, the idea of locality for zero-dimensionality comes by the golden ratio Pythagorean relationship in the context of the $\mathcal{O}_0^{\mathcal{P}}$ set.

The product of golden ratio values can be considered as a “plane” (2d) value, and when added to t_N1 results in 0, and thus by default a 0-dimensional reference of focus:

$$\varphi \cdot \frac{-1}{\varphi}(t_B) + 1(t_N1) = 0(t_A) \quad (8)$$

This $(\varphi \cdot \frac{-1}{\varphi})$ 2d plane value is negative and thus would represent a natural complex number plane.

As a complex number plane, the work of Leonard Euler has shown that $e^{i\pi} = -1$, namely $e^{ix} = \cos x + i \sin x$ where $x = \pi$, and thus $e^{i\pi}$ also representing a complex plane of the same value of $\varphi \cdot \frac{-1}{\varphi}$.

Thus:

$$\varphi \cdot \frac{-1}{\varphi} = e^{i\pi} \quad (9)$$

Thus, equation 8 becomes:

$$e^{i\pi}(t_B) + 1(t_N1) = 0(t_A) \quad (10)$$

The suggestion here is that the time-equation and its two golden ratio results of $t \varphi$ and $\frac{-1}{\varphi}$ represent the basis for a natural complex number 2d plane *instructed* by $e^{i\pi}$.

Thus, on the one hand the time-equation presents a natural 3d spatial grid, and on the other hand there also exists a 2d complex number plane awaiting fulfilment and description with the varying complex plane features of $e^{i\pi}$.

The next question therefore is, “how do the 1d, 2d, and 3d *timespace* grids *work*?”.

6. Zero-dimensional t_N1 processes as 1d *timespace*: resolving Goldbach’s conjecture

As proposed, there would exist an *infinite* number of *infinitesimal* zero-dimensional t_N1 references (basic *timespace* references) in the proposed \odot_0^{∞} realm.

To be now proposed for zero-dimensional *timespace* references in the 3d *timespace* realm is as follows:

The \mathbb{O}_0^ω realm is a prime number of timespace references in being divisible only by itself as ω or $t_N 1$.

The importance of this *proposed* ω -prime (ω -prime) precedent becomes apparent for sets of $t_N 1$ time-points (*timespace* objects) as primes forming all the integers, as shall be demonstrated.

Here, in the overall \mathbb{O}_0^ω realm in being a prime, namely ω -prime, it would follow that:

The proposed \mathbb{O}_0^ω realm would contain an infinite set of prime numbers, and thence the natural number system as mathematical object values from 0 to ω .

For any two primes added together along a hypothetical 1d time-spatial (*timespace*) grid, the condition of those two $t_N 1$ sets (each as primes) by that addition of primes must be upheld in the general context of an ω -prime set (as presented in section 3), ω being a prime.

It would naturally follow that in the context of ω -prime, for the addition of two primes there would be a resultant value that must be divisible by 2 (two $t_N 1$ sets, each as primes). Hence:

Any prime number added to another prime number must result in an even number.

The key point to consider here is ω as a prime, and thus ultimately if any two scales of ω are added together as primes (which incorporates the set of primes), and thus any two primes added together, then that value of those two sets of $t_N 1$ each as primes must still be divisible by 2 and thus together as a value must represent an even number:

$$\omega_{prime} + \omega_{prime} = 2\omega \text{ (even)} \quad (11)$$

Even though 2ω is beyond ω , the only allowable condition for such must be *within* the \mathbb{O}_0^ω set of natural numbers, namely as equation 11 where x can equal any value, including ω :

$$x\omega = \omega \quad (12)$$

This issue is underwritten by the \mathbb{O}_0^ω realm, as presented in section 3.

In this way it is now possible to visualize a pattern of twin-primes, namely primes separated by the value of 2. For indeed, does $\omega + 2 = prime$? According to the logic of equation 12 equation $\omega + x = \omega$ must also be upheld for any value of x .

In short, the limit for infinity is set at ω by definition, and thus technically $\omega + x = \omega$ must be upheld where x is any number including ω , noting $x\omega = \omega$ (eq.12).

As much as zero (0) is proposed to be a unique number concept with attributes unique for addition and multiplication, infinity (ω) is also proposed to be a unique number concept with attributes common to both addition and multiplication.

As such:

Mathematical operators are proposed to only work from 0 to ω where at any value for ω mathematical operators are proposed to become irrelevant in reaching the ω -prime level (ω as a prime).

Simply, as much as ω is unbound, the mathematical operators there are proposed to serve no purpose other than ω being (by the proposed *a priori*) a prime number holding an associated infinite set of primes.

It can thus be deduced that there would be an infinite number of twin-primes in an infinite set of primes if ω is a prime.

To be noted here therefore is that:

- any two primes added together in that context of equation 11 must result in an even number, thus resolving Goldbach's conjecture [45] which states that any two primes added together result in an even number.
- Goldbach's conjecture would be limited by ω -prime given equation 12.

Essentially, here a 1d vector is formed from the mathematics of zero-dimensionality for all primes and even numbers thence relating all the natural numbers by default.

The question now is whether the location of prime numbers as sets of $t_N 1$ can be calculated.

The proposal is that the location of primes on a hypothetical vector number line can be calculated in using Euler's equations [46] and Gauss' conjecture [47][48], particularly in using the 2d complex number plane and associated log-scale for primes, as proposed by Bernhard Riemann, as per the Riemann hypothesis [49].

7. Zero-dimensional $t_N 1$ processes as 2d *timespace*: resolving the Riemann hypothesis

Euler's number e is a tool of number relationships in describing how numbers relate in functions:

$$e = \sum_{n=0}^{\infty} \frac{1}{n!} = 1 + \frac{1}{1} + \frac{1}{1 \cdot 2} + \frac{1}{1 \cdot 2 \cdot 3} + \dots \cong 2.718282$$

(13)

e forms the basis of Euler's other key achievement, namely $e^{i\pi} + 1 = 0$ where $i^2 = -1$. This was derived via his limiting function:

$$e^z = \lim_{n \rightarrow \infty} \left(1 + \frac{z}{n}\right)^n \quad (14)$$

$e^{i\pi} = -1$ is of significance to zero-dimensional mathematics, as per section 4 equation 10, namely $e^{i\pi}(t_B) + 1(t_N1) = 0(t_A)$. There the golden ratio 2d plane equates to -1 , mathematically as a complex grid expressed as $e^{i\pi} = -1$.

Euler also defined number relationships with functions as associated to a complex number plane, as per $e^{i\pi} = -1$.

The next achievement of Euler is the Euler-Riemann zeta function [50]:

$$\zeta(s) = \sum_{n=1}^{\infty} \frac{1}{n^s} = \frac{1}{1^s} + \frac{1}{2^s} + \frac{1}{3^s} + \dots \quad (15)$$

Equation 15 applies for $Re(s) > 1$ as a mathematical function of a complex variable $s = \sigma + it$.

When $Re(s) > 1$ the function can be written where $\Gamma(s) = \int_0^{\infty} x^{s-1} e^{-x} dx$ as follows:

$$\zeta(s) = \sum_{n=1}^{\infty} \frac{1}{n^s} = \frac{1}{\Gamma(s)} \int_0^{\infty} \frac{x^{s-1}}{e^x - 1} dx \quad (16)$$

Euler then made the breakthrough step with his product formula in making a connection between the zeta function and prime numbers:

$$\sum_{n=1}^{\infty} \frac{1}{n^s} = \prod_{p \text{ prime}} \frac{1}{1 - p^{-s}} \quad (17)$$

Here, $\zeta(s)$ as the left hand side of equation 17 equates to the infinite product as the right hand side of the equation for all prime numbers p termed as *Euler products*.

Here, both sides of the Euler product converge for $Re(s) > 1$.

When $Re(s) = 1$ the harmonic series diverges for infinitely many primes:

$$\prod_{p \text{ prime}} \frac{p}{p-1} \quad (18)$$

The question then became one of how to predict the location of prime numbers from 0 to ω , and thus *the infinite number of primes in the overall ω -prime set*.

Thus, equation 17 is a way of relating the right hand side of the equation as the zeta function $\zeta(s)$ with an infinite series of all the prime numbers from 0 to ω . The issue though is finding where the primes appear as a progression from 0 to ω .

One application is the Gauss prime-counting function [47][48], namely the function that counts the number of primes less than or equal to a real number x , denoted by $\pi(x)$:

$$\pi(x) \cong \frac{x}{\log(x)} \quad (19)$$

This estimate (\cong) is held with the limiting function:

$$\lim_{n \rightarrow \infty} \frac{\pi(x)}{x/\log(x)} = 1 \quad (20)$$

Riemann thus applied the prime counting function as a log scale to a complex number plane in attempting to extract the position of primes on right hand side of equation 17 to a complex number grid for $\zeta(s)$ to thence find a correlation with the estimate (\cong) for $\zeta(s)$, and thus to event a more exact distribution locale of the primes on a number grid:

$$\pi(x) = \text{Li}(x) + O(\sqrt{x} \log x) \quad (21)$$

In parallel with that proposal, Riemann with his *analytic continuation* method for the zeta function showed that from the right hand side of equation 27 ($\prod_{p \text{ prime}} \frac{1}{1-p^{-s}}$) the complex case can hold:

$$\left(1 - \frac{1}{2^{s-1}}\right) \zeta(s) = \sum_{n=1}^{\infty} \frac{(-1)^{n+1}}{n^s} = \frac{1}{1^s} - \frac{1}{2^s} + \frac{1}{3^s} - \dots \quad (22)$$

Equation 22 is shown to converge where s has a positive real part. This is associated with equation 23 where the condition exists for a non-positive real part:

$$\zeta(s) = 2^s \pi^{s-1} \sin\left(\frac{\pi s}{2}\right) \Gamma(1-s) \zeta(1-s) \quad (23)$$

There, $\zeta(s) = 0$ is shown for negative even integers as $\sin(\pi s/2) = 0$ for those values.

Riemann showed that $\zeta(s) = 0$ for s being equivalent to the negative even integers $(-2, -4, -6\dots)$, known as the trivial zeros.

The $\zeta(s) = 0$ result for all other values of s were considered as the non-trivial zeros.

The interesting feature about the non-trivial zeros is that they lay on the complex numbers with their real part value of $s = \frac{1}{2}$.

What Riemann then proposed was that all these non-trivial zeros for $s = \frac{1}{2}$ represent prime numbers, as was the intention in using a complex plane with $\pi(x) \cong \frac{x}{\log(x)}$ (eq.17) as per his version of that equation as $\pi(x) = \text{Li}(x) + O(\sqrt{x} \log x)$.

Although equation 17 as $\pi(x) \cong \frac{x}{\log(x)}$ is an estimation (\cong), the specificity of using a complex number approach to equation 21 as $\pi(x) = \text{Li}(x) + O(\sqrt{x} \log x)$ is granted given that this approach is directly related to the specificity and ω -prime context of equations 8 and 10, namely $\varphi \cdot \frac{-1}{\varphi}(t_B) + 1(t_N1) = 0(t_A)$ and $e^{i\pi}(t_B) + 1(t_N1) = 0(t_A)$ respectively.

Such can now be presented in this Riemann hypothesis context.

The proposal *for the golden ratio result* of this Riemann hypothesis is in considering that the Riemann hypothesis should have analogous results for the golden ratio aspects of the mathematics of zero-dimensionality as what the Riemann hypothesis presents as zero results (both trivial and non-trivial).

Here, zero-dimensionality mathematics and the resultant golden ratio equation (time-equation) presents 8 basic conditions for the golden ratio analogue of the Riemann equations and associated hypothesis:

- (i) Each golden ratio value φ and $\frac{-1}{\varphi}$ instructs a prime number position.
- (ii) There is the real number golden ratio position: $\varphi + \frac{-1}{\varphi} = 1$.
- (iii) There is the complex plane golden ratio position: $\varphi \cdot \frac{-1}{\varphi} = -1$.
- (iv) There is the zero-dimensional prime number reference as the addition of conditions (ii)-(iii): $1 + (-1) = 0$.
- (v) If each golden ratio value pertains to a prime number position as per condition (i) then the addition of these primes (including the value 1) results in a positive even integer as per equations 11-12.
- (vi) The overall context of the golden ratio values as per equation 8 requires condition (iii) as a complex plane 2d factor, and thus condition (v) is factored with -1 , thus resulting in a negative even integer value.

- (vii) The overall ω -prime condition must be considered as per equation 8, and thus when applied to condition (iii) the individual prime result there requires $\sqrt{\varphi \cdot \frac{-1}{\varphi}} = i = e^{\frac{i\pi}{2}}$
- (viii) An overall limiting feature of $0 \rightarrow \omega$ is required to position a prime zero-dimensional (zero result) result given the \odot_0^ω model/set condition being a prime value (ω -prime).

These conditions and associated equations form the basis for how the complex plane of equation 9 as $\varphi \cdot \frac{-1}{\varphi} = e^{i\pi}$ comes into effect. Simply, the mathematical deduction here is that the Riemann equation results should be explainable by conditions (i)-(viii). Or rather, the features of the mathematics of zero-dimensionality should be apparent for the Riemann zero results (both *trivial* and *non-trivial*).

What therefore can be extrapolated from the Riemann equations and associated hypothesis regarding the trivial and non-trivial zero results in regard to conditions (i)-(viii)?

Fundamentally, the zero results of the Riemann hypothesis pertain to the zero-dimensional reference of the golden ratio equations, as the same basis of numbers is being used for the Riemann equations and the mathematics of zero-dimensionality.

With those zero results, the additive feature of condition (ii) begets condition (vi), thence ordaining a list of negative even integers (as s) for a zero result, as what Riemann considers as the trivial zeroes. The implication though here is that the addition of two primes (including the value $t_N 1$) as implicit in condition (ii) results in an even number, and thence according to condition (iii) a negative even integer as prescribed by condition (vi), namely in regard to the Riemann hypothesis as the value s .

Essentially, the mathematics of zero-dimensionality shows that Goldbach's conjecture is a feature of the Riemann hypothesis, a feature that has yet to be noted by contemporary mathematics, despite the negative even integer feature for s being self-evident, namely $\zeta(s) = 0$ being shown for negative even integers as $\sin(\pi s/2) = 0$ for those values.

To note is that condition (vii) presents the case that $e^{i\pi}$ is raised to the power of $\frac{1}{2}$, and thus an exponentiation value of $\frac{1}{2}$ where s is that exponentiation factor in its portrayal in the Riemann equations. Therefore, there would exist another set of zero results for $s = \frac{1}{2}$ that represent the intended designed capture of the positioning of the primes and only primes.

The significance for $\zeta(s) = 0$ for the values where $s = \frac{1}{2}$ (the real part of the function) represents the idea that a prime location (0d) must be a square root ($\sqrt{}$) value of $\varphi \cdot \frac{-1}{\varphi}$ as per condition (vii), namely the real-part exponentiation of $\frac{1}{2}$ as per the use of s for equations 15-17, and thus the use of a 0d locale for the golden ratio values of equation 5, namely condition (vii) where $s = \frac{1}{2}$.

Importantly, condition (viii) specifies that for absolute specificity of the Riemann $s = \frac{1}{2}$ zero result then the plots need to embark to an infinite value, hence the issue with Riemann's hypothesis and the requirement to refine the resonance of the $s = \frac{1}{2}$ prime values in approaching ω .

Thus, both sides of equation 17 can be considered as absolute functions given the values of the golden ratio (φ and $\frac{-1}{\varphi}$) are derived from an absolute basis of zero-dimensionality in the context of an infinite scale as ω -prime.

In short, the question for Riemann was finding the absolute basis of the complex number plane and associated use of a logarithm for equations 20 and 21, namely the absolute basis of the Riemann hypothesis process of complex numbers and log scale for the Gauss counting function, such in understanding the approximation (\cong) of the Gauss function as per equation 19. This approximation though is resolved in using the stricter Riemann mathematics in highlighting the primes of the right hand side of equation 17, however his functions required the calculations of primes approaching ω , and thus the requirement for a description of ω as a *prime* in the context of the $\zeta(s) = 0$ results for $s = \frac{1}{2}$.

In summary, with the Euler-Riemann zeta function:

- Euler's primes were embedded in fractions as a product driven log scale, namely the right hand side of equation 17.
- Those fractions then became related to one another by Riemann using complex analysis, namely in using complex numbers and the prime number counting function logarithm scale with Euler's zeta function, allowing s to be a complex function.
- This logically created plots for the complex plane relevant to the distribution of primes.
- There, when negative even integers are inputted for s they give a $\zeta(s) = 0$ result (as the zeta zeros) considered as the *trivial zeros*.
- The other zeros are considered as the *non-trivial zeros* where $s = \frac{1}{2}$, and it is there where the proposal/conjecture is that all these non-trivial zeros at $s = \frac{1}{2}$ represent the distribution of primes as per the signature use of equations 19-23.
- Riemann then needed to prove that every critical non-trivial zero lies on the $s = \frac{1}{2}$ line, the issue there being that either an endless and exhaustive computer-driven computational process generating primes to ω is required to resolve the Riemann hypothesis, or an accompanying mathematical proof is required, namely an associated equation backdrop to show the infinite prime number value scope of the Riemann equations.
- Thus, only a rigorous fundamental proof for the Riemann hypothesis is considered to uphold the absoluteness of the link between the two sides of equation 17 in using complex numbers and log scales, namely in using the Riemann equations, or an accompanying mathematical proof for the prime values approaching if not including ω is required.

Essentially, Riemann 's hypothesis adapts a complex number plane to a log scale to map the proposal by Euler for the connection between the zeta function (left side of equation 17) and that of the product of the primes in that function (right side of equation 17). Such was a logical thing for Riemann to consider, namely using a complex analytical system and then applying a logarithm (as per the prime number counting function) to pattern the primes of the right side of equation 17.

Here, the mathematics of zero-dimensionality finds the Riemann hypothesis self-evident as a theorem, as from the basis of equations 8 and 10 and that context of the proposed \mathcal{O}_0^ω realm. The associated proof and utility of that mathematics and associated \mathcal{O}_0^ω realm is found with the accurate derivation of physical phenomena for 3d *timespace*. Indeed, if the self-evident nature of the 2d Riemann hypothesis is not sufficient in the context of equations 8-10 and associated conditions (i)-(viii), the task is to understand how primes are linked with one another on the 3d *timespace* grid.

8. Zero-dimensional t_N1 processes as 3d *timespace*: Temporal Mechanics

The previous sections form the *basis* of Temporal Mechanics [1-43], specifically papers 1-2 [1][2] and papers 42-43 [42][43] as the description of 3d *timespace*.

Paper 1 [1] derived the time-equation (derived here as equations 1-6) as a mechanism of temporal *logic*. There, the time-equation was applied to the basic equations of Newtonian gravity and Coulomb's charge force to determine any consistencies. Following such, the time-equation was applied to the electron shell structure of a basic atom, using the golden ratio features of the time-equation to derive the electron shell structure central to the electron number value for each derived shell.

Temporal Mechanics then moved to developing how the time-equation could construct 3d *timespace* as a *temporal wave function* analogous to an *EM* wave function, as per paper 2 [2]. There, from paper 2 page 6 such an analogue derived an approximation for the fine structure constant ([2]: p15), a value subsequently refined in paper 39 ([39]: p46-52), thence derived more fundamentally in paper 41 ([41]: p33). Also in paper 2 ([2]: p15-16) is derived the value of c in using the known scales of the Bohr radius (a^0) and electron charge (e_c).

From paper 2 [2] the process was one of taking those findings and comparing them to known features of physics theory, to thence develop a core underlying time-equation basis for the particles, field forces, and their associated phenomenal activities.

Through this entire process, *timespace* became integral to the physical constants and their associated dynamic equations of force and location. This *integration* process utilized the concept of "1" for *time-now* as t_N1 as a factor that can apply to any mathematical object phenomenon in time, namely *time-before* or *time-after*, as though there is that intrinsic loop of *time-now* to any potential event that has happened (*time-before*) or will happen (*time-after*). Paper 40 ([40]: p9-19) explained this process in comparison to the Lagrangian process for time, and those solutions for special and general relativity.

To note therefore with the *timespace* model is that in this process both t_B and t_A as non-localities are used together according to Pythagorean algebra in setting a 0-reference (0d) locality for 3d space,

thence determining a locality for the time-domain of t_N1 , as 0d points in *timespace*. This was considered to form the basis of approaching and resolving Bell's theorem in paper 29 [29].

What therefore of the *scaling* of these points in *timespace*? Are there numbers with particular features in reference to the overall \mathbb{O}_0^{ω} set of points that are derived to determine prime patterns in physical phenomena?

As proposed, the \mathbb{O}_0^{ω} realm is a prime (ω -prime) in being divisible only by itself or t_N1 . The implication of this is that there would exist a particular association of prime numbers with each other and thence with *timespace*, *demonstrating prime number patterns in timespace* as scales associated to the temporal wave function, particles, and associated field force effects.

Recent research has indeed found such a phenomenon of primes in being statistically correlated with crystallographic Bragg-like peaks of atoms [51]. Temporal Mechanics proposes that such is a fundamental structuring quality of 3d space regarding the \mathbb{O}_0^{ω} realm.

Furthermore, Temporal Mechanics proposes that this "prime number" *timespace* phenomenon is primarily associated to the EM_X^{DIR} field, the proposed 0 K (zero point energy) field [42], and how this field interacts with EM and mass/gravity thence *timespace* shaping/arranging such phenomena [51].

Also of note through the Temporal Mechanics derivation process is the proposed prime-based space-factor S_0 which is facilitated in deriving the mass of the lightest particle pairs (neutrino and antineutrino) from the Planck length l_P . The prime feature of S_0 represents the addition of the first three primes (cubed), and then divided by 3, namely equations 1-2 from paper 35 ([35]: p27-28, eq1-2):

$$S_0 = \frac{2^3 + 3^3 + 5^3}{3} = 53.\dot{3}$$

([35]: p27, eq.1)

$$\frac{l_P}{S_0} = 3.03048 \cdot 10^{-37} \text{ kg}$$

([35]: p28, eq.2)

It thus seems there is an exclusivity with the prime numbers regarding 3d *timespace*, namely how the prime numbers are represented by physical phenomena in time and space for any 0-dimensional reference for 3d space.

To further such, given the primes 2, 3, and 5 are annexed in an algorithm for space as the equation $S_0 = \frac{2^3+3^3+5^3}{3} = 53.\dot{3}$ ([35]: p27, eq.1) and its relationship to elementary mass on the Planck scale $\frac{l_P}{S_0} = 3.03048 \cdot 10^{-37} \text{ kg}$ ([35]: p28, eq.2), the proposal is that every prime number over 5 (namely 7 onwards) would be the result of the addition of any 3 of all the primes:

$$1 + 1 = 2 \text{ (at fault in requiring 1)}$$

$$1 + 1 + 1 = 3 \text{ (at fault in requiring 1)}$$

$$1 + 2 + 2 = 5 \text{ (at fault in requiring 1)}$$

$$2 + 2 + 3 = 7$$

$$\begin{aligned}
3 + 3 + 5 &= 11 \\
3 + 3 + 7 &= 13 \\
3 + 3 + 13 &= 19 \\
\dots
\end{aligned}$$

The implication here is the uniqueness of the first three primes arbitrating by default the phenomenal consequence of $S_0 = \frac{2^3+3^3+5^3}{3} = 53.\dot{3}$ regarding the most fundamental feature of an elementary particle's mass (and thus gravity), the Planck length (and thus EM), *and space*, an entirely logical thing to consider, namely the relationship of primes guiding ultimately the fundamental relationship of physical phenomena (gravity and EM) *in space*.

Here therefore are key instances of prime numbers being essential to the numerical phenomenal feature of space and how such relates to both EM and mass/gravity as per the proposed EM_X^{DIR} field [42], as based on the premise of the \mathbb{O}_0^ω realm being a *prime* (ω -prime). Thus, *the 3d timespace distribution of primes can only be considered in an infinite set which is also a prime* while also in taking in consideration the zero-dimensional position factor of "3", namely $\left(\frac{-1}{\varphi}\right)^2 (t_A) + \varphi^2(t_A) \cong 3(t_N1)$. In other words, presented here is a case of deriving how primes can be patterned from 0 to ω in a 3d *timespace* context.

Although Euler's mathematics and associated complex number planes were essential for Einstein's formulation of special and general relativity, Temporal Mechanics has found that the key underlying issue with special and general relativity and thence contemporary physics is in not accounting for the mathematics of zero-dimensional space. By such, special and general relativity, and associated models for light (quantum mechanics), have led to an improper understanding of time in regard to space, thence leading to anomalies in cosmology theory as per the Λ CDM model ([43]: p1-4). Indeed, time can be observed to dilate and contract for the EM phenomena of light with relative motion, yet the fundamental condition of a point of time as a constant needs to be addressed, something which Einstein did not deliver.

9. Conclusion

Here has been presented a case for the natural numbers and their associated primes to be a part of an overall \mathbb{O}_0^ω set of natural numbers where ω is proposed to be a prime value (ω -prime). Such was possible by considering an ultimate prime set that itself represents an overall *time-now=1* (t_N1) condition for zero-dimensional space, the problem there being the scale and thus potential references in that zero-dimensional space, considered as the 0- ω paradox.

In resolving this 0- ω paradox, the localities of *time-after* and *time-before* in reference to *time-now* within that proposed zero-infinity (\mathbb{O}_0^ω) set were proposed, thence deriving a time-equation. From that time-equation became the two results of the golden ratio, φ and $\frac{-1}{\varphi}$. This golden ratio was then applied to Pythagorean algebraic space to derive 3d space in the context of this universal *time-now=1* (t_N1) and \mathbb{O}_0^ω (infinite-prime) proposal. Together with 3d space was derived the 2d complex number plane and 1d

number vector. From there, it was possible to establish how primes can be identified in the ω -prime set and their proposed relationship to one another in that set as a 1d, complex 2d, and 3d relationship. From such, it was then proposed that the Reimann hypothesis must be upheld in resolving the 2d complex realm of primes as a valid realm to ω for the non-trivial results of 0 for values of $s = \frac{1}{2}$ as an infinite-prime set (\mathcal{O}_0^ω), as a set that is itself a prime. Accompanying such was a solution for Goldbach's conjecture and the twin-prime problem.

Ultimately, it is shown here how numbers are best objectified on a *timespace* grid, namely on 1d, 2d, and 3d as shown here from the mathematics of zero-dimensionality, and that such a grid can be demonstrated as *being compatible with physical phenomena* in its various dimensional aspects. The significance therefore of deriving a solution for Goldbach's conjecture and the Riemann hypothesis from the proposed mathematics of zero-dimensionality is opening new avenues of research and discovery for the physical sciences.

Conflicts of Interest

The author declares no conflicts of interest; this has been an entirely self-funded independent project.

References

For ease of search functionality, the complete PDF of Temporal Mechanics containing all its current papers is available from the following link (Non Open Access):

<https://transactions.sendowl.com/products/78257031/AE5EA60A/view>

The complete current transcript of individual papers can be found from the following links:

https://vixra.org/author/stephen_h_jarvis, <https://www.researchgate.net/profile/Stephen-Jarvis-5/publications>,

1. Jarvis S. H. (2017), Gravity's Emergence from Electrodynamics,
https://www.researchgate.net/publication/328738261_Gravity's_Emergence_from_Electrodynamics,
<https://vixra.org/abs/1704.0169>
2. Jarvis S. H. (2017), Golden Ratio Axioms of Time and Space,
https://www.researchgate.net/publication/328738109_Golden_Ratio_Axioms_of_Time_and_Space,
<https://vixra.org/abs/1706.0488>
3. Jarvis S. H. (2017), The Emergence of Consciousness from Chaos,
https://www.researchgate.net/publication/328738518_The_Emergence_of_Consciousness_from_Chaos,
<https://vixra.org/abs/1707.0044>
4. Jarvis S. H. (2017), Phi-Quantum Wave function Crystal Dynamics,
https://www.researchgate.net/publication/328738422_Phi-Quantum_Wave-Function_Crystal_Dynamics,
<https://vixra.org/abs/1707.0352>

5. Jarvis S. H. (2017), Time as Energy,
https://www.researchgate.net/publication/328738526_Time_as_Energy <https://vixra.org/abs/1711.0419>
6. Jarvis S. H. (2018), The Relativity of Time,
https://www.researchgate.net/publication/328738389_The_Relativity_of_Time
<https://vixra.org/abs/1801.0083>
7. Jarvis S. H. (2019), Golden Ratio Entropic Gravity: Gravitational Singularity Field Testing,
https://www.researchgate.net/publication/332672475_Golden_Ratio_Entropic_Gravity_Gravitational_Singularity_Field_Testing, <https://vixra.org/abs/1904.0485>
8. Jarvis S. H. (2019), The Golden Ratio Time Algorithm,
https://www.researchgate.net/publication/332879052_The_Golden_Ratio_Time_Algorithm,
<https://vixra.org/abs/1905.0081>
9. Jarvis S. H. (2019), The Physics Chimera,
https://www.researchgate.net/publication/333668324_The_Physics_Chimera,
<https://vixra.org/abs/1906.0127>
10. Jarvis S. H. (2019), The Conception of Time,
https://www.researchgate.net/publication/333972239_The_Conception_of_Time,
<https://vixra.org/abs/1906.0441>
11. Jarvis S. H. (2019), Space, and the propagation of Light,
https://www.researchgate.net/publication/335232726_Space_and_the_Propagation_of_Light
<https://vixra.org/abs/1908.0388>
12. Jarvis S. H. (2019), Space, and the Nature of Gravity,
https://www.researchgate.net/publication/336130560_Space_and_the_Nature_of_Gravity,
<https://vixra.org/abs/1909.0656>
13. Jarvis S. H. (2019), Space, and the Redshift Effect,
https://www.researchgate.net/publication/337019159_Space_and_the_Redshift_Effect,
<https://vixra.org/abs/1911.0064>
14. Jarvis S. H. (2019), Solving The Cosmological Constant Problem,
https://www.researchgate.net/publication/338159068_Solving_the_Cosmological_Constant_Problem,
<https://vixra.org/abs/1912.0451>
15. Jarvis S. H. (2020), Hybrid Time Theory: "Euler's Formula" and the "Phi-Algorithm",
https://www.researchgate.net/publication/338548474_Hybrid_Time_Theory_Euler's_Formula_and_the_Phi-Algorithm, <https://vixra.org/abs/2001.0233>
16. Jarvis S. H. (2020), The Hybrid Time Clock as a Function of Gravity,
https://www.researchgate.net/publication/338689227_The_Hybrid_Time_Clock_as_a_Function_of_Gravity
, <https://vixra.org/abs/2001.0401>
17. Jarvis S. H. (2020), Hybrid Time Theory: Cosmology and Quantum Gravity (I),
https://www.researchgate.net/publication/340270768_Hybrid_Time_Theory_Cosmology_and_Quantum_Gravity_I, <https://vixra.org/abs/2003.0659>
18. Jarvis S. H. (2020), Scientific Principles of Space, Time, and Perception,
https://www.researchgate.net/publication/340574420_Scientific_Principles_of_Space_Time_and_Perception
[on, https://vixra.org/abs/2004.0260](https://vixra.org/abs/2004.0260)
19. Jarvis S. H. (2020), Hybrid Time Theory: Cosmology and Quantum Gravity (II),
https://www.researchgate.net/publication/341117279_Hybrid_Time_Theory_Cosmology_and_Quantum_Gravity_II, <https://vixra.org/abs/2005.0053>

20. Jarvis S. H. (2020), Mathematical Principles of Time and Energy,
https://www.researchgate.net/publication/341440377_Mathematical_Principles_of_Time_and_Energy,
<https://vixra.org/abs/2005.0179>
21. Jarvis S. H. (2020), Dimensional Mechanics of Time and Space,
https://www.researchgate.net/publication/341782076_Dimensional_Mechanics_of_Time_and_Space,
<https://vixra.org/abs/2005.0286>
22. Jarvis S. H. (2020), Dimensional Thermodynamics,
https://www.researchgate.net/publication/342343657_Dimensional_Thermodynamics,
<https://vixra.org/abs/2006.0194>
23. Jarvis S. H. (2020), Time-Space Wave-Mechanics,
https://www.researchgate.net/publication/343281767_Time-Space_Wave-Mechanics,
<https://vixra.org/abs/2007.0223>
24. Jarvis S. H. (2020), Temporal Calculus (The Calculus of Time-points in Space),
https://www.researchgate.net/publication/343678982_Temporal_Calculus_The_Calculus_of_Time-Points_in_Space, <https://vixra.org/abs/2008.0111>
25. Jarvis S. H. (2020), Temporal Calculus: solving the “Yang-Mills Existence and Mass Gap” problem.,
https://www.researchgate.net/publication/343987838_Temporal_Calculus_solving_the_Yang-Mills_Existence_and_Mass_Gap_problem, <https://vixra.org/abs/2008.0226>
26. Jarvis S. H. (2020), Temporal Calculus: Time Scaling Space,
https://www.researchgate.net/publication/344221574_Temporal_Calculus_Time_Scaling_Space,
<https://vixra.org/abs/2009.0091>
27. Jarvis S. H. (2020), Temporal Calculus: Resolving Elementary Particle Formation and Confinement,
https://www.researchgate.net/publication/344387016_Temporal_Calculus_Resolving_Elementary_Particle_Formation_and_Confinement, <https://vixra.org/abs/2009.0177>
28. Jarvis S. H. (2020), Temporal Calculus: Resolving Einstein’s Theory of Relativity (Special and General),
https://www.researchgate.net/publication/344457690_Temporal_Calculus_Resolving_Einstein's_Theory_of_Relativity_Special_and_General, <https://vixra.org/abs/2010.0017>
29. Jarvis S. H. (2020), Time and Non-Locality: Resolving Bell’s Theorem,
https://www.researchgate.net/publication/345127477_Time_and_Non-Locality_Resolving_Bell's_Theorem,
<https://vixra.org/abs/2011.0002>
30. Jarvis S. H. (2020), Non-Local Time-Point Theory: Magnetic Quantum Shell (MQS) Modelling,
https://www.researchgate.net/publication/346672010_Non-Local_Time-Point_Theory_Magnetic_Quantum_Shell_MQS_Modelling, <https://vixra.org/abs/2012.0040>
31. Jarvis S. H. (2021), Temporal Mechanics (A): Time-Space Circuits,
https://www.researchgate.net/publication/348184426_Temporal_Mechanics_A_Time-Space_Circuits,
<https://vixra.org/abs/2101.0022>
32. Jarvis S. H. (2021), Temporal Mechanics (B): Time-Space Constants,
https://www.researchgate.net/publication/348729069_Temporal_Mechanics_B_Time-Space_Constants,
<https://vixra.org/abs/2101.0148>
33. Jarvis S. H. (2021), Temporal Mechanics (C): Time-Space Manifolds,
https://www.researchgate.net/publication/349108810_Temporal_Mechanics_C_Time-Space_Manifolds,
<https://vixra.org/abs/2102.0047>

34. Jarvis S. H. (2021), Temporal Mechanics (D): Time-Space Metrics,
https://www.researchgate.net/publication/350090036_Temporal_Mechanics_D_Time-Space_Metrics,
<https://vixra.org/abs/2103.0102>
35. Jarvis S. H. (2021), Temporal Mechanics (E): Time-Space Logistics,
https://www.researchgate.net/publication/350512305_Temporal_Mechanics_E_Time-Space_Logistics,
<https://vixra.org/abs/2103.0201>
36. Jarvis S. H. (2021), Quantum Gravity, and the calculation of maximum SOL mass,
https://www.researchgate.net/publication/353224312_Quantum_Gravity_and_the_calculation_of_maximum_SOL_mass, <https://vixra.org/abs/2107.0086>
37. Jarvis S. H. (2021), An Axiom of Time resolving Entropy, CP violation, and the isotropic CMBR,
https://www.researchgate.net/publication/353403592_An_Axiom_of_Time_resolving_Entropy_CP_violation_and_the_isotropic_CMBR, <https://vixra.org/abs/2107.0146>
38. Jarvis S. H. (2021), Temporal Mechanics, and EM-DIR "particle pair production",
https://www.researchgate.net/publication/354794575_Temporal_Mechanics_and_EM-DIR_particle_pair_production, <https://vixra.org/abs/2109.0167>
39. Jarvis S. H. (2021), Temporal Mechanics, and the derivation of an electron degeneracy neutrino, Gravity constant (G), fine structure constant (α), Planck constant (h), and the phenomenal values of Sol,
https://www.researchgate.net/publication/356039421_Temporal_Mechanics_and_the_derivation_of_an_electron_degeneracy_neutrino_Gravity_constant_G_fine_structure_constant_alpha_Planck_constant_h_and_the_phenomenal_values_of_Sol, <https://vixra.org/abs/2111.0045>
40. Jarvis S. H. (2021), Time-domains as the foundation for classical mechanics, the relativity of moving objects, and the known field forces, presenting the case for a unified field theory
https://www.researchgate.net/publication/356508902_Time-domains_as_the_foundation_for_classical_mechanics_the_relativity_of_moving_objects_and_the_known_field_forces_presenting_the_case_for_a_unified_field_theory, <https://vixra.org/abs/2111.0131>
41. Jarvis S. H. (2022), A time-equation thought experiment deriving 3D space as timespace in forming the basis for particle and field phenomena, https://www.researchgate.net/publication/357690054_A_time-equation_thought_experiment_deriving_3D_space_as_timespace_in_forming_the_basis_for_particle_and_field_phenomena, <https://vixra.org/abs/2201.0043>
42. Jarvis S. H. (2022), The Temporal Mechanics XEMDIR field resolving zero-point energy, negative energy, anti-EM, anti-gravity, symmetry breaking, and Baryon asymmetry,
https://www.researchgate.net/publication/358974090_The_Temporal_Mechanics_XEMDIR_field_resolving_zero-point_energy_negative_energy_anti-EM_anti-gravity_symmetry_breaking_and_Baryon_asymmetry,
<https://vixra.org/abs/2203.0018>
43. Jarvis S. H. (2022), A mathematical analysis of zero-dimensionality in deriving the natural numbers, offering a solution to Goldbach's conjecture and the Riemann hypothesis,
https://www.researchgate.net/publication/359577367_A_mathematical_analysis_of_zero-dimensionality_in_deriving_the_natural_numbers_offering_a_solution_to_Goldbach's_conjecture_and_the_Riemann_hypothesis, <https://vixra.org/abs/2203.0181>
44. <https://planetmath.org/zerodimensional>, webpage accessed 2nd April 2022
45. <https://mathworld.wolfram.com/GoldbachConjecture.html>, accessed 26th March 2022
46. [Leonard Euler \(1748\) Chapter 8: On transcending quantities arising from the circle](#) of [Introduction to the Analysis of the Infinite](#), page 214, section 138 (translation by Ian Bruce, pdf link from 17 century maths), accessed 26th March 2022

47. Bach, Eric; Shallit, Jeffrey (1996). Algorithmic Number Theory. MIT Press. volume 1 page 234 section 8.8. [ISBN 0-262-02405-5](#).
48. [Weisstein, Eric W. "Prime Counting Function". MathWorld](#), accessed 26th March 2022
49. Bombieri, Enrico. "[The Riemann Hypothesis – official problem description](#)" (PDF). [Clay Mathematics Institute](#), accessed 26th March 2022
50. Steuding, Jörn; Suriajaya, Ade Irma (1 November 2020). "[Value-Distribution of the Riemann Zeta-Function Along Its Julia Lines](#)". Computational Methods and Function Theory. **20** (3): 389–401. [doi:10.1007/s40315-020-00316-x](#). [ISSN 2195-3724](#).
51. <https://arxiv.org/abs/1801.01541>